

Pensieve Header: bb-calculus, revision 2.

```

bbSimplify = Simplify;
SetAttributes[bbCollect, Listable];
bbCollect[B[ω_, σ_, μ_]] := B[
  bbSimplify[ω], σ,
  Collect[μ, _h, Collect[#, _t, bbSimplify] &]
];
hL[b_] := Union[Cases[b, h[s_] → s, Infinity]];
tL[b_] := Union[Cases[b, t[s_] | T_s → s, Infinity]];
dL[b_] := Union[hL[b], tL[b]];
σ_ ⊢ h_ := (∂_h σ /. 0 → 1);
bbForm[B[ω_, σ_, μ_]] := Module[
  {tails, heads, mat},
  tails = tL[B[ω, σ, μ]]; heads = hL[B[ω, σ, μ]];
  mat = Outer[bbSimplify[∂_h[#1], t[#2] μ] &, heads, tails];
  PrependTo[mat, t /@ tails];
  mat = Join[
    {Prepend[h /@ heads, ω]},
    Transpose[mat],
    {Prepend[(σ ⊢ h[#]) & /@ heads, "1+Σ/ω"]}
  ];
  MatrixForm[mat]
];
bbForm[else_] := else /. b_B → bbForm[b];
Format[b_B, StandardForm] := bbForm[b];
B /: B[ω1_, σ1_, μ1_] == B[ω2_, σ2_, μ2_] := Module[
  {heads, tails},
  tails = tL[{B[ω1, σ1, μ1], B[ω2, σ2, μ2]}];
  heads = hL[{B[ω1, σ1, μ1], B[ω2, σ2, μ2]}];
  (ω1 == ω2) && (σ1 == σ2) && (
    And @@ Flatten[Outer[
      (Coefficient[μ1, t[#1] h[#2]] == Coefficient[μ2, t[#1] h[#2]]) &,
      tails, heads
    ]]
  )
];

tm[x_, y_, z_][b_] := b /. {t[x] → t[z], t[y] → t[z], T_x → T_z, T_y → T_z};
hm[x_, y_, z_][B[ω_, σ_, μ_]] := B[ω,
  h[z] (σ ⊢ h[x]) (σ ⊢ h[y]) + (σ /. h[x] | h[y] → 0),
  h[z] (D[μ, h[x]] + (σ ⊢ h[x]) ∂_h[y] μ) + (μ /. h[x] | h[y] → 0)
] // bbCollect;
swaph[y_, x_][B[ω_, σ_, μ_]] := Module[
  {α, β, γ, δ},
  ( α β ) = ( Coefficient[μ, t[y] h[x]] D[μ, t[y]] /. h[x] → 0 )
  ( γ δ ) = ( D[μ, h[x]] /. t[y] → 0 μ /. h[x] | t[y] → 0 );
  B[ω + α, σ,

```

```

      {(\sigma + h[x]) t[y], 1} \cdot \left( \frac{\alpha}{\gamma} \left( (\omega + \alpha) \delta - \gamma * \beta \right) / \omega \right) \cdot \{h[x], 1\} // bbCollect
    ];
  dm[x_, y_, z_][b_] := b // swaph[x, y] // hm[x, y, z] // tm[x, y, z];
  B /: B[\omega1_, \sigma1_, \mu1_] B[\omega2_, \sigma2_, \mu2_] := B[\omega1 * \omega2, \sigma1 + \sigma2, \omega2 \mu1 + \omega1 \mu2];

  Unprotect[NonCommutativeMultiply];
  b1_B ** b2_B := Module[
    {rho, sigma, labels},
    rho = b1 * (b2 /. {h[s_] => h[sigma[s]], t[s_] => t[sigma[s]], T_s_ => T[sigma[s]]});
    labels = dL[{b1, b2}];
    Do[rho = rho // dm[s, sigma[s], s], {s, labels}];
    rho
  ];

```

```

Rp[x_, y_] := B[1, T_x h[y], (T_x - 1) * t[x] h[y]];
Rm[x_, y_] := B[1, h[y] / T_x, (1 / T_x - 1) * t[x] h[y]];

```

```
{Rp[1, 2], Rm[1, 2]}
```

$$\left\{ \begin{pmatrix} 1 & h[2] \\ t[1] & -1 + T_1 \\ 1 + \Sigma/\omega & T_1 \end{pmatrix}, \begin{pmatrix} 1 & h[2] \\ t[1] & -1 + \frac{1}{T_1} \\ 1 + \Sigma/\omega & \frac{1}{T_1} \end{pmatrix} \right\}$$

```
{Rp[1, 2] ** Rp[1, 3] ** Rp[2, 3], Rp[2, 3] ** Rp[1, 3] ** Rp[1, 2]}
```

$$\left\{ \begin{pmatrix} 1 & h[1] & h[2] & h[3] \\ t[1] & 0 & -1 + T_1 & -1 + T_1 \\ t[2] & 0 & 0 & T_1 (-1 + T_2) \\ 1 + \Sigma/\omega & 1 & T_1 & T_1 T_2 \end{pmatrix}, \begin{pmatrix} 1 & h[1] & h[2] & h[3] \\ t[1] & 0 & -1 + T_1 & -1 + T_1 \\ t[2] & 0 & 0 & T_1 (-1 + T_2) \\ 1 + \Sigma/\omega & 1 & T_1 & T_1 T_2 \end{pmatrix} \right\}$$

```
<< KnotTheory`
```

```
{b = Times@@(PD[Knot[8, 17]] /.
```

```
  X[i_, j_, k_, l_] => If[PositiveQ[X[i, j, k, l]], Rp[l, i], Rm[j, i]]];
```

```
  Do[b = dm[1, k, 1][b], {k, 2, 16}]; b,
```

```
  Alexander[Knot[8, 17]][T_1] // bbSimplify
```

```
}
```

Loading KnotTheory` version of August 22, 2010, 13:36:57.55.

Read more at <http://katlas.org/wiki/KnotTheory>.

KnofTheory::loading: Loading precomputed data in PD4Knots`.

$$\left\{ \begin{pmatrix} -8 - \frac{1}{T_1^2} + \frac{4}{T_1} + 11 T_1 - 8 T_1^2 + 4 T_1^3 - T_1^4 & h[1] \\ t[1] & 0 \\ 1 + \Sigma/\omega & 1 \end{pmatrix}, 11 - \frac{1}{T_1^3} + \frac{4}{T_1^2} - \frac{8}{T_1} - 8 T_1 + 4 T_1^2 - T_1^3 \right\}$$

```

{n = 4;
  b = B[ω, Sum[σj h[j], {j, n}], Sum[α10 i+j t[i] h[j], {i, n}, {j, n}]],
  b // dm[1, 2, 1]
} // ColumnForm

```

$$\begin{pmatrix} \omega & h[1] & h[2] & h[3] & h[4] \\ t[1] & \alpha_{11} & \alpha_{12} & \alpha_{13} & \alpha_{14} \\ t[2] & \alpha_{21} & \alpha_{22} & \alpha_{23} & \alpha_{24} \\ t[3] & \alpha_{31} & \alpha_{32} & \alpha_{33} & \alpha_{34} \\ t[4] & \alpha_{41} & \alpha_{42} & \alpha_{43} & \alpha_{44} \\ 1+\Sigma/\omega & \sigma_1 & \sigma_2 & \sigma_3 & \sigma_4 \end{pmatrix}$$

$$\begin{pmatrix} \omega + \alpha_{12} & h[1] & h[3] & h[4] \\ t[1] & \frac{(\omega + \alpha_{12}) \alpha_{21} + \alpha_{22} (-\alpha_{11} + \omega \sigma_1)}{\omega} + (\alpha_{11} + \alpha_{12} \sigma_1) \sigma_2 & \frac{(\omega + \alpha_{12}) \alpha_{23} + \alpha_{13} (-\alpha_{22} + \omega \sigma_2)}{\omega} & \frac{(\omega + \alpha_{12}) \alpha_{24} + \alpha_{14} (-\alpha_{22} + \omega \sigma_2)}{\omega} \\ t[3] & \frac{(\omega + \alpha_{12}) \alpha_{31} + \alpha_{32} (-\alpha_{11} + \omega \sigma_1)}{\omega} & \frac{-\alpha_{13} \alpha_{32} + (\omega + \alpha_{12}) \alpha_{33}}{\omega} & \frac{-\alpha_{14} \alpha_{32} + (\omega + \alpha_{12}) \alpha_{34}}{\omega} \\ t[4] & \frac{(\omega + \alpha_{12}) \alpha_{41} + \alpha_{42} (-\alpha_{11} + \omega \sigma_1)}{\omega} & \frac{-\alpha_{13} \alpha_{42} + (\omega + \alpha_{12}) \alpha_{43}}{\omega} & \frac{-\alpha_{14} \alpha_{42} + (\omega + \alpha_{12}) \alpha_{44}}{\omega} \\ 1+\Sigma/\omega & \sigma_1 \sigma_2 & \sigma_3 & \sigma_4 \end{pmatrix}$$

```

{n = 4;
  b = B[ω, Sum[σj h[j], {j, n}], Sum[α10 i+j t[i] h[j], {i, n}, {j, n}]],
  t1 = b // dm[1, 2, 1] // dm[1, 3, 1],
  t2 = b // dm[2, 3, 2] // dm[1, 2, 1],
  t1 == t2 // Simplify
} // ColumnForm

```

$$\begin{pmatrix} \omega & h[1] & h[2] & h[3] & h[4] \\ t[1] & \alpha_{11} & \alpha_{12} & \alpha_{13} & \alpha_{14} \\ t[2] & \alpha_{21} & \alpha_{22} & \alpha_{23} & \alpha_{24} \\ t[3] & \alpha_{31} & \alpha_{32} & \alpha_{33} & \alpha_{34} \\ t[4] & \alpha_{41} & \alpha_{42} & \alpha_{43} & \alpha_{44} \\ 1+\Sigma/\omega & \sigma_1 & \sigma_2 & \sigma_3 & \sigma_4 \end{pmatrix}$$

$$\begin{pmatrix} \omega + \alpha_{23} + \frac{\alpha_{12} (\omega + \alpha_{23})}{\omega} + \alpha_{13} \left(-\frac{\alpha_{22}}{\omega} + \sigma_2\right) & t[1] & & & \\ & t[4] & & & \\ & 1+\Sigma/\omega & & & \\ \omega + \alpha_{23} + \frac{\alpha_{12} (\omega + \alpha_{23})}{\omega} + \alpha_{13} \left(-\frac{\alpha_{22}}{\omega} + \sigma_2\right) & t[1] & & & \\ & t[4] & & & \\ & 1+\Sigma/\omega & & & \end{pmatrix}$$

True