

Pensieve header: A free-Lie calculator.

```
Unprotect[NonCommutativeMultiply];
x_**0 = 0; 0**y_ = 0;
(c_**x_AW)**y_ := Expand[c(x**y)];
x_** (c_**y_AW) := Expand[c(x**y)];
x_Plus**y_ := (#**y) & /@ x;
x_**y_Plus := (x**#) & /@ y;
AW[w1_String]**AW[w2_String] := AW[w1<>w2];
```

A Lyndon word is a word lexicographically smaller than all of its proper right factors; see <http://katlas-math.toronto.edu/drorbn/bbs/show?shot=Chu-071214-182203.jpg>

```
LyndonQ[AW[w_String]] := And @@ (
  OrderedQ[{w, #}] & /@ Table[StringDrop[w, i], {i, 1, StringLength[w] - 1}]
);
AllWords[0, _List] = {AW[""]};
AllWords[n_ /; n > 0, ab_List] := AllWords[n, ab] = AW /@ Flatten[Outer[
  StringJoin[#1, #2] &,
  First /@ AllWords[n - 1, ab],
  ab
]];
AllLyndonWords[n_Integer, ab_List] := LW @@@ Select[AllWords[n, ab], LyndonQ];
AllLyndonWords[{n_}, ab_List] := Join@@Table[AllLyndonWords[k, ab], {k, n}];
LyndonFactorization[LW[w_String] /; StringLength[w] == 1] := LW[w];
LyndonFactorization[LW[w_String] /; StringLength[w] > 1] := Module[
  {rf},
  rf = First[Sort[Table[StringDrop[w, i], {i, 1, StringLength[w] - 1}]]];
  LW /@ {StringDrop[w, -StringLength[rf]], rf}
];
LW[s_Symbol] := LW[ToString[s]];
LW[LW[w_]] := LW[w];
LW /: LW[x_] ≤ LW[y_] := OrderedQ[{x, y}];
LW /: x_LW ≥ y_LW := y ≤ x;
LW /: x_LW > y_LW := !(x ≤ y);
LW /: x_LW < y_LW := !(y ≤ x);
Format[LW[w_], StandardForm] := Defer[⟨w⟩];
⟨w_⟩ := LW[w];
LW[is_Integer] := LW[StringJoin@@
  (StringTake["1234567890abcdefghijklmnopqrstuvwxyz", {#}] & /@ {is})];
Deg[LW[x_]] := StringLength[x];

{LyndonQ[AW@"abba"], LyndonQ[AW@"ababb"]}
{False, True}

{AllWords[3, {"1", "2"}], AllLyndonWords[{3}, {"1", "2"}]}
{{AW[111], AW[112], AW[121], AW[122], AW[211], AW[212], AW[221], AW[222]},
 {⟨1⟩, ⟨2⟩, ⟨12⟩, ⟨112⟩, ⟨122⟩}}
```


```
Table[Length[AllLyndonWords[k, {"1", "2"}]], {k, 10}]
```

```
{2, 1, 2, 3, 6, 9, 18, 30, 56, 99}
```

```
Table[Length[AllLyndonWords[k, {"1", "2", "3"}]], {k, 10}]
```

```
{3, 3, 8, 18, 48, 116, 312, 810, 2184, 5880}
```

```
TreeForm[LW["12122"] //. w_LW => LyndonFactorization[w] /. LW[w_] => w]
```



```

b[0, _] = 0; b[_, 0] = 0;
b[c_ * (x_AW | x_LW), y_] := Expand[c b[x, y]];
b[x_, c_ * (y_AW | y_LW)] := Expand[c b[x, y]];
b[x_Plus, y_] := b[#, y] & /@ x;
b[x_, y_Plus] := b[x, #] & /@ y;
b[w_AW, z_AW] := w ** z - z ** w;
b[w_LW, z_LW] := LWBracket[w, z];

```

```

LWBracket[w_LW, z_LW] := Which[
  (* If[Deg[w]+Deg[z]>4, Dialog[]]; *)
  w === z, 0,
  z < w, Expand[-b[z, w]],
  Deg[w] = 1, LW[First[w] <> First[z]],
  True, Module[{x, y},
    {x, y} = LyndonFactorization[w];
    If[y ≥ z,
      LW[First[w] <> First[z]],
      LWBracket[w, z] = b[x, LWBracket[y, z]] + b[LWBracket[x, z], y]
    ]
  ]
];

b[LW["112"], LW["122"]]
<112122> + <112212>

Outer[b, AllLyndonWords[{3}, {"1", "2"}],
  AllLyndonWords[{3}, {"1", "2"}]] // MatrixForm

$$\begin{pmatrix} 0 & \langle 12 \rangle & \langle 112 \rangle & \langle 1112 \rangle & \langle 1122 \rangle \\ -\langle 12 \rangle & 0 & -\langle 122 \rangle & -\langle 1122 \rangle & -\langle 1222 \rangle \\ -\langle 112 \rangle & \langle 122 \rangle & 0 & -\langle 11212 \rangle & \langle 12122 \rangle \\ -\langle 1112 \rangle & \langle 1122 \rangle & \langle 11212 \rangle & 0 & \langle 112122 \rangle + \langle 112212 \rangle \\ -\langle 1122 \rangle & \langle 1222 \rangle & -\langle 12122 \rangle & -\langle 112122 \rangle - \langle 112212 \rangle & 0 \end{pmatrix}$$


Union[Flatten[Outer[(b[#1, #2] + b[#2, #1]) &,
  AllLyndonWords[{6}, {"1", "2"}], AllLyndonWords[{6}, {"1", "2"}]
]]]
{0}

Outer[(b[#1, b[#2, #3]] + b[#2, b[#3, #1]] + b[#3, b[#1, #2]]) &,
  AllLyndonWords[{5}, {"1", "2"}],
  AllLyndonWords[{5}, {"1", "2"}], AllLyndonWords[{5}, {"1", "2"}]
] // Flatten // Union
{0}

ad[x_][y_] := b[x, y];
MakeLieSeries[d_, l_List] := MakeLieSeries[d, #] & /@ l;
MakeLieSeries[d_, s_LieSeries] /; Length[s] ≤ d := s;
MakeLieSeries[d_, s_LieSeries] /; Length[s] > d := Take[s, d];
MakeLieSeries[d_, a_ → b_] := (a → MakeLieSeries[d, b]);
MakeLieSeries[d_, expr_] := LieSeries @@ Table[
  expr /. w_LW /; Deg[w] ≠ k → 0,
  {k, d}
];

MakeLieSeries[w_LW] := Append[LieSeries @@ Table[0, {Deg[w] - 1}], w];
LieSeries[] = 0;
LieSeries /: Expand[s_LieSeries] := Expand /@ s;
LieSeries /: Plus[ss_LieSeries] /; Length[{ss}] > 1 := Module[

```

```

    {l = Min[Length /@ {ss}],
    LieSeries @@ Total[Take[List @@ #, l] & /@ {ss}]
];
LieSeries /: 0 * s_LieSeries := 0;
LieSeries /: c_?NumberQ * s_LieSeries := Expand[c * #] & /@ s;
LieSeries /: s_LieSeries + c_. * w_LW /; NumberQ[c] := Module[{d},
  d = Deg[w];
  If[Length[s] < d, 0,
  ReplacePart[s, d -> s[[d]] + Expand[c * w]]
];
b[s1_LieSeries, s2_LieSeries] := Module[
  {d, k, m1, m2},
  m1 = 1 + LengthWhile[s1, # == 0 &];
  m2 = 1 + LengthWhile[s2, # == 0 &];
  LieSeries @@ Table[
    Sum[b[s1[[k]], s2[[d - k]]], {k, m1, d - m2}],
    {d, Min[m1 + Length[s2], m2 + Length[s1]]}
];
b[w_LW, s_LieSeries] := Join[
  LieSeries @@ Table[0, {Deg[w]}],
  ad[w] /@ s
];
b[s_LieSeries, w_LW] := Expand[-b[w, s]];
LieSeries /: EulerE[s_LieSeries] :=
  LieSeries @@ Expand[Range[Length[s]] * (List @@ s)];
adSeries[f_, x_, d_][psi_] := Module[
  {ser, as, ni, nf, t, l, m},
  ser = List @@ Series[f, {ad, 0, d}];
  {as, ni, nf} = ser[{{3, 4, 5}}];
  t = Nest[ad[x], psi, ni];
  If[Head[t] === LieSeries,
  l = Length[t];
  Expand[First[as] * t + Sum[
    m = 1 + LengthWhile[t, # == 0 &];
    t = ad[MakeLieSeries[l - m, x]][t];
    as[[k + 1]] * t,
    {k, 1, nf - ni - 1}
  ]],
  Expand[as.NestList[ad[x], t, nf - ni - 1]]
];
Ad[s_LieSeries] := adSeries[E^(-ad), s, Length[s] - 1];

xw = <x>; yw = <y>;
adSeries[E^(-ad), yw, 3][xw]
<x> + <xy> +  $\frac{\langle xyY \rangle}{2}$  +  $\frac{\langle xyYY \rangle}{6}$ 

```

`MakeLieSeries[5, adSeries[E^(-ad), xw, 3][yw]]`

$$\text{LieSeries}\left[\langle y \rangle, -\langle xy \rangle, \frac{\langle xxy \rangle}{2}, -\frac{\langle xxxy \rangle}{6}, 0\right]$$

`BCH[1] = LieSeries["x"] + "y";`

```
BCH[n_] := BCH[n] = Module[
  {bch, t1, t2},
  bch = Append[BCH[n - 1], 0];
  t1 = MakeLieSeries[n, "y" + adSeries[E^(-ad), "y", n - 1][["x"]]];
  t2 = adSeries[(1 - E^(-ad)) / ad, bch, n - 1][EulerE[bch]];
  bch + (t1 - t2) / n
]
```

`BCH[2]`

$$\text{LieSeries}\left[\langle x \rangle + \langle y \rangle, \frac{\langle xy \rangle}{2}\right]$$

`BCH[8]`

$$\begin{aligned} \text{LieSeries}\left[\langle x \rangle + \langle y \rangle, \frac{\langle xy \rangle}{2}, \frac{\langle xxy \rangle}{12} + \frac{\langle xyy \rangle}{12}, \frac{\langle xxyy \rangle}{24}, \right. \\ \left. -\frac{\langle xxxxy \rangle}{720} + \frac{\langle xxxyy \rangle}{180} + \frac{\langle xxyxy \rangle}{360} + \frac{\langle xxyyy \rangle}{180} + \frac{\langle xyxyy \rangle}{120} - \frac{\langle xyyyy \rangle}{720}, \right. \\ \left. -\frac{\langle xxxxyy \rangle}{1440} + \frac{\langle xxxxyx \rangle}{720} + \frac{\langle xxxxyy \rangle}{360} + \frac{\langle xxyxyy \rangle}{240} - \frac{\langle xxyyyy \rangle}{1440}, \right. \\ \frac{\langle xxxxxxxy \rangle}{30240} - \frac{\langle xxxxxxxy \rangle}{5040} + \frac{\langle xxxxyxy \rangle}{10080} + \frac{\langle xxxxyyy \rangle}{3780} + \frac{\langle xxxyxxy \rangle}{10080} + \frac{\langle xxxxyxy \rangle}{1680} + \\ \frac{\langle xxxxyyxy \rangle}{1260} + \frac{\langle xxxxyyyy \rangle}{3780} + \frac{\langle xxyxxyy \rangle}{2016} - \frac{\langle xxyxyxy \rangle}{5040} + \frac{13 \langle xxyxyyy \rangle}{15120} + \frac{\langle xxyyxxy \rangle}{10080} - \\ \frac{\langle xxyyyyxy \rangle}{1512} - \frac{\langle xxyyyyxy \rangle}{5040} + \frac{\langle xyxyxyy \rangle}{1260} - \frac{\langle xyxyyyy \rangle}{2016} - \frac{\langle xyxyxyy \rangle}{5040} + \frac{\langle xyxyyyy \rangle}{30240}, \\ \left. \frac{\langle xxxxxxxxy \rangle}{60480} - \frac{\langle xxxxxxxy \rangle}{15120} - \frac{\langle xxxxyxyy \rangle}{10080} + \frac{\langle xxxxyxxy \rangle}{20160} - \frac{\langle xxxxyxyy \rangle}{20160} + \frac{\langle xxxxyyxy \rangle}{2520} + \right. \\ \left. \frac{23 \langle xxxxyyyy \rangle}{120960} + \frac{\langle xxxyxxyy \rangle}{4032} - \frac{\langle xxxyxxyy \rangle}{10080} + \frac{13 \langle xxxxyxyy \rangle}{30240} + \frac{\langle xxxxyyxy \rangle}{20160} - \right. \\ \left. \frac{\langle xxxxyyxy \rangle}{3024} - \frac{\langle xxxxyyyy \rangle}{10080} + \frac{\langle xxyxyxyy \rangle}{2520} - \frac{\langle xxyxyyyy \rangle}{4032} - \frac{\langle xxyyxxyy \rangle}{10080} + \frac{\langle xxyxyyyy \rangle}{60480}\right] \end{aligned}$$

```

LieMorphism[rules_List] :=
  LieMorphism[rules] = LieMorphism[Unique[LieMorphism], rules];
LieMorphism[mor_Symbol, rules_List] := (
  mor[] = rules;
  (mor[w_LW] /; Deg[w] == 1) := (mor[w] = w /. rules);
  mor[w_LW] := (mor[w] = b @@ (mor /@ LyndonFactorization[w]));
  mor[s_LieSeries] := Module[
    {l = Length[s]},
    MakeLieSeries[l, Sum[
      LieMorphism[MakeLieSeries[l - k + 1, rules]][s[[k]]],
      {k, 1}
    ]
  ];
  mor[expr] := Expand[expr /. {s_LieSeries => mor[s], w_LW => mor[w]}];
  mor
);
BCH[n_, x_, y_] := LieMorphism[{LW["x"] -> x, LW["y"] -> y}[BCH[n]];
BCH[s1_LieSeries, s2_LieSeries] := BCH[Min[Length /@ {s1, s2}], s1, s2];

{n = 4,
  t1 = BCH[n, LW["x"], BCH[n, LW["y"], LW["z"]]],
  t2 = BCH[n, BCH[n, LW["x"], LW["y"]], LW["z"]],
  t1 == t2}

{4, LieSeries[⟨x⟩ + ⟨y⟩ + ⟨z⟩,  $\frac{\langle xy \rangle}{2} + \frac{\langle xz \rangle}{2} + \frac{\langle yz \rangle}{2}$ ,
   $\frac{\langle xxy \rangle}{12} + \frac{\langle xxz \rangle}{12} + \frac{\langle xyy \rangle}{12} + \frac{\langle xyz \rangle}{3} + \frac{\langle xzy \rangle}{6} + \frac{\langle xzz \rangle}{12} + \frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ,
   $\frac{\langle xxyy \rangle}{24} + \frac{\langle xxyz \rangle}{12} + \frac{\langle xxzy \rangle}{12} + \frac{\langle xxzz \rangle}{24} + \frac{\langle xyyz \rangle}{12} + \frac{\langle xzyy \rangle}{12} + \frac{\langle xyzz \rangle}{12} + \frac{\langle xzyz \rangle}{12} + \frac{\langle yyzz \rangle}{24}$ ],
  LieSeries[⟨x⟩ + ⟨y⟩ + ⟨z⟩,  $\frac{\langle xy \rangle}{2} + \frac{\langle xz \rangle}{2} + \frac{\langle yz \rangle}{2}$ ,
   $\frac{\langle xxy \rangle}{12} + \frac{\langle xxz \rangle}{12} + \frac{\langle xyy \rangle}{12} + \frac{\langle xyz \rangle}{3} + \frac{\langle xzy \rangle}{6} + \frac{\langle xzz \rangle}{12} + \frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12} + \frac{\langle xxyy \rangle}{24}$  +
   $\frac{\langle xxyz \rangle}{12} + \frac{\langle xxzy \rangle}{12} + \frac{\langle xxzz \rangle}{24} + \frac{\langle xyyz \rangle}{12} + \frac{\langle xzyy \rangle}{12} + \frac{\langle xyzz \rangle}{12} + \frac{\langle xzyz \rangle}{12} + \frac{\langle yyzz \rangle}{24}$ ], True}

Timing[{n = 10,
  Length /@ (t1 = BCH[n, LW["x"], BCH[n, LW["y"], LW["z"]]]),
  Length /@ (t2 = BCH[n, BCH[n, LW["x"], LW["y"]], LW["z"]]),
  t1 == t2}]

{9.594, {10, LieSeries[3, 3, 8, 9, 48, 82, 312, 622, 2069, 4597],
  LieSeries[3, 3, 8, 9, 48, 82, 312, 622, 2069, 4597], True}}

```

```

Timing[{n = 10,
  Length /@ (t1 = BCH[n, LW["x"], BCH[n, LW["y"], LW["z"]]]),
  Length /@ (t2 = BCH[n, BCH[n, LW["x"], LW["y"]], LW["z"]]),
  t1 == t2}]
{0.78, {10, LieSeries[3, 3, 8, 9, 48, 82, 312, 622, 2069, 4597],
  LieSeries[3, 3, 8, 9, 48, 82, 312, 622, 2069, 4597], True}}

L[w_LW] /; Deg[w] == 1 := AW@@w;
L[w_LW] := L[w] = b @@ (L /@ LyndonFactorization[w]);
L[s_LieSeries] := Prepend[L /@ (ASeries @@ s), 0];
L[expr_] := Expand[expr /. w_LW -> L[w]];

t1 = L[BCH[3]]

ASeries[0, AW[x] + AW[y],  $\frac{AW[xy]}{2} - \frac{AW[yx]}{2}$ ,
 $\frac{AW[xxy]}{12} - \frac{AW[xyx]}{6} + \frac{AW[xyy]}{12} + \frac{AW[yxx]}{12} - \frac{AW[yxy]}{6} + \frac{AW[yyx]}{12}$ ]

ASeries /: Expand[s_ASeries] := Expand /@ s;
ASeries /: Plus[ss_ASeries] := Module[
  {l = Min[Length /@ {ss}]},
  ASeries @@ Total[Take[List @@ #, l] & /@ {ss}]
];
ASeries /: c_ * s_ASeries := Expand[c * #] & /@ s;
s1_ASeries ** s2_ASeries := Module[
  {d, k, m1, m2},
  m1 = LengthWhile[s1, # == 0 &];
  m2 = LengthWhile[s2, # == 0 &];
  ASeries @@ Table[
    Sum[s1[[k + 1]] ** s2[[d - k + 1]], {k, m1, d - m2}],
    {d, 0, Min[m1 + Length[s2] - 1, m2 + Length[s1] - 1]}
  ]
];
ASeries /: EulerE[s_ASeries] :=
  ASeries @@ Expand[Range[{0, 1 + Length[s]}] * (List @@ s)];

ASeries[AW[""], 0, 0, 0] + t1 + t1 ** t1 / 2 + t1 ** t1 ** t1 / 6

ASeries[AW[], AW[x] + AW[y],
 $\frac{AW[xx]}{2} + AW[xy] + \frac{AW[yy]}{2}$ ,  $\frac{AW[xxx]}{6} + \frac{AW[xxy]}{2} + \frac{AW[xyy]}{2} + \frac{AW[yyy]}{6}$ ]

ASeries[AW[""], AW["x"], AW["xx"] / 2, AW["xxx"] / 6] **
  ASeries[AW[""], AW["y"], AW["yy"] / 2, AW["yyy"] / 6]

ASeries[AW[], AW[x] + AW[y],
 $\frac{AW[xx]}{2} + AW[xy] + \frac{AW[yy]}{2}$ ,  $\frac{AW[xxx]}{6} + \frac{AW[xxy]}{2} + \frac{AW[xyy]}{2} + \frac{AW[yyy]}{6}$ ]

```

```

σ[y_LW, w_LW] /; Deg[y] == 1 := σ[y, w] = Which[
  y === w, AW[""],
  Deg[w] === 1, 0,
  True, Module[{w1, w2},
    {w1, w2} = LyndonFactorization[w];
    L[w1] ** σ[y, w2] - L[w2] ** σ[y, w1]
  ]
];

σ[y_, expr_] := Expand[expr /. w_LW => σ[LW[y], w]] /. LieSeries -> ASeries;

(# -> σ[1, #]) & /@ AllLyndonWords[5, {"1", "2"}]

{<1> -> AW[], <2> -> 0, <12> -> -AW[2], <112> -> -2 AW[12] + AW[21], <122> -> AW[22],
 <1112> -> -3 AW[112] + 3 AW[121] - AW[211], <1122> -> 2 AW[212] - AW[221],
 <1222> -> -AW[222], <11112> -> -4 AW[1112] + 6 AW[1121] - 4 AW[1211] + AW[2111],
 <11122> -> -AW[1122] + 4 AW[1212] - AW[1221] - 2 AW[2121] + AW[2211],
 <11212> -> -AW[1122] + 4 AW[1212] - AW[1221] - 3 AW[2112] + AW[2121],
 <11222> -> -2 AW[1222] + 3 AW[2122] - 3 AW[2212] + AW[2221],
 <12122> -> 2 AW[1222] - 3 AW[2122] + AW[2212], <12222> -> AW[2222]}

xw = <"x">; yw = <"y">;
{σ[xw, BCH[5, xw, yw]], σ[yw, BCH[5, xw, yw]]} /. AW[s_] => s

{ASeries[
  -Y/2, -xy/6 + yx/12 + yy/12, yxy/12 - yyx/24, xxxy/180 - xxyx/120 - xxyy/120 + xyxx/180 + xyxy/30 -
  xyyx/120 + xyyy/180 - yxxx/720 - yxxy/120 - yxyx/120 - yxyy/120 + yyxx/180 - yyxy/120 + yyyx/180 - yyy/720],
ASeries[
  x/2, xx/12 + xy/12 - yx/6, xxy/24 - xyx/12, -xxxx/720 + xxxy/180 - xxyx/120 + xxyy/180 - xyxx/120 -
  xyxy/120 - xyyx/120 - xyyy/720 + yxxx/180 - yxxy/120 + yxyx/30 + yxyy/180 - yyxx/120 - yyxy/120 + yyyx/180]}

```


$\sigma[xw, \text{BCH}[8, xw, yw]] /. \text{AW}[s_] \rightarrow s$

$$\begin{aligned}
 & \text{ASeries} \left[\left. \begin{aligned} & -\frac{y}{2}, -\frac{xy}{6} + \frac{yx}{12} + \frac{yy}{12}, \frac{yxy}{12} - \frac{yyx}{24}, \\ & \frac{xxxy}{180} - \frac{xxyx}{120} - \frac{xxyy}{120} + \frac{xyxx}{180} + \frac{xyxy}{30} - \frac{xyyx}{120} + \frac{xyyy}{180} - \frac{yxxx}{720} - \frac{yxxxy}{120} - \frac{yxyx}{120} \\ & \frac{yxyy}{120} + \frac{yyxx}{180} - \frac{yyxy}{120} + \frac{yyxx}{180} - \frac{yyxy}{720}, -\frac{yxxxxy}{360} + \frac{yxxxxy}{240} + \frac{yxxxxy}{240} - \frac{yxxxxy}{360} - \frac{yxxxxy}{60} + \\ & \frac{yxyyyx}{240} - \frac{yxyyyx}{360} + \frac{yxyyyx}{1440} + \frac{yxyyyx}{240} + \frac{yxyyyx}{240} + \frac{yxyyyx}{240} - \frac{yxyyyx}{360} - \frac{yxyyyx}{360} + \frac{yxyyyx}{1440}, \\ & \frac{xxxxxy}{5040} + \frac{xxxxyx}{2016} + \frac{xxxxyy}{2016} - \frac{xxxxyx}{1512} - \frac{xxxxyy}{630} - \frac{xxxxyy}{5040} - \frac{xxxxyy}{1512} + \frac{xxxxyy}{2016} + \frac{xxxxyy}{840} \\ & \frac{xyxyxy}{840} + \frac{xyxyxy}{840} - \frac{xyxyxy}{5040} + \frac{xyxyxy}{840} - \frac{xyxyxy}{5040} + \frac{xyxyxy}{2016} - \frac{xyxyxy}{5040} - \frac{xyxyxy}{630} + \frac{xyxyxy}{840} \\ & \frac{xyxyxy}{840} - \frac{xyxyxy}{360} + \frac{xyxyxy}{140} + \frac{xyxyxy}{840} - \frac{xyxyxy}{630} + \frac{xyxyxy}{2016} - \frac{xyxyxy}{840} + \frac{xyxyxy}{840} - \frac{xyxyxy}{840} \\ & \frac{yxxxxy}{1512} - \frac{yxxxxy}{630} + \frac{yxxxxy}{2016} - \frac{yxxxxy}{5040} + \frac{yxxxxy}{30240} + \frac{yxxxxy}{2016} - \frac{yxxxxy}{5040} - \frac{yxxxxy}{5040} - \frac{yxxxxy}{5040} + \frac{yxxxxy}{5040} \\ & \frac{yxyyyx}{840} - \frac{yxyyyx}{1120} - \frac{yxyyyx}{5040} + \frac{yxyyyx}{2016} + \frac{yxyyyx}{840} + \frac{yxyyyx}{840} + \frac{yxyyyx}{840} - \frac{yxyyyx}{5040} + \frac{yxyyyx}{840} \\ & \frac{yxyyyx}{5040} + \frac{yxyyyx}{2016} - \frac{yxyyyx}{5040} - \frac{yxyyyx}{5040} - \frac{yxyyyx}{1120} - \frac{yxyyyx}{1120} - \frac{yxyyyx}{5040} + \frac{yxyyyx}{840} - \frac{yxyyyx}{1120} \\ & \frac{yxyyyx}{5040} + \frac{yxyyyx}{3780} - \frac{yxyyyx}{5040} - \frac{yxyyyx}{5040} - \frac{yxyyyx}{5040} + \frac{yxyyyx}{3780} + \frac{yxyyyx}{2016} - \frac{yxyyyx}{5040} + \frac{yxyyyx}{30240}, \\ & \frac{yxxxxxy}{10080} - \frac{yxxxxyx}{4032} - \frac{yxxxxyy}{4032} + \frac{yxxxxyx}{3024} + \frac{yxxxxxy}{1260} + \frac{yxxxxxy}{10080} + \frac{yxxxxxy}{3024} - \frac{yxxxxxy}{4032} \\ & \frac{yxyxxxx}{1680} - \frac{yxyxxxx}{1680} - \frac{yxyxxxx}{1680} + \frac{yxyxxxx}{10080} + \frac{yxyxxxx}{1680} - \frac{yxyxxxx}{10080} - \frac{yxyxxxx}{4032} + \frac{yxyxxxx}{10080} \\ & \frac{yxyyyxy}{1260} - \frac{yxyyyxy}{1680} - \frac{yxyyyxy}{1680} + \frac{yxyyyxy}{1260} + \frac{yxyyyxy}{280} - \frac{yxyyyxy}{1680} + \frac{yxyyyxy}{1260} - \frac{yxyyyxy}{4032} \\ & \frac{yxyyyxy}{1680} - \frac{yxyyyxy}{1680} - \frac{yxyyyxy}{1680} + \frac{yxyyyxy}{3024} + \frac{yxyyyxy}{1260} - \frac{yxyyyxy}{4032} + \frac{yxyyyxy}{10080} - \frac{yxyyyxy}{60480} \\ & \frac{yxyyyxy}{4032} + \frac{yxyyyxy}{10080} + \frac{yxyyyxy}{10080} + \frac{yxyyyxy}{10080} - \frac{yxyyyxy}{1680} + \frac{yxyyyxy}{2240} + \frac{yxyyyxy}{10080} - \frac{yxyyyxy}{4032} \\ & \frac{yxyyyxy}{1680} - \frac{yxyyyxy}{1680} - \frac{yxyyyxy}{1680} + \frac{yxyyyxy}{10080} - \frac{yxyyyxy}{1680} + \frac{yxyyyxy}{10080} - \frac{yxyyyxy}{4032} + \frac{yxyyyxy}{10080} \\ & \frac{yxyyyxy}{3024} + \frac{yxyyyxy}{10080} + \frac{yxyyyxy}{10080} + \frac{yxyyyxy}{3024} + \frac{yxyyyxy}{1260} + \frac{yxyyyxy}{10080} + \frac{yxyyyxy}{3024} \\ & \frac{yxyyyxy}{23} \frac{yxyyyxy}{120960} - \frac{yxyyyxy}{4032} - \frac{yxyyyxy}{4032} - \frac{yxyyyxy}{4032} + \frac{yxyyyxy}{10080} + \frac{yxyyyxy}{10080} - \frac{yxyyyxy}{60480} \end{aligned} \right]
 \end{aligned}$$