

Free Lie Algebras Routines

Lazy Evaluation Version

Pensieve header: A free-Lie calculator with lazy evaluation for series; continues 2012-07, continued 2012-09.

Global Definitions

```
$SeriesShowDegree = 3; $SeriesCompareDegree = 3;
```

Words and Lyndon Words

A Lyndon word is a word lexicographically smaller than all of its proper right factors; see <http://katlas.math.toronto.edu/drorbn/AcademicPensieve/Projects/FreeLie/index.html>

```

LyndonQ[AW[w_String]] := And @@ (
  OrderedQ[{w, #}] & /@ Table[StringDrop[w, i], {i, 1, StringLength[w] - 1}]
);
AllWords[0, _List] = {AW[""]};
AllWords[n_ /; n > 0, ab_List] := AllWords[n, ab] = AW /@ Flatten[Outer[
  StringJoin[#1, #2] &,
  First /@ AllWords[n - 1, ab],
  ab
]];
AllLyndonWords[n_Integer, ab_List] := LW @@@ Select[AllWords[n, ab], LyndonQ];
AllLyndonWords[{n_}, ab_List] := Join@@Table[AllLyndonWords[k, ab], {k, n}];
LyndonFactorization[LW[w_String] /; StringLength[w] == 1] := LW[w];
LyndonFactorization[LW[w_String] /; StringLength[w] > 1] := Module[
  {rf},
  rf = First[Sort[Table[StringDrop[w, i], {i, 1, StringLength[w] - 1}]]];
  LW /@ {StringDrop[w, -StringLength[rf]], rf}
];
LW[s_Symbol] := LW[ToString[s]];
LW[LW[w_]] := LW[w];
LW /: LW[x_] ≤ LW[y_] := OrderedQ[{x, y}];
LW /: x_LW ≥ y_LW := y ≤ x;
LW /: x_LW > y_LW := !(x ≤ y);
LW /: x_LW < y_LW := !(y ≤ x);
Format[LW[w_], StandardForm] := Defer[⟨w⟩];
BracketForm[w_LW] /; Deg[w] == 1 := w[[1]];
BracketForm[w_LW] := BracketForm[w] = StringJoin[Flatten[{
  "\",
  BracketForm /@ LyndonFactorization[w],
  "\"
}]]];
⟨w_⟩ := LW[w];
LW[is_Integer] := LW[StringJoin@@
  (StringTake["1234567890abcdefghijklmnopqrstuvwxyz", {#}] & /@ {is})];
Deg[LW[x_]] := StringLength[x];
{LyndonQ[AW@"abba"], LyndonQ[AW@"ababb"]}
{False, True}
{AllWords[3, {"1", "2"}], AllLyndonWords[{3}, {"1", "2"}]}
{{AW[111], AW[112], AW[121], AW[122], AW[211], AW[212], AW[221], AW[222]},
  {⟨1⟩, ⟨2⟩, ⟨12⟩, ⟨112⟩, ⟨122⟩}}
Table[Length[AllLyndonWords[k, {"1", "2"}]], {k, 10}]
{2, 1, 2, 3, 6, 9, 18, 30, 56, 99}
Table[Length[AllLyndonWords[k, {"1", "2", "3"}]], {k, 10}]
{3, 3, 8, 18, 48, 116, 312, 810, 2184, 5880}
BracketForm[LW["12122"]]
[[12][[12]2]]

```

The Bracket for Lie Elements

```

b[0, _] = 0; b[_ , 0] = 0;
b[c_ * (x_AW | x_LW), y_] := Expand[c b[x, y]];
b[x_, c_ * (y_AW | y_LW)] := Expand[c b[x, y]];
b[x_Plus, y_] := b[#, y] & /@ x;
b[x_, y_Plus] := b[x, #] & /@ y;
b[w_LW, z_LW] := LWAdjoint[w][z];
ad[x_][y_] := b[x, y];

LWAdjoint[w_] := LWAdjoint[w] = Module[{u},
  u = Unique[LWAct];
  u[z_] := u[z] = Which[
    w == z, 0,
    z < w, Expand[-b[z, w]],
    Deg[w] == 1, LW[First[w] <> First[z]],
    True, Module[{x, y},
      {x, y} = LyndonFactorization[w];
      If[y ≥ z,
        LW[First[w] <> First[z]],
        b[x, LWAdjoint[y][z]] + b[LWAdjoint[x][z], y]
      ]
    ]
  ];
  u
];

b[LW["112"], LW["122"]]
<112122> + <112212>

Outer[b, AllLyndonWords[{3}, {"1", "2"}],
  AllLyndonWords[{3}, {"1", "2"}]] // MatrixForm

$$\begin{pmatrix} 0 & \langle 12 \rangle & \langle 112 \rangle & \langle 1112 \rangle & \langle 1122 \rangle \\ -\langle 12 \rangle & 0 & -\langle 122 \rangle & -\langle 1122 \rangle & -\langle 1222 \rangle \\ -\langle 112 \rangle & \langle 122 \rangle & 0 & -\langle 11212 \rangle & \langle 12122 \rangle \\ -\langle 1112 \rangle & \langle 1122 \rangle & \langle 11212 \rangle & 0 & \langle 112122 \rangle + \langle 112212 \rangle \\ -\langle 1122 \rangle & \langle 1222 \rangle & -\langle 12122 \rangle & -\langle 112122 \rangle - \langle 112212 \rangle & 0 \end{pmatrix}$$


Union[Flatten[Outer[(b[#1, #2] + b[#2, #1]) &,
  AllLyndonWords[{6}, {"1", "2"}], AllLyndonWords[{6}, {"1", "2"}]
  ]]]
{0}

Outer[(b[#1, b[#2, #3]] + b[#2, b[#3, #1]] + b[#3, b[#1, #2]]) &,
  AllLyndonWords[{5}, {"1", "2"}],
  AllLyndonWords[{5}, {"1", "2"}], AllLyndonWords[{5}, {"1", "2"}]
  ] // Flatten //
Union
{0}

```

LieSeries

```

LieSeries[ser_Symbol][{dd_Integer}] := LS@@Table[ser[d], {d, dd}];
LieSeries[ser_Symbol][e___] := ser[e];
Format[s_LieSeries, StandardForm] := s[{$SeriesShowDegree}];
ShowLieSeries[d_Integer][s_LieSeries] := s[{d}];
MakeLieSeries[s_LieSeries] := s;
MakeLieSeries[expr_] :=
  MakeLieSeries[expr] = MakeLieSeries[Unique[MakeLieSeries], expr];
MakeLieSeries[ser_Symbol, expr_] := (
  ser[] = Hold[MakeLieSeries[ser, expr]];
  ser[d_Integer] := ser[d] = Expand[expr /. w_LW /; Deg[w] ≠ d → 0];
  LieSeries[ser]
);
s1_LieSeries = s2_LieSeries :=
  And @@ ((s1[#] == s2[#]) & /@ Range[$SeriesCompareDegree]);
Print /@ {ts1 = <"1122"> // MakeLieSeries, ts1[], ts1 /@ Range[6]};
LS[0, 0, 0]
Hold[MakeLieSeries[MakeLieSeries$5040, <1122>]]
{0, 0, 0, <1122>, 0, 0}
AddLieSeries[ss___LieSeries] := AddLieSeries[ss] = Module[{ser},
  ser = Unique[AddLieSeries];
  ser[] = Hold[AddLieSeries[ss]];
  ser[d_Integer] := ser[d] = Plus @@ ({#}[d] & /@ {ss});
  LieSeries[ser]
];
ScaleLieSeries[c_, s_LieSeries] := ScaleLieSeries[c, s] = Module[{ser},
  ser = Unique[ScaleLieSeries];
  ser[] = Hold[ScaleLieSeries[c, s]];
  ser[d_Integer] := ser[d] = Expand[c*s[d]];
  LieSeries[ser]
];
(* LieSeries /: c_*s_LieSeries := ScaleLieSeries[c,s]; *)
b[s_LieSeries, y_] := b[s, MakeLieSeries[y]];
b[x_, s_LieSeries] := b[MakeLieSeries[x], s];
b[s1_LieSeries, s2_LieSeries] := b[s1, s2] = Module[{ser},
  ser = Unique[b];
  ser[] = Hold[b[s1, s2]];
  ser[d_Integer] := ser[d] = Sum[
    b[s1[k], s2[d-k]],
    {k, 1, d-1}
  ];
  LieSeries[ser]
];
b[s_LieSeries, y_] := b[s, MakeLieSeries[y]];
b[x_, s_LieSeries] := b[MakeLieSeries[x], s];

```

```

{ts2 = <"122"> + <"11122"> // MakeLieSeries, ts3 = b[ts1, ts2], ts3[], ts3 /@ Range[10]}
{LS[0, 0, <122>], LS[0, 0, 0], Hold[b[LS[0, 0, 0], LS[0, 0, <122>]]],
 {0, 0, 0, 0, 0, 0, <1122122>, 0, -<111221122>, 0}}
LieSeries /: EulerE[s_LieSeries] := Module[{ser},
  ser = Unique[EulerE];
  ser[] = Hold[EulerE[s]];
  ser[d_Integer] := ser[d] = Expand[d*s[d]];
  LieSeries[ser]
];
{ts4 = EulerE[ts3], ts4[], ts4 /@ Range[10]}
{LS[0, 0, 0], Hold[EulerE[LS[0, 0, 0]]],
 {0, 0, 0, 0, 0, 0, 7<1122122>, 0, -9<111221122>, 0}}

```

adPower, adSeries, and Ad

```

adPower[0, x_LieSeries][ψ_LieSeries] := adPower[0, x][ψ] = Module[{ser},
  ser = Unique[adPower];
  ser[] = Hold[adPower[0, x][ψ]];
  ser[d_Integer] := ser[d] = ψ[d];
  LieSeries[ser]
];
adPower[n_Integer, x_LieSeries][ψ_LieSeries] := adPower[n, x][ψ] = Module[{ser},
  ser = Unique[adPower];
  ser[] = Hold[adPower[n, x][ψ]];
  ser[d_Integer] := ser[d] = b[x, adPower[n-1, x][ψ]][d];
  LieSeries[ser]
];
adSeries[f_, x_LieSeries][ψ_LieSeries] := adSeries[f, x][ψ] = Module[{ser},
  ser = Unique[adSeries];
  ser[] = Hold[adSeries[f, x][ψ]];
  ser[d_Integer] := ser[d] = Module[{c},
    Expand[Sum[
      c = SeriesCoefficient[f, {ad, 0, k}];
      If[c == 0, 0, c*adPower[k, x][ψ][d]],
      {k, 0, d-1}
    ]]
];
  LieSeries[ser]
];
adSeries[f_, x_][ψ_] := adSeries[f, MakeLieSeries[x]][MakeLieSeries[ψ]];
Ad[x_] := adSeries[E^(-ad), x];
{xs = MakeLieSeries[LW["x"]], ys = MakeLieSeries[LW["y"]],
 ts5 = adPower[0, xs][ys], ts5[], ts5 /@ Range[5]}
{LS[<x>, 0, 0], LS[<y>, 0, 0], LS[<y>, 0, 0],
 Hold[adPower[0, LS[<x>, 0, 0]][LS[<y>, 0, 0]]], {<y>, 0, 0, 0, 0}}
adPower[3, xs][ys] /@ Range[5]
{0, 0, 0, <xxxxy>, 0}

```



```

ser[] = Hold[der[cws]];
ser[d_] := ser[d] = Sum[
  Expand[cws[k] /. CW[w_] => Sum[
    tr[NonCommutativeMultiply[
      AW[StringTake[w, j-1]],
       $\iota$ [der[LW[StringTake[w, {j}]]][d-k+1]],
      AW[StringDrop[w, j]]
    ]],
    {j, k}
  ]],
  {k, 1, d}
];
CWSeries[ser]
];
der[expr_][d_] := Expand[expr /. {w_LW => der[w][d], s_LieSeries => der[s][d]}];
LieDerivation[der]
];
Print /@ {
  ld1 = LieDerivation[{{<1> -> b[<3>, <1>}}],
  ld1[],
  (# -> ld1[#][{4}]) & /@ AllLyndonWords[{3}, {"1", "2"}],
  (<<"112"> // ld1 // ld1)[{5}]
};
LieDerivation[LieDerivation$5120]
Hold[LieDerivation[LieDerivation$5120, {{<1> -> -<13>}}]
{<1> -> LS[0, -<13>, 0, 0], <2> -> LS[0, 0, 0, 0], <12> -> LS[0, 0, -<132>, 0],
<112> -> LS[0, 0, 0, -<1132> + <1213>], <122> -> LS[0, 0, 0, -<1322>]}
LS[0, 0, 0, 0, <11332> - <12133> + 2 <13132>]

```

```

DerivationPower[0, der_LieDerivation][ψ_LieSeries] :=
  DerivationPower[0, der][ψ] = Module[{ser},
    ser = Unique[DerivationPower];
    ser[] = Hold[DerivationPower[0, der][ψ]];
    ser[d_Integer] := ser[d] = ψ[d];
    LieSeries[ser]
  ];
DerivationPower[n_Integer, der_LieDerivation][ψ_LieSeries] :=
  DerivationPower[n, x][ψ] = Module[{ser},
    ser = Unique[DerivationPower];
    ser[] = Hold[DerivationPower[n, der][ψ]];
    ser[d_Integer] := ser[d] = der[DerivationPower[n - 1, der][ψ]][d];
    LieSeries[ser]
  ];
DerivationSeries[___][0] = 0;
DerivationSeries[f_, ld_LieDerivation][ψ_LieSeries] :=
  DerivationSeries[f, ld][ψ] = Module[{ser},
    ser = Unique[DerivationSeries];
    ser[] = Hold[DerivationSeries[f, ld][ψ]];
    ser[d_Integer] := ser[d] = Module[{c},
      Expand[Sum[
        c = SeriesCoefficient[f, {der, 0, k}];
        If[c == 0, 0, c * DerivationPower[k, ld][ψ][d]],
        {k, 0, d}
      ]]
    ];
    LieSeries[ser]
  ];
DerivationExp[ld_LieDerivation] := DerivationSeries[E^der, ld];
<"112"> // MakeLieSeries //
  DerivationExp[LieDerivation[{{1} → b[3], 1}]] // ShowLieSeries[6]
LS[0, 0, <112>, -<1132> + <1213>,  $\frac{\langle 11332 \rangle}{2} - \frac{\langle 12133 \rangle}{2} + \langle 13132 \rangle$ ,
  -  $\frac{\langle 113332 \rangle}{6} + \frac{\langle 121333 \rangle}{6} - \frac{\langle 131332 \rangle}{2} + \frac{\langle 132133 \rangle}{2}$ ]
<"122"> // MakeLieSeries //
  DerivationExp[LieDerivation[{{1} → b[3], 1}]] // ShowLieSeries[6]
LS[0, 0, <122>, -<1322>,  $\frac{\langle 13322 \rangle}{2}$ , -  $\frac{\langle 133322 \rangle}{6}$ ]

```


LieMorphism

```

LieMorphism[mor_][es___] := mor[es];
LieMorphism[rules_List] :=
  LieMorphism[rules] = LieMorphism[Unique[LieMorphism], rules];
LieMorphism[mor_Symbol, rules_List] := (
  mor[] = Hold[LieMorphism[mor, rules]];
  (mor[w_LW] /; Deg[w] == 1) := (mor[w] = MakeLieSeries[w /. rules]);
  mor[w_LW] := (mor[w] = b @@ (mor /@ LyndonFactorization[w]));
  mor[AW[""]] = MakeASeries[AW[""]];
  (mor[AW[w_]] /; StringLength[w] == 1) :=
    (mor[w] =  $\iota$ [MakeLieSeries[LW[w] /. rules]]);
  mor[AW[w_]] := mor[w] = Module[{w1, w2},
    w1 = StringTake[w, Floor[StringLength[w] / 2]];
    w2 = StringDrop[w, Floor[StringLength[w] / 2]];
    (mor[AW[w1]]) ** (mor[AW[w2]])
  ];
  mor[CW[w_]] := tr[mor[AW[w]]];
  mor[s_LieSeries] := mor[s] = Module[{ser},
    ser = Unique[LieMorphismOnLieSeries];
    ser[] = Hold[mor[s]];
    ser[d_] := ser[d] = Sum[
      mor[s[k]][d],
      {k, 1, d}
    ];
    LieSeries[ser]
  ];
  mor[cws_CWSeries] := mor[cws] = Module[{ser},
    ser = Unique[LieMorphismOnCWSeries];
    ser[] = Hold[mor[s]];
    ser[d_] := ser[d] = Sum[
      mor[cws[k]][d],
      {k, 1, d}
    ];
    CWSeries[ser]
  ];
  mor[expr_][d_] := Expand[expr /. (w_LW | w_AW | w_CW)  $\rightarrow$  mor[w][d]];
  LieMorphism[mor]
);

Print /@ {
  lm0 = LieMorphism[{LW["x"]  $\rightarrow$  LW["y"]}],
  LW["x"] // lm0,
  AW["x"] // lm0,
  CW["x"] // lm0};

LieMorphism[LieMorphism$8978]

LS[⟨y⟩, 0, 0]
 $\iota$ [LS[⟨y⟩, 0, 0]]
tr[ $\iota$ [LS[⟨y⟩, 0, 0]]]

```

```

Print /@ {
  lm1 = LieMorphism[{LW["x"] → Ad[LW["y"]][LW["x"]]}],
  lm1[],
  lm1[LW["y"]],
  lm1[LW["x"]],
  lm1[LW["x"]][4],
  lm1[⟨"xxy"⟩],
  lm1[⟨"xxy"⟩][8],
  lm1[AW["x"]],
  lm1[CW["x"]]
};

LieMorphism[LieMorphism$8979]

Hold[LieMorphism[LieMorphism$8979, {⟨x⟩ → LS[⟨x⟩, ⟨xy⟩,  $\frac{\langle xyy \rangle}{2}$ ]}}}]]

LS[⟨y⟩, 0, 0]

LS[⟨x⟩, ⟨xy⟩,  $\frac{\langle xyy \rangle}{2}$ ]

 $\frac{\langle xyyy \rangle}{6}$ 

LS[0, 0, ⟨xxy⟩]

 $\frac{\langle xxxyyyyy \rangle}{120} + \frac{\langle xyxyyyyy \rangle}{30} + \frac{\langle xyyxyyyy \rangle}{24}$ 

 $\mathcal{L}\left[LS\left[\langle x \rangle, \langle xy \rangle, \frac{\langle xyy \rangle}{2}\right]\right]$ 

 $\text{tr}\left[\mathcal{L}\left[LS\left[\langle x \rangle, \langle xy \rangle, \frac{\langle xyy \rangle}{2}\right]\right]\right]$ 

```

StableApply

```

StableApply[mor_LieMorphism, (type : (LieSeries | ASeries | CWSeries))[s_] := (
  StableApply[mor, type[s]] = Module[{ser},
    ser = Unique[StableApply];
    ser[] = Hold[StableApply[mor, type[s]]];
    ser[d_] := ser[d] = Nest[mor, type[s], d][d];
    type[ser]
  ]
);

```

BCH

```

BCHBase = Module[{bch},
  bch = Unique["BCHBase"];
  bch[] = Hold[BCHBase];
  bch[1] = <"x"> + <"y">;
  bch[d_Integer] := bch[d] = Expand[Plus[
    adSeries[E^(-ad), MakeLieSeries[<"y">]][MakeLieSeries[<"x">]][d],
    -adSeries[(1 - E^(-ad)) / ad - 1, LieSeries[bch]][EulerE[LieSeries[bch]]][d]
  ] / d];
  LieSeries[bch]
];
BCH[x_, y_] := LieMorphism[{LW["x"] → x, LW["y"] → y}][BCHBase];

```



```

{BCH[LW["y"], LW["z"]], BCH[LW["y"], LW["z"]][6]}

{LS[⟨y⟩ + ⟨z⟩,  $\frac{\langle yz \rangle}{2}$ ,  $\frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ],
-  $\frac{\langle yyyzz \rangle}{1440} + \frac{\langle yyyzyz \rangle}{720} + \frac{\langle yyyzzz \rangle}{360} + \frac{\langle yyzyzz \rangle}{240} - \frac{\langle yyzzzz \rangle}{1440}$  }

{LS[⟨y⟩ + ⟨z⟩,  $\frac{\langle yz \rangle}{2}$ ,  $\frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ],
-  $\frac{\langle yyyzz \rangle}{1440} + \frac{\langle yyyzyz \rangle}{720} + \frac{\langle yyyzzz \rangle}{360} + \frac{\langle yyzyzz \rangle}{240} - \frac{\langle yyzzzz \rangle}{1440}$  }

{LS[⟨y⟩ + ⟨z⟩,  $\frac{\langle yz \rangle}{2}$ ,  $\frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ],
-  $\frac{\langle yyyzz \rangle}{1440} + \frac{\langle yyyzyz \rangle}{720} + \frac{\langle yyyzzz \rangle}{360} + \frac{\langle yyzyzz \rangle}{240} - \frac{\langle yyzzzz \rangle}{1440}$  }

{LieSeries[LieMorphismOnLieSeries$101],
-  $\frac{\langle yyyzz \rangle}{1440} + \frac{\langle yyyzyz \rangle}{720} + \frac{\langle yyyzzz \rangle}{360} + \frac{\langle yyzyzz \rangle}{240} - \frac{\langle yyzzzz \rangle}{1440}$  }

{
  t1 = BCH[LW["x"], BCH[LW["y"], LW["z"]]],
  t2 = BCH[BCH[LW["x"], LW["y"]], LW["z"]],
  t1 == t2,
  Table[t1[d] == t2[d], {d, 10}]
} // Timing

{4.056, {LS[⟨x⟩ + ⟨y⟩ + ⟨z⟩,  $\frac{\langle xy \rangle}{2} + \frac{\langle xz \rangle}{2} + \frac{\langle yz \rangle}{2}$ ,
 $\frac{\langle xxy \rangle}{12} + \frac{\langle xxz \rangle}{12} + \frac{\langle xyy \rangle}{12} + \frac{\langle xyz \rangle}{3} + \frac{\langle xzy \rangle}{6} + \frac{\langle xzz \rangle}{12} + \frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ], LS[⟨x⟩ + ⟨y⟩ + ⟨z⟩,
 $\frac{\langle xy \rangle}{2} + \frac{\langle xz \rangle}{2} + \frac{\langle yz \rangle}{2}$ ,  $\frac{\langle xxy \rangle}{12} + \frac{\langle xxz \rangle}{12} + \frac{\langle xyy \rangle}{12} + \frac{\langle xyz \rangle}{3} + \frac{\langle xzy \rangle}{6} + \frac{\langle xzz \rangle}{12} + \frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ],
LS[⟨x⟩ + ⟨y⟩ + ⟨z⟩,  $\frac{\langle xy \rangle}{2} + \frac{\langle xz \rangle}{2} + \frac{\langle yz \rangle}{2}$ ,
 $\frac{\langle xxy \rangle}{12} + \frac{\langle xxz \rangle}{12} + \frac{\langle xyy \rangle}{12} + \frac{\langle xyz \rangle}{3} + \frac{\langle xzy \rangle}{6} + \frac{\langle xzz \rangle}{12} + \frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ] == LS[⟨x⟩ + ⟨y⟩ + ⟨z⟩,
 $\frac{\langle xy \rangle}{2} + \frac{\langle xz \rangle}{2} + \frac{\langle yz \rangle}{2}$ ,  $\frac{\langle xxy \rangle}{12} + \frac{\langle xxz \rangle}{12} + \frac{\langle xyy \rangle}{12} + \frac{\langle xyz \rangle}{3} + \frac{\langle xzy \rangle}{6} + \frac{\langle xzz \rangle}{12} + \frac{\langle yyz \rangle}{12} + \frac{\langle yzz \rangle}{12}$ ],
{True, True, True, True, True, True, True, True, True, True}}}
```

AW, ASeries, ι , σ

```

Unprotect[NonCommutativeMultiply];
x_**0 = 0; 0**y_ = 0;
(c_**x_AW)**y_ := Expand[c(x**y)];
x_** (c_**y_AW) := Expand[c(x**y)];
x_Plus**y_ := (#**y) & /@ x;
x_**y_Plus := (x**#) & /@ y;
Deg[AW[w_]] := StringLength[w];
AW[AW[w_]] := AW[w];
AW[w1_String]**AW[w2_String] := AW[w1<>w2];
b[w_AW, z_AW] := w**z - z**w;

ASeries[ser_Symbol][{dd_Integer}] := AS@@Table[ser[d], {d, 0, dd}];
ASeries[as_Symbol][es_] := as[es];
Format[s_ASeries, StandardForm] := s[{$SeriesShowDegree}];
MakeASeries[as_CWSeries] := as;
MakeASeries[expr_] :=
  MakeASeries[expr] = MakeCWSeries[Unique[MakeASeries], expr];
MakeASeries[ser_Symbol, expr_] := (
  ser[] = Hold[MakeASeries[ser, expr]];
  ser[d_Integer] := ser[d] = Expand[expr /. w_AW /; Deg[w] ≠ d → 0];
  ASeries[ser]
);
(s1_ASeries**s2_ASeries) := (s1**s2) = Module[{ser},
  ser = Unique[NonCommutativeMultiply];
  ser[] = Hold[s1**s2];
  ser[d_Integer] := ser[d] = Sum[
    s1[k]**s2[d-k],
    {k, 0, d}
  ];
  ASeries[ser]
];
ι[w_LW] /; Deg[w] == 1 := AW@@w;
ι[w_LW] := ι[w] = b @@ (ι /@ LyndonFactorization[w]);
ι[expr_] := Expand[expr /. w_LW => ι[w]];
ι[ls_LieSeries] := ι[ls] = Module[{as},
  as = Unique[ι];
  as[] = Hold[ι[ls]];
  as[d_] := as[d] = ι[ls[d]];
  ASeries[as]
];
ι[BCHBase[3]]

$$\frac{AW[xxxy]}{12} - \frac{AW[xyyx]}{6} + \frac{AW[xyyy]}{12} + \frac{AW[yxxx]}{12} - \frac{AW[yxyy]}{6} + \frac{AW[yyyx]}{12}$$


```

```
{as =  $\iota$ [BCHBase], as[5]}
```

```
Power::infy : Infinite expression  $\frac{1}{0}$  encountered. >>
```

```
Infinity::indet : Indeterminate expression 0 ComplexInfinity encountered. >>
```

$$\left\{ \text{AS} \left[\text{Indeterminate}, \text{AW}[x] + \text{AW}[y], \frac{\text{AW}[xy]}{2} - \frac{\text{AW}[yx]}{2}, \right. \right. \\ \left. \frac{\text{AW}[xxy]}{12} - \frac{\text{AW}[xyx]}{6} + \frac{\text{AW}[xyy]}{12} + \frac{\text{AW}[yxx]}{12} - \frac{\text{AW}[yxy]}{6} + \frac{\text{AW}[yyx]}{12} \right] , \\ \left. - \frac{\text{AW}[xxxxy]}{720} + \frac{\text{AW}[xxxxy]}{180} + \frac{\text{AW}[xxxxy]}{180} - \frac{\text{AW}[xxyxx]}{120} - \frac{\text{AW}[xxyxy]}{120} - \frac{\text{AW}[xxyyx]}{120} \right. \\ \left. + \frac{\text{AW}[xyyyx]}{180} + \frac{\text{AW}[xyxxx]}{180} - \frac{\text{AW}[xyxxy]}{120} + \frac{\text{AW}[xyxyx]}{30} - \frac{\text{AW}[xyxyy]}{120} - \frac{\text{AW}[xyyxx]}{120} \right. \\ \left. + \frac{\text{AW}[xyyxy]}{120} + \frac{\text{AW}[xyyyx]}{180} - \frac{\text{AW}[xyyyy]}{720} - \frac{\text{AW}[yxxxx]}{720} + \frac{\text{AW}[yxxxx]}{180} - \frac{\text{AW}[yxxyx]}{120} \right. \\ \left. - \frac{\text{AW}[yxyxy]}{120} - \frac{\text{AW}[yxyxx]}{180} + \frac{\text{AW}[yxyxy]}{720} - \frac{\text{AW}[yxyyx]}{720} + \frac{\text{AW}[yxyyy]}{180} + \frac{\text{AW}[yyxxx]}{120} \right. \\ \left. - \frac{\text{AW}[yyxxy]}{120} - \frac{\text{AW}[yyxyx]}{120} + \frac{\text{AW}[yyxyy]}{30} - \frac{\text{AW}[yyxyx]}{120} + \frac{\text{AW}[yyxyx]}{180} + \frac{\text{AW}[yyyyx]}{180} \right. \\ \left. - \frac{\text{AW}[yyxxx]}{120} - \frac{\text{AW}[yyxyx]}{120} - \frac{\text{AW}[yyxyy]}{120} + \frac{\text{AW}[yyyyx]}{180} + \frac{\text{AW}[yyxyx]}{180} - \frac{\text{AW}[yyyyx]}{720} \right\}$$

```
 $\sigma$ [y_LW, w_LW] /; Deg[y] == 1 :=  $\sigma$ [y, w] = Which[
```

```
  y == w, AW[""],
  Deg[w] == 1, 0,
  True, Module[{w1, w2},
    {w1, w2} = LyndonFactorization[w];
     $\iota$ [w1] **  $\sigma$ [y, w2] -  $\iota$ [w2] **  $\sigma$ [y, w1]
  ]
];
```

```
 $\sigma$ [y_, ls_LieSeries] :=  $\sigma$ [y, ls] = Module[{as},
```

```
  as = Unique[ $\sigma$ ];
  as[] = Hold[ $\sigma$ [y, ls]];
  as[d_] := as[d] =  $\sigma$ [LW[y], ls[d+1]];
  ASeries[as]
];
```

```
 $\sigma$ [y_, expr_] := Expand[expr /. w_LW  $\rightarrow$   $\sigma$ [LW[y], w]];
```

```
(# ->  $\sigma$ [1, #]) & /@ AllLyndonWords[5, {"1", "2"}]
```

```
{<1>  $\rightarrow$  AW[], <2>  $\rightarrow$  0, <12>  $\rightarrow$  -AW[2], <112>  $\rightarrow$  -2 AW[12] + AW[21], <122>  $\rightarrow$  AW[22],
<1112>  $\rightarrow$  -3 AW[112] + 3 AW[121] - AW[211], <1122>  $\rightarrow$  2 AW[212] - AW[221],
<1222>  $\rightarrow$  -AW[222], <11112>  $\rightarrow$  -4 AW[1112] + 6 AW[1121] - 4 AW[1211] + AW[2111],
<11122>  $\rightarrow$  -AW[1122] + 4 AW[1212] - AW[1221] - 2 AW[2121] + AW[2211],
<11212>  $\rightarrow$  -AW[1122] + 4 AW[1212] - AW[1221] - 3 AW[2112] + AW[2121],
<11222>  $\rightarrow$  -2 AW[1222] + 3 AW[2122] - 3 AW[2212] + AW[2221],
<12122>  $\rightarrow$  2 AW[1222] - 3 AW[2122] + AW[2212], <12222>  $\rightarrow$  AW[2222]}
```

$$\{\sigma["x", \text{BCHBase}[5], \sigma["y", \text{BCHBase}[5]]\}$$

$$\left\{ \begin{array}{l} -\frac{\text{AW}[yxxxxy]}{360} + \frac{\text{AW}[yxxxxy]}{240} + \frac{\text{AW}[yxyxyy]}{240} - \frac{\text{AW}[yxyyxx]}{360} - \frac{\text{AW}[yxyxyx]}{60} + \frac{\text{AW}[yxyyxx]}{240} - \frac{\text{AW}[yxyyyy]}{360} + \\ \frac{\text{AW}[yyxxxx]}{1440} + \frac{\text{AW}[yyxxyx]}{240} + \frac{\text{AW}[yyxyyx]}{240} + \frac{\text{AW}[yyxyyy]}{240} - \frac{\text{AW}[yyyyxx]}{360} - \frac{\text{AW}[yyyyxy]}{360} + \frac{\text{AW}[yyyyyx]}{1440}, \\ -\frac{\text{AW}[xxxxxy]}{1440} + \frac{\text{AW}[xxxxyx]}{360} + \frac{\text{AW}[xxxxyy]}{360} - \frac{\text{AW}[xxyyxx]}{240} - \frac{\text{AW}[xxyxyx]}{240} - \frac{\text{AW}[xxyyyx]}{240} - \frac{\text{AW}[xxyyyy]}{1440} + \\ \frac{\text{AW}[xyxxxx]}{360} - \frac{\text{AW}[xyxxyx]}{240} + \frac{\text{AW}[xyxyyx]}{60} + \frac{\text{AW}[xyxyyy]}{360} - \frac{\text{AW}[xyyyxx]}{240} - \frac{\text{AW}[xyyyxy]}{240} + \frac{\text{AW}[xyyyyx]}{360} \end{array} \right\}$$

CW, CWSeries, tr, div

```

Deg[CW[w_]] := StringLength[w];
CWSeries[cws_Symbol][es___] := cws[es];
CWSeries[ser_Symbol][{dd_Integer}] := CWS@@Table[ser[d], {d, dd}];
Format[s_CWSeries, StandardForm] := s[{$SeriesShowDegree}];
MakeCWSeries[cws_CWSeries] := cws;
MakeCWSeries[expr_] :=
  MakeCWSeries[expr] = MakeCWSeries[Unique[MakeCWSeries], expr];
MakeCWSeries[ser_Symbol, expr_] := (
  ser[] = Hold[MakeCWSeries[ser, expr]];
  ser[d_Integer] := ser[d] = Expand[expr /. w_CW /. Deg[w] ≠ d → 0];
  CWSeries[ser]
);
s1_CWSeries = s2_CWSeries :=
  And @@ ((s1[#] == s2[#]) & /@ Range[$SeriesCompareDegree]);
AddCWSeries[ss___CWSeries] := AddCWSeries[ss] = Module[{ser},
  ser = Unique[AddCWSeries];
  ser[] = Hold[AddCWSeries[ss]];
  ser[d_Integer] := ser[d] = Plus @@ ((#[d]) & /@ {ss});
  CWSeries[ser]
];
ScaleCWSeries[c_, s_LieSeries] := ScaleCWSeries[c, s] = Module[{ser},
  ser = Unique[ScaleCWSeries];
  ser[] = Hold[ScaleCWSeries[c, s]];
  ser[d_Integer] := ser[d] = Expand[c*s[d]];
  CWSeries[ser]
];
(* CWSeries /: c_*s_CWSeries := ScaleCWSeries[c,s]; *)
IntegrateCWSeries[cws_CWSeries, {s_, s0_, s1_}] :=
  IntegrateCWSeries[cws, {s, s0, s1}] = Module[{ser},
  ser = Unique[IntegrateCWSeries];
  ser[] = Hold[IntegrateCWSeries[cws, {s, s0, s1}]];
  ser[d_Integer] := ser[d] = Expand[Integrate[cws[d], {s, s0, s1}]];
  CWSeries[ser]
];

```



```

tr[w_AW] := tr[w] = CW[RotateToMinimal@@w];
tr[expr_] := expr /. aw_AW -> tr[aw];
tr[as_ASeries] := tr[as] = Module[{cws},
  cws = Unique[tr];
  cws[] = Hold[tr[as]];
  cws[d_] := cws[d] = tr[as[d]];
  CWSeries[cws]
];

tr[AW["yxxxyxx"]]

CW[xxyxxy]

t1 =  $\sigma$ ["y", BCHBase] // tr

CWS[ $\frac{CW[x]}{2}, \frac{CW[xx]}{12} - \frac{CW[xy]}{12}, -\frac{CW[xxy]}{24}$ ]

t1[5]

 $\frac{CW[xxxxxy]}{1440} - \frac{CW[xxxxyy]}{180} + \frac{CW[xxyxyx]}{120} + \frac{CW[xxyyyx]}{480} - \frac{CW[xyxyyy]}{720}$ 

div[y_LW, w_LW] /; Deg[y] == 1 := div[y, w] = tr[(AW@@y) **  $\sigma$ [y, w]];
div[y_, ls_LieSeries] := div[y, ls] = Module[{cws},
  cws = Unique[div];
  cws[] = Hold[div[y, ls]];
  cws[d_] := cws[d] = div[LW[y], ls[d]];
  CWSeries[cws]
];

div[y_, expr_] := Expand[expr /. w_LW -> div[LW[y], w]];

{div["x", BCHBase][7], div["y", BCHBase][7]}

{ $-\frac{CW[xxxxxxy]}{30\,240} + \frac{CW[xxxxxyy]}{2520} - \frac{CW[xxxxxyxy]}{1008} - \frac{19\,CW[xxxxyyy]}{15\,120} + \frac{CW[xxxxyxy]}{2520} + \frac{CW[xxxxyxyy]}{504} +$   

 $\frac{CW[xxxxyxyx]}{504} + \frac{19\,CW[xxxxyyy]}{15\,120} + \frac{CW[xxyxxyx]}{1680} - \frac{CW[xxyxyxy]}{280} - \frac{CW[xxyxyyy]}{504} - \frac{CW[xxyxyxyy]}{1680} -$   

 $\frac{CW[xxyyyxy]}{504} - \frac{CW[xxyyyyy]}{2520} + \frac{CW[xyxyxyx]}{280} + \frac{CW[xyxyyyy]}{1008} - \frac{CW[xyyxyyy]}{2520} + \frac{CW[xyyyyyy]}{30\,240},$   

 $\frac{CW[xxxxxxy]}{30\,240} - \frac{CW[xxxxxyy]}{2520} + \frac{CW[xxxxxyxy]}{1008} + \frac{19\,CW[xxxxyyy]}{15\,120} - \frac{CW[xxxxyxy]}{2520} - \frac{CW[xxxxyxyy]}{504} -$   

 $\frac{CW[xxxxyxyx]}{504} - \frac{15\,120}{2520} - \frac{1680}{1008} + \frac{280}{15\,120} + \frac{504}{2520} + \frac{1680}{30\,240} +$   

 $\frac{CW[xxyyyxy]}{504} + \frac{CW[xxyyyyy]}{2520} - \frac{CW[xyxyxyx]}{280} - \frac{CW[xyxyyyy]}{1008} + \frac{CW[xyyxyyy]}{2520} - \frac{CW[xyyyyyy]}{30\,240}$ }

t1 = MakeCWSeries[CW["xyxyyy"]] //
  LieDerivation[{LW["x"] -> MakeLieSeries[b[LW["x"], LW["z"]]]}]

CWS[0, 0, 0]

t1 /@ Range[10]

{0, 0, 0, 0, 0, 0, 0, -CW[xyxyyyyz] + CW[xyxzyyyy] - CW[xyyyyyxyz] + CW[xyyyyyxzy], 0, 0}

```

The Meta-Cocycle J

```

J[-1, ___] = MakeCWSeries[0];
J[n_, y_LW, μ_LieSeries, s_] := J[n, y, μ, s] = Module[
  {sμ, μs},
  sμ = ScaleLieSeries[s, μ];
  μs = StableApply[LieMorphism[{y → Ad[ScaleLieSeries[-1, sμ]][LW[z]]}], μ];
  μs = μs // LieMorphism[{LW[z] → y}];
  IntegrateCWSeries[
    AddCWSeries[
      J[n-1, y, μ, s] // LieDerivation[{y → b[μs, y]}],
      div[y, μs]
    ],
    {s, 0, s}
  ]
];
J[y_LW, μ_LieSeries] := J[y, μ] = Module[{cws, s},
  cws = Unique[J];
  cws[] = Hold[J[y, μ]];
  cws[d_Integer] := cws[d] = J[d-1, y, μ, s][d] /. s → 1;
  CWSeries[cws]
];
Print /@ {y0 = LW["y"], μ0 = BCHBase,
  J[0, y0, μ0, s],
  J[1, y0, μ0, s],
  J[2, y0, μ0, s],
  J[y0, μ0]
};

```

⟨y⟩

$$LS \left[\langle x \rangle + \langle y \rangle, \frac{\langle xy \rangle}{2}, \frac{\langle xxy \rangle}{12} + \frac{\langle xyy \rangle}{12} \right]$$

$$CWS \left[s \, CW[y], \frac{1}{2} s \, CW[xy] + \frac{1}{2} s^2 \, CW[xy], \right. \\ \left. \frac{1}{12} s \, CW[xxy] + \frac{1}{4} s^2 \, CW[xxy] + \frac{1}{6} s^3 \, CW[xxy] - \frac{1}{12} s \, CW[xyy] - \frac{1}{4} s^2 \, CW[xyy] - \frac{1}{6} s^3 \, CW[xyy] \right]$$

$$CWS \left[s \, CW[y], \frac{1}{2} s \, CW[xy] + \frac{1}{2} s^2 \, CW[xy], \right. \\ \left. \frac{1}{12} s \, CW[xxy] + \frac{1}{4} s^2 \, CW[xxy] + \frac{1}{6} s^3 \, CW[xxy] - \frac{1}{12} s \, CW[xyy] - \frac{1}{4} s^2 \, CW[xyy] - \frac{1}{6} s^3 \, CW[xyy] \right]$$

$$CWS \left[s \, CW[y], \frac{1}{2} s \, CW[xy] + \frac{1}{2} s^2 \, CW[xy], \right. \\ \left. \frac{1}{12} s \, CW[xxy] + \frac{1}{4} s^2 \, CW[xxy] + \frac{1}{6} s^3 \, CW[xxy] - \frac{1}{12} s \, CW[xyy] - \frac{1}{4} s^2 \, CW[xyy] - \frac{1}{6} s^3 \, CW[xyy] \right]$$

$$CWS \left[CW[y], CW[xy], \frac{CW[xxy]}{2} - \frac{CW[xyy]}{2} \right]$$

$$\text{CWS}\left[s \text{CW}["y"], \frac{1}{2} s \text{CW}["xy"] + \frac{1}{2} s^2 \text{CW}["xy"], \frac{1}{12} s \text{CW}["xxy"] + \frac{1}{4} s^2 \text{CW}["xxy"] + \frac{1}{6} s^3 \text{CW}["xxy"] - \frac{1}{12} s \text{CW}["xyy"] - \frac{1}{4} s^2 \text{CW}["xyy"] - \frac{1}{6} s^3 \text{CW}["xyy"]\right] /. s \rightarrow 1$$

$$\text{CWS}\left[\text{CW}[y], \text{CW}[xy], \frac{\text{CW}[xxy]}{2} - \frac{\text{CW}[xyy]}{2}\right]$$

`$SeriesCompareDegree = $SeriesShowDegree = 8;`

`J[3, y0, μ0, s] ≡ J[4, y0, μ0, s]`

True

`J[y0, μ0][6]`

$$\frac{\text{CW}[xxxxxy]}{120} + \frac{31 \text{CW}[xxxxyy]}{48} - \frac{11 \text{CW}[xxxxyx]}{6} + \frac{109 \text{CW}[xxxyyy]}{36} + \frac{7 \text{CW}[xxyxxy]}{8} - \frac{23 \text{CW}[xxyxyy]}{4} - \frac{23 \text{CW}[xxyyxxy]}{4} + \frac{31 \text{CW}[xxyyyy]}{48} + \frac{28 \text{CW}[xyxxyx]}{3} - \frac{11 \text{CW}[xyxyyy]}{6} + \frac{7 \text{CW}[xyyxxy]}{8} + \frac{\text{CW}[xyyyyy]}{120}$$