

Pensieve header: A concise implementation of the FastKh algorithm; continues pensieve://2013-06/; annotated version in pensieve://2017-08/.

Full sources at <http://drorbn.net/AcademicPensieve/2013-07/>.

<< KnotTheory`

Loading KnotTheory` version of September 6, 2014, 13:37:37.2841.

Read more at <http://katlas.org/wiki/KnotTheory>.

```
SetAttributes[{P, S}, Orderless]; dot /: dot[_]^k_ /; k >= 2 := 0;
( $\sigma_S$ ) [i_] :=  $\sigma$ [i] = First@Cases[ $\sigma$ , P[i, j_]  $\Rightarrow$  j];
```

```
EC[ $\lambda$ _List] := Module[{ $\rho$ , ec =  $\lambda$ }, (* "Finding Equivalence Classes" *)
  Do[ $\rho$  = First /@ Position[ec, i];
    ec = Append[Delete[ec, List /@  $\rho$ ], Union@@(ec[[ $\rho$ ]])],
    {i, Union @@  $\lambda$  }]; ec];
EC[ $\lambda_S$ ] := EC[Join[ $\lambda$ ] /. S | P  $\rightarrow$  List];
ECP[ $\lambda$ _] := Union@@Replace[EC[ $\lambda$ ], c_  $\Rightarrow$  ((#  $\rightarrow$  First[c]) & /@ c), {1}];
```

```
VC[ $\beta_S$ ,  $\mu_S$ ,  $\tau_S$ ] := VC[ $\beta$ ,  $\mu$ ,  $\tau$ ] = Module[{ins, outs, p,  $\chi_S$ , h, dec, dots, law},
  ins = First /@ Join[EC[ $\beta$ ,  $\mu$ ], EC[ $\mu$ ,  $\tau$ ]];
  outs = First /@ EC[ $\beta$ ,  $\tau$ ]; p = ECP[ $\beta$ ,  $\mu$ ,  $\tau$ ];
   $\chi_S$  = Times @@ (h /@ Join[ins, outs] /. p);
   $\chi_S$  *= PowerExpand[(Times @@ (h /@ (Last /@ p)))^-1/2];
  dec =  $\chi_S$  /. h[i_]  $\rightarrow$  (2 dot[i])^(2-x)/2;
  dec *= Product[If[i == (i /. p), 1, dot[i] + dot[i /. p]], {i, outs}];
  Expand[dots * # /. law] & /.
  {dots  $\rightarrow$  Expand[dec], law  $\rightarrow$  Table[dot[i]  $\rightarrow$  dot[i /. p], {i, Union[ins]}}];
```

```
m0[i_, j_] [ $\sigma_S$ ] := m0[i, j] [ $\sigma$ ] = If[ $\sigma$ [i] == j, DeleteCases[ $\sigma$ , P[i, j]],
  Append[DeleteCases[ $\sigma$ , P[i, _] | P[_, j]], P[ $\sigma$ [i],  $\sigma$ [j]]];
m[i_, j_] [ $\sigma_S$ ] := m0[i, j] [ $\sigma$ ] * If[ $\sigma$ [i] == j, {q, q^-1}, {1}];
m[i_, j_] [q^k_  $\sigma_S$ ] := q^k m[i, j] [ $\sigma$ ];
```

```
m[i_, j_] [Cob[ $\beta_S$ ,  $\tau_S$ , dots_]] := Module[{p, ijdots, np, ndots, x},
  p = ECP[ $\beta$ ,  $\tau$ ]; ijdots = dot@Min[i, j]; np = ECP[m0[i, j] [ $\beta$ ], m0[i, j] [ $\tau$ ]];
  ndots = Which[ $\beta$ [i] == j  $\wedge$   $\tau$ [i] == j,  $\begin{pmatrix} \text{ijdots} & 0 \\ 1 & \text{ijdots} \end{pmatrix}$ ,
   $\beta$ [i] == j  $\wedge$   $\tau$ [i]  $\neq$  j, {{1, ijdots}},
   $\beta$ [i]  $\neq$  j  $\wedge$   $\tau$ [i] == j, {{ijdots}, {1}},
   $\beta$ [i]  $\neq$  j  $\wedge$   $\tau$ [i]  $\neq$  j, {{If[(i /. p)  $\neq$  (j /. p), 1, dot[ $\beta$ [i]] + dot[ $\tau$ [i]]]}}];
  ndots = Expand[dots * ndots] /. dot[k_]  $\Rightarrow$ 
  dot[k /. {i  $\rightarrow$   $\beta$ [i], j  $\rightarrow$   $\beta$ [j]}] /. {i  $\rightarrow$   $\tau$ [i], j  $\rightarrow$   $\tau$ [j]} /. np];
  If[ $\beta$ [i] == j  $\wedge$   $\tau$ [i] == j, Coefficient[ndots /. ijdots  $\rightarrow$  x, x], ndots];
```

```

m[i_, j_] [Kom[Ω_, d_]] := Kom[
  Flatten /@ Map[m[i, j], Ω, {2}],
  Table[If[Length@Ω[[k]] == 0 ∨ Length@Ω[[k+1]] == 0, 0,
    Table[m[i, j] [Cob[Ω[[k, b]], Ω[[k+1, a]], d[[k, a, b]]] /. q → 1,
      {a, Length@Ω[[k+1]]}, {b, Length@Ω[[k]]}
    ] // ArrayFlatten ],
  {k, Length@d} ]];

```

```

(Kom[Ω_, d_] // Cob[qp1 β_, qp2 τ_, 1]) := Module[{L, ρ, δ, k},
  L = Length[Ω]; ρ[k_] := ρ[k] = Length[Ω[[k]]]; ρ[0] = ρ[L+1] = 0;
  Kom[
    MapThread[Join, List @@@ {
      Append[Ω /. σ_S := qp1 Join[β, σ], {}],
      Prepend[Ω /. σ_S := qp2 Join[τ, σ], {}] }],
    Table[
      If[ρ[k] + ρ[k-1] == 0 ∨ ρ[k+1] + ρ[k] == 0, 0,
        δ = Table[0, {ρ[k+1] + ρ[k]}, {ρ[k] + ρ[k-1]}];
        If[ρ[k] ρ[k+1] ≠ 0, δ[[1;; ρ[k+1], 1;; ρ[k]]] = d[[k]];
        If[ρ[k] ≠ 0, δ[[ρ[k+1] + 1;; ρ[k+1] + ρ[k], 1;; ρ[k]]] = (-1)k IdentityMatrix[ρ[k]];
        If[ρ[k-1] ρ[k] ≠ 0, δ[[ρ[k+1] + 1;; ρ[k+1] + ρ[k], ρ[k] + 1;; ρ[k] + ρ[k-1]]] = d[[k-1]];
        δ
      ], {k, L} ] ] ]

```

```

Contract[kom_Kom] := Module[{Ω, d, L, ρ, k, done, a, b, φ, γδ},
  {Ω, d} = List @@ kom; L = Length@d; ρ[k_] := Length@Ω[[k]];
  For[k = 1, k ≤ L, ++k,
    done = False; While[! done, done = True;
      For[a = 1, a ≤ ρ[k+1], ++a, For[b = 1, b ≤ ρ[k], ++b,
        If[NumberQ[φ = d[[k, a, b]]] ∧ φ ≠ 0 ∧ Ω[[k+1, a]] == Ω[[k, b]],
          done = False;
          If[ρ[k] ≤ 1 ∨ ρ[k+1] ≤ 1, d[[k]] = 0,
            γδ = Table[VC[Ω[[k, n]] /. q → 1, Ω[[k+1, a]] /. q → 1, Ω[[k+1, m]] /. q → 1] [
              d[[k, a, n]] d[[k, m, b]], {m, ρ[k+1]}, {n, ρ[k]} ];
            d[[k]] = Expand@Drop[d[[k]] - φ-1 γδ, {a}, {b}];
            Ω[[k]] = Drop[Ω[[k]], {b}]; Ω[[k+1]] = Drop[Ω[[k+1]], {a}];
            If[k > 1 ∧ ρ[k-1] > 0, d[[k-1]] = Drop[d[[k-1]], {b}];
            If[k < L ∧ ρ[k+2] > 0, d[[k+1]] = Drop[d[[k+1]], {}, {a}];
            If[a ≤ ρ[k+1], --a; b = ρ[k] ] ] ] ] ];
  Kom[Ω, d] ];

```

```


Kom[] = Kom[{{S[]}}, {}];
Cob@Xp[i_, j_, k_, L_] := Cob[q S[P[-i, j], P[k, -L]], q2 S[P[-i, -L], P[j, k]], 1];
Cob@Xm[i_, j_, k_, L_] := Cob[q-2 S[P[-i, -j], P[k, L]], q-1 S[P[-i, L], P[-j, k]], 1];
Cob[x_X] := Cob[If[PositiveQ[x], Xp@@x, Xm@@x]];

```

```

KhComplex[L_] := Module[
  {pd = PD[L], kom = Kom[], inside = {}, pos},
  While[Length[pd] > 0,
    pos = Last[Ordering[(Length[(List @@ #) ∩ inside]) & /@ pd]];
    kom = kom // Cob[pd[[pos]]];
    (kom = Contract[kom // m[#, -#]]) & /@ ((List @@ pd[[pos]]) ∩ inside);
    inside = inside ∪ (List @@ pd[[pos]]); pd = Drop[pd, {pos}];
  ];
  kom];
KhPoly[L_] := Expand[
  t^-Length@Select[PD@L, NegativeQ] + Range[0, Crossings[L]]. (List @@ Plus @@@ First @ KhComplex[L]) /. S[] -> 1]

```



```

Kom[] // Cob[q S[P[-1, 2], P[3, -4]], q^2 S[P[-1, -4], P[2, 3]], 1] // m[-1, 2] // Contract
Kom[{{S[P[-4, 3]]}, {}}, {0}]

```

```

Kom[] // Cob[Xm[1, 2, 4, 3]] // Cob[Xp[4, 6, 5, 3]] // m[3, -3] // m[4, -4] // Contract
Kom[{{}}, {S[P[-2, 6], P[-1, 5]]}, {}, {0, 0}]

```

```

R31 = Kom[] // Cob[Xp[7, 9, 6, 1]] // Cob[Xp[8, 4, 5, 9]] // Cob[Xm[2, 3, 8, 7]] // m[-7, 7] //
  m[-8, 8] // m[-9, 9] // Contract

```

```

Kom[{{}}, {q S[P[-3, -2], P[-1, 4], P[5, 6]], q S[P[-3, 4], P[-2, 5], P[-1, 6]]},
  {q^2 S[P[-3, 4], P[-2, -1], P[5, 6]], q^2 S[P[-3, -2], P[-1, 6], P[4, 5]]},
  {q^3 S[P[-3, 6], P[-2, -1], P[4, 5]]}, {0, {{1, -1}, {1, -1}}, {{1, -1}}}

```

```

R32 = Kom[] // Cob[Xp[2, 7, 9, 1]] // Cob[Xp[3, 4, 8, 7]] // Cob[Xm[9, 8, 5, 6]] // m[-7, 7] //
  m[-8, 8] // m[-9, 9] // Contract

```

```

Kom[{{}}, {q S[P[-3, -2], P[-1, 4], P[5, 6]], q S[P[-3, 4], P[-2, 5], P[-1, 6]]},
  {q^2 S[P[-3, 4], P[-2, -1], P[5, 6]], q^2 S[P[-3, -2], P[-1, 6], P[4, 5]]},
  {q^3 S[P[-3, 6], P[-2, -1], P[4, 5]]}, {0, {{1, -1}, {1, -1}}, {{1, -1}}}

```

R31 == R32


True

```

K = TorusKnot[9, 5]; {TubePlot[K, ImageSize -> 80] // Rasterize, KhPoly[K]} // Timing

```

{933.556784,



, $q^{31} + q^{33} + q^{35} t^2 + q^{39} t^3 + q^{37} t^4 + q^{39} t^4 + q^{41} t^5 + q^{43} t^5 + q^{39} t^6 + q^{41} t^6 + q^{43} t^7 + q^{45} t^7 + q^{41} t^8 +$
 $2 q^{43} t^8 + q^{45} t^9 + 2 q^{47} t^9 + 2 q^{45} t^{10} + 3 q^{49} t^{11} + 2 q^{47} t^{12} + 2 q^{49} t^{12} + q^{53} t^{12} + 3 q^{51} t^{13} + 2 q^{53} t^{13} + q^{49} t^{14} +$
 $2 q^{51} t^{14} + q^{55} t^{14} + 2 q^{53} t^{15} + 3 q^{55} t^{15} + 2 q^{53} t^{16} + q^{57} t^{16} + q^{59} t^{16} + 3 q^{57} t^{17} +$
 $q^{55} t^{18} + q^{57} t^{18} + q^{61} t^{18} + 2 q^{59} t^{19} + q^{61} t^{19} + q^{59} t^{20} + q^{63} t^{20} + q^{63} t^{21}$ }