

Pensieve header: Optimizing the 1-smidgen program using my 1994 Profile.m; a mild mod - killing exp(q) in a different way in Nwu.

```
SetDirectory["C:\\drorbn\\AcademicPensieve\\2016-09"];
Once[<< KnotTheory`];
Once[<< ../Projects/Profile/Profile.m]
```

Loading KnotTheory` version of September 6, 2014, 13:37:37.2841.

Read more at <http://katlas.org/wiki/KnotTheory>.

This is Profile.m, Sep 2016 mods of July 1994 version

Rotational Virtual Knots

```
RVK::usage =
  "RVK[xs, rots] represents a Rotational Virtual Knot with a list of n Xp/Xm crossings xs and
  a length 2n list of rotation numbers rots. Crossing sites are indexed 1 through
  2n, and rots[[k]] is the rotation between site k-1 and site k. RVK is also a casting
  operator converting to the RVK presentation from other knot presentations.";
RVK[pd_PD] := Module[{n, xs, x, rots, front, k},
  n = Length[pd];
  xs = List@@pd /. x_X => If[PositiveQ[x], Xp[x[[4]], x[[1]], Xm[x[[2]], x[[1]]];
  rots = Table[0, {2 n};
  front = {0};
  For[k = 0, k < 2 n, ++k,
  If[k == 0 ∨ FreeQ[front, -k],
  front = Flatten[front /. k → Catch[xs /. {
    Xp[k + 1, L_] | Xm[L_, k + 1] => Throw[{L, k + 1, 1 - L}],
    Xp[L_, k + 1] | Xm[k + 1, L_] => (++)rots[[L]; Throw[{1 - L, k + 1, L}]
  }]],
  If[MatchQ[front, {___, k, ___, -k, ___}], --rots[[k + 1]]
  ]
  ];
  RVK[xs, rots]
  ];
RVK[K_] := RVK[PD[K]];
```

NOE-It

Logos

$$\Delta[k_] := (1 - t_k) (\alpha^2 \beta^2 + 4 \alpha \beta \delta \mu + 2 \delta^2 \mu^2) / 2 + 2 \mu^2 (\alpha \beta + \delta \mu) c_k - \beta (2 \mu - 1) (\alpha \beta + 2 \delta \mu) u_k + 2 \beta \delta \mu^2 c_k u_k - \beta^2 \delta (3 \mu - 1) * u_k^2 / 2 + \alpha (\alpha \beta + 2 \delta \mu) w_k + 2 \alpha \delta \mu^2 c_k w_k - 2 (t_k - 1) \delta^2 (\alpha \beta + \delta \mu) u_k w_k + 2 \delta^2 \mu^2 c_k u_k w_k - \beta \delta^2 (2 \mu - 1) * u_k^2 w_k + \alpha^2 \delta (1 + \mu) w_k^2 / 2 + \alpha \delta^2 u_k * w_k^2 - (t_k - 1) \delta^4 * u_k^2 * w_k^2 / 2;$$

```
DPx→Dα, y→Dβ[P_][f_] := Profile[DP, (* means P[∂α, ∂β][f] *)
  Total[CoefficientRules[P, {x, y}] /. ({m_, n_} → c_) => c D[f, {α, m}, {β, n}]
  ]
```

```
CF[E[ω_, L_, Q_, P_]] := Profile[CF,
  Expand /@ Together /@
  E[ω /. b_L => Log[t_L], L, Q /. b_L => Log[t_L], P /. b_L => Log[t_L]]
  ];
E /: E[ω1_, L1_, Q1_, P1_] E[ω2_, L2_, Q2_, P2_] := CF@E[ω1 ω2, L1 + L2, ω2 Q1 + ω1 Q2, ω24 P1 + ω14 P2];
```

```

Nu_i_cj_k [E [w_, L_, Q_, P_]] := Profile [Nuc,
  With [ {q = e^-y beta u_k + gamma c_k}, CF [
    E [w, gamma c_k + (L /. c_j -> 0), w e^-y beta u_k + (Q /. u_i -> 0), e^-q DP_{c_j -> D_y, u_i -> D_beta} [P] [e^q]] /. {gamma -> partial_{c_j} L, beta -> omega^-1 partial_{u_i} Q}]]];
Nw_i_cj_k [E [w_, L_, Q_, P_]] := Profile [Nwc,
  With [ {q = e^y alpha w_k + gamma c_k}, CF [
    E [w, gamma c_k + (L /. c_j -> 0), w e^y alpha w_k + (Q /. w_i -> 0), e^-q DP_{c_j -> D_y, w_i -> D_alpha} [P] [e^q]] /. {gamma -> partial_{c_j} L, alpha -> omega^-1 partial_{w_i} Q}]]];

```

```

Nw_i_uj_k [E [w_, L_, Q_, P_]] := Profile [Nwu,
  With [ {q = (1 - t_k) mu^-1 alpha beta + mu^-1 beta u_k + mu^-1 delta u_R w_R + mu^-1 alpha w_R}, CF [
    E [mu w, L, mu w q + mu (Q /. w_i | u_j -> 0), mu^4 (DP_{w_i -> D_alpha, u_j -> D_beta} [P] [e^q] /. e -> 1) + omega^4 Delta [k]] /. mu -> 1 + (t_k - 1) delta /.
    {alpha -> omega^-1 (partial_{w_i} Q /. u_j -> 0), beta -> omega^-1 (partial_{u_j} Q /. w_i -> 0), delta -> omega^-1 partial_{w_i, u_j} Q}]]];

```

```

mi_j_x [Z_] := Profile [m,
  Module [ {x, y, z},
    Z // Nw_i_cj_x // Nw_k_uj_y // ReplaceAll [ {c_x | y -> c_x, w_j -> w_y} ] // Nu_i_cx_x //
    ReplaceAll [z_i | j | x | y -> z_k] // CF];

```

```

Ri_j_ := E [1, b_i c_j, u_i w_j, -c_i (t_i - 1)^2 / 2 - c_i^2 (t_i - 1)^2 / 2 + c_i c_j (t_j^2 - t_i - 2) / 2 - c_j u_i w_i / 2 + c_i (1 - t_i) u_i w_i -
  u_i^2 w_i^2 / 2 + u_i w_j + c_j t_i u_i w_j / 2 + c_i (t_i - 2) t_i u_i w_j + c_i (1 + t_j) u_j w_j / 2 + (t_i - 1) u_i^2 w_i w_j - (t_i - 2) t_i u_i^2 w_j^2 / 2];
Ri_j_ := E [1, -b_i c_j, -t_i^-1 u_i w_j, c_i (t_i - 1)^2 / 2 + c_i^2 (t_i - 1)^2 / 2 + c_i c_j (2 + t_i - t_j^2) / 2 + c_j u_i w_i / 2 +
  c_i (t_i - 1) u_i w_i + u_i^2 w_i^2 / 2 + (1 - t_i^-1) u_i w_j / 2 + c_i (2 t_i - 5 + 3 t_i^-1) u_i w_j / 2 + c_j (t_i^-1 + 1 - t_i^-1 t_j^2) u_i w_j / 2 -
  c_i (t_j + 1) u_j w_j / 2 + (2 - 3 t_i^-1) u_i^2 w_i w_j / 2 + (1 + 2 t_i^-2 - 3 t_i^-1) u_i^2 w_j^2 / 2 - t_i^-1 (1 + t_j) u_i u_j w_j^2 / 2];
uri_ := E [t_i^-1/4, 0, 0, c_i t_i / 4 + u_i w_i / 8];
nri_ := E [t_i^1/4, 0, 0, -c_i t_i^3 / 4 - t_i^2 u_i w_i / 8];
uli_ := E [t_i^1/4, 0, 0, c_i t_i (4 + t_i) / 4 - t_i^2 u_i w_i / 8];
nli_ := E [t_i^-1/4, 0, 0, -c_i (1 + 4 t_i^-1) / 4 + u_i w_i / 8];

```

```

rot [_, 0] = E [1, 0, 0, 0];
rot [i_, 1] := Module [ {y}, nli uri // mi_y_i];
rot [i_, n_Integer] /; n > 1 := Module [ {y}, rot [i, n - 1] rot [y, 1] // mi_y_i];
rot [i_, -1] := Module [ {y}, nri uli // mi_y_i];
rot [i_, n_Integer] /; n < -1 := Module [ {y}, rot [i, n + 1] rot [y, -1] // mi_y_i];

```

Z

```

t_ = t;
Z[K_] := Z[RVK@K];
Z[rvk_RVK] := Profile[Z,
Module[{todo, n, rots,  $\xi$ , done, st, x,  $\xi$ 1, i, j, k, k1, k2, k3},
  {todo, rots} = List@@rvk;
  AppendTo[rots, 0];
  n = Length[todo];
   $\xi$  =  $\mathbb{E}$ [1, 0, 0, 0];
  done = {0};
  st = Range[0, 2 n + 1];
  While[todo != {},
    {x} = MaximalBy[todo, Length[done  $\cap$  {#[[1]], #[[2]], #[[1]] - 1, #[[2]] - 1}] &, 1];
    Z$todo = todo; Z$x = x;
    {i, j} = List@@x;
     $\xi$ 1 = Switch[Head[x],
      Xp, mj,k→j[R+i,j (R-k3,k nrk1 ulk2 // mk,k1→k // mk,k2→k // mk,k3→k)],
      Xm, mj,k→j[R-i,j (R+k,k3 nrk1 ulk2 // mk,k1→k // mk,k2→k // mk,k3→k)],
    ];
     $\xi$ 1 = rot[k, rots[[i]]]  $\xi$ 1 // mk,i→i; rots[[i]] = 0;
     $\xi$ 1 =  $\xi$ 1 rot[k, rots[[i + 1]]] // mi,k→i; rots[[i + 1]] = 0;
     $\xi$ 1 = rot[k, rots[[j]]]  $\xi$ 1 // mk,j→j; rots[[j]] = 0;
     $\xi$ 1 =  $\xi$ 1 rot[k, rots[[j + 1]]] // mj,k→j; rots[[j + 1]] = 0;
     $\xi$  *=  $\xi$ 1;
    If[MemberQ[done, i],  $\xi$  =  $\xi$  // mi,i+1→i; st = st /. st[[i + 2]] → st[[i + 1]]];
    If[MemberQ[done, i - 1],  $\xi$  =  $\xi$  // mst[[i],i→st[[i]]; st = st /. st[[i + 1]] → st[[i]]];
    If[MemberQ[done, j],  $\xi$  =  $\xi$  // mj,j+1→j; st = st /. st[[j + 2]] → st[[j + 1]]];
    If[MemberQ[done, j - 1],  $\xi$  =  $\xi$  // mst[[j],j→st[[j]]; st = st /. st[[j + 1]] → st[[j]]];
    done = done  $\cup$  {i - 1, i, j - 1, j};
    todo = DeleteCases[todo, x]
  ];
   $\xi$  /. {u0 → u, c0 → c, w0 → w}
]
]

```

```
BeginProfile[];
Timing[Z[Knot[10, 100]]]
EndProfile[];
```

$$\left\{ 15.8125, \mathbb{E} \left[13 + \frac{1}{t^4} - \frac{4}{t^3} + \frac{9}{t^2} - \frac{12}{t} - 12t + 9t^2 - 4t^3 + t^4, 0, 0, \right. \right.$$

$$2563146 + 667500c + \frac{6}{t^{16}} - \frac{8c}{t^{16}} - \frac{92}{t^{15}} + \frac{118c}{t^{15}} + \frac{723}{t^{14}} - \frac{892c}{t^{14}} - \frac{3818}{t^{13}} + \frac{4523c}{t^{13}} + \frac{15133}{t^{12}} - \frac{17161c}{t^{12}} - \frac{47848}{t^{11}} +$$

$$\frac{51709c}{t^{11}} + \frac{125539}{t^{10}} - \frac{128505c}{t^{10}} - \frac{281054}{t^9} + \frac{270279c}{t^9} + \frac{548129}{t^8} - \frac{489715c}{t^8} - \frac{945756}{t^7} + \frac{772841c}{t^7} + \frac{1460263}{t^6} -$$

$$\frac{1066829c}{t^6} - \frac{2034106}{t^5} + \frac{1282861c}{t^5} + \frac{2570432}{t^4} - \frac{1320331c}{t^4} - \frac{2956518}{t^3} + \frac{1107336c}{t^3} + \frac{3099338}{t^2} - \frac{640054c}{t^2} -$$

$$\frac{2958726}{t} - \frac{540c}{t} - 2000454t - 1197840ct + 1387610t^2 + 1472160ct^2 - 832998t^3 - 1456020ct^3 + 407256t^4 +$$

$$1204364ct^4 - 132546t^5 - 829886ct^5 - 9557t^6 + 453636ct^6 + 59220t^7 - 162131ct^7 - 58859t^8 - 11711ct^8 +$$

$$40498t^9 + 81439ct^9 - 22001t^{10} - 84595ct^{10} + 9704t^{11} + 59721ct^{11} - 3455t^{12} - 32685ct^{12} + 966t^{13} +$$

$$14251ct^{13} - 201t^{14} - 4919ct^{14} + 28t^{15} + 1307ct^{15} - 2t^{16} - 253ct^{16} + 32ct^{17} - 2ct^{18} - 493132uw + \frac{8uw}{t^{16}} -$$

$$\frac{110uw}{t^{15}} + \frac{782uw}{t^{14}} - \frac{3741uw}{t^{13}} + \frac{13420uw}{t^{12}} - \frac{38289uw}{t^{11}} + \frac{90216uw}{t^{10}} - \frac{180063uw}{t^9} + \frac{309652uw}{t^8} - \frac{463189uw}{t^7} +$$

$$\frac{603640uw}{t^6} - \frac{679221uw}{t^5} + \frac{641110uw}{t^4} - \frac{466226uw}{t^3} + \frac{173828uw}{t^2} + \frac{174368uw}{t} + 704708t uw - 767452t^2 uw +$$

$$688568t^3 uw - 515796t^4 uw + 314090t^5 uw - 139546t^6 uw + 22585t^7 uw + 34296t^8 uw - 47143t^9 uw +$$

$$37452t^{10} uw - 22269t^{11} uw + 10416t^{12} uw - 3835t^{13} uw + 1084t^{14} uw - 223t^{15} uw + 30t^{16} uw - 2t^{17} uw \left. \right\}$$

```
PrintProfile[];
```

CF: called 490 times, time in 14.027/14.027

Parents:

- (102) 1.310/ 1.310 under m
- (102) 2.780/ 2.780 under Nuc
- (102) 2.283/ 2.283 under Nwc
- (102) 7.107/ 7.107 under Nwu
- (82) 0.547/ 0.547 under Z

DP: called 306 times, time in 1.125/1.125

Parents:

- (102) 0.467/ 0.467 under Nuc
- (102) 0.283/ 0.283 under Nwc
- (102) 0.375/ 0.375 under Nwu

m: called 102 times, time in 0.25/15.249

Parents:

- (102) 0.250/ 15.250 under Z

Children:

- (102) 1.310/ 1.310 above CF
- (102) 0.048/ 3.295 above Nuc
- (102) 0.126/ 2.692 above Nwc
- (102) 0.220/ 7.702 above Nwu

Nwu: called 102 times, time in 0.22/7.702

Parents:

(102) 0.220 / 7.702 under m

Children:

(102) 7.107 / 7.107 above CF

(102) 0.375 / 0.375 above DP

Nwc: called 102 times, time in 0.126/2.692

Parents:

(102) 0.126 / 2.692 under m

Children:

(102) 2.283 / 2.283 above CF

(102) 0.283 / 0.283 above DP

Nuc: called 102 times, time in 0.048/3.295

Parents:

(102) 0.048 / 3.295 under m

Children:

(102) 2.780 / 2.780 above CF

(102) 0.467 / 0.467 above DP

Z: called 1 times, time in 0.016/15.812

Parents:

(1) 0.016 / 15.810 under ProfileRoot

Children:

(82) 0.547 / 0.547 above CF

(102) 0.250 / 15.250 above m

ProfileRoot: called 0 times, time in 0./0.

Children:

(1) 0.016 / 15.810 above Z