

September-11-11
6:11 PM

MAT 1100 Core Algebra. To do. 1. Print "About".
 DROR BAR-NATAN [website: search] 2. Print NCGE. (two sides)
 I don't know core algebra! 3. Video tape?
 on Goal: Within your lifetime, understand $G = \langle g_1, \dots, g_m \rangle \subset S_n$:
 book 1. $|G| = ?$ 2. $\sigma \in G?$ 3. $\sigma = w(g_1, \dots, g_m)$ 4. random

Two pre-requisites 1. Groups, S_n , silly uniquenesses, cancellation, $(ab)^{-1} = b^{-1}a^{-1}$, subgroups, the subgroup generated by $\{a\}$.

2. Row reduction for real.

$$F \cdot g = F \circ g$$

Algorithm as in handout.

Claim 1 Every σ_{ij} in T is in G .

Claim 2 Anything fed to T is now a monotone product $\sigma_{1j_1} \sigma_{2j_2} \sigma_{3j_3} \dots$ $j_i \geq j_{i-1}$

Claim 3 IF two monotone products are equal,

$$\sigma_{1j_1} \dots \sigma_{nj_n} = \sigma_{1j'_1} \dots \sigma_{nj'_n}$$

then all the indices are equal, $\forall i \ j_i = j'_i$.

Claim 4 Let $M_k = \{ \text{monotone products beginning with } k \} = \{ \sigma_{kj_k} \dots \sigma_{nj_n} \}$,

then for every k , $M_k \cdot M_k \subset M_k$ (and so each

M_k is a subgroup of S_n).

Proof Clearly $M_n M_n \subset M_n$. Now assume that $M_5 M_5 \subset M_5$ and show that $M_4 M_4 \subset M_4$. Start with $\sigma_{8,j} M_4 \subset M_4$:

$$= (\dots M) \cdot \frac{1}{2} (\dots M) \cdot \frac{2}{2} M M$$

and show that $M_4 M_4 \subset M_4$. Start with $\sigma_{8,j} M_4 \subset M_4$:

$$\begin{aligned} \sigma_{8,j}(\sigma_{4,j_4} M_5) &\stackrel{1}{=} (\sigma_{8,j} \sigma_{4,j_4}) M_5 \stackrel{2}{\subset} M_4 M_5 \\ &\stackrel{3}{=} \sigma_{4,j_4} (M_5 M_5) \stackrel{4}{\subset} \sigma_{4,j_4} M_5 \subset M_4 \end{aligned}$$

claim 5 $M_1 = G$ and we have achieved all of our goals [except there is a hidden problem].
 \rightarrow they do goods 1, 2, 3, 4 and the 0: "in our lifetime".

Example $\sigma_1 = (123)$ $\sigma_2 = (12)(34)$, in S_4

11	I		
12	$\sigma_1 = 2314$	22	I
13	$\sigma_{12}^2 = 3124$	23	$\sigma_{12}^{-1} \sigma_2 = 1342$
14	$\sigma_{23} \sigma_{13} = 4132$	24	$\sigma_{13}^{-1} \sigma_{23} \sigma_{12} = 1423$

don't line

Feed $\sigma_1 = 2314 \dots$ Feed @ σ_{12}

Feed $\sigma_{12}^2 = 3124 \dots$ Feed @ σ_{13}

Feed $\sigma_2 = 2143 \dots$ Feed $\sigma_{12}^{-1} \sigma_2 = 1342 \dots$ Feed @ σ_{23}

Feed $\sigma_{12} \sigma_{23} = 2143 \dots$ Feed $\sigma_{12}^{-1} \sigma_{12} \sigma_{23} = \sigma_{23} \dots$

No point feeding $\sigma_{ij} \sigma_{kl}$ if $i \neq k$!

Feed $\sigma_{23} \sigma_{12} = 3412 \dots$ Feed $\sigma_{13}^{-1} \sigma_{23} \sigma_{12} = 1423 \dots$ to σ_{24}

Feed $\sigma_{23} \sigma_{13} = 4132 \dots$ to σ_{14}

Feed $\sigma_{24} \sigma_{12} = 4213 \dots$ Feed $\sigma_{14}^{-1} \sigma_{24} \sigma_{12} = 1423 \dots$ drop.

$\Rightarrow |G| = 4 \cdot 3 \cdot 1 \cdot 1 = 12$. Is $4123 \in G$?

Write 2431 in terms of $\sigma_{1,2}$.

* For our the "algebra" has...

* Go over the "about" handout.