

Run

```

In[ ]:= SetDirectory["C:\\drorbn\\AcademicPensieve\\Projects\\Signatures"];
$PageWidth = 1.1 N[284 / 72];
Make["Common.tex", "Common.nb",
  Hold[nb2tex["Common", PDFFolder → "Snips/Common", PDFWidth → $PageWidth]]];
Make["AsInKT.tex", "AsInKT.nb",
  Hold[nb2tex["AsInKT", PDFFolder → "Snips/AsInKT", PDFWidth → $PageWidth]]];
Make["TL4BR.tex", "TL4BR.nb",
  Hold[nb2tex["TL4BR", PDFFolder → "Snips/TL4BR", PDFWidth → $PageWidth]]];
Make["SideBySide.tex", "SideBySide.nb",
  Hold[nb2tex["SideBySide", PDFFolder → "Snips/SideBySide", PDFWidth → $PageWidth]]];
Make["Goeritz.tex", "Goeritz.nb",
  Hold[nb2tex["Goeritz", PDFFolder → "Snips/Goeritz", PDFWidth → $PageWidth]]];
Run@"C:\\Program Files\\MiKTeX 2.9\\miktex\\bin\\x64\\pdflatex.exe" Signatures.tex"

Making {SideBySide.tex} ...

Out[ ]:= 0

```

Make

```

In[ ]:= Make::usage =
  "Make[targets, sources, Hold[action]] makes a target, or a list of targets, given
  sources, or a list of sources, in the style of the unix 'make' command.";
Make[target_String, sources_, action_Hold] :=
  Make[Evaluate@{target}, sources, action];
Make[targets_, source_String, action_Hold] :=
  Make[targets, Evaluate@{source}, action];
Make[targets_List, sources_List, action_Hold] := Module[{},
  If[
    (And @@ ((FileType[#] != None) & /@ sources)) &&
    Or[
      Or @@ ((FileType[#] == None) & /@ targets),
      Min[AbsoluteTime[FileDate[#]] & /@ targets] <
      Max[AbsoluteTime[FileDate[#]] & /@ sources]
    ],
    Print["Making ", targets, " ..."];
    ReleaseHold[action]
  ],
  ];

```

nb2tex

As in <http://drorbn.net/AcademicPensieve/Projects/nb2tex/>.

```

In[ ]:= SetOptions[$FrontEndSession, PrintingStyleEnvironment -> "Working"];
nb2tex[nb_String, opts___Rule] := nb2tex[nb, nb, opts];

In[ ]:= nb2tex[nb_String, tex_String, opts___Rule] := Module[
  {notebook, PDFCounter = 0, lines, type, tag, pdfname, cell, c, c1,
   PDFFolder = PDFFolder /. {opts} /. PDFFolder -> nb
  },
  nb2tex$PDFWidth = PDFWidth /. {opts} /. PDFWidth -> 6.5;
  notebook = NotebookGet[NotebookOpen@FileNameJoin[{Directory[], nb <> ".nb"}]];
  If[FileType[PDFFolder] === None, CreateDirectory[PDFFolder]];
  DeleteFile/@FileNames["*.pdf", PDFFolder];
  lines = Table[
    type = cell[[2]];
    tag = CellTags /. Cases[cell, _Rule] /. CellTags -> "";
    Which[
      type == "Text" ^ tag == "tex", StringReplace[cell[[1]], {"'" -> "'", "" -> "\""}],
      StringMatchQ[tag, "pdf" ~~ ___], (
        pdfname = PDFFolder <> "/" <> ToString[++PDFCounter] <> ".pdf";
        Export[pdfname, Join[cell, Cell[PageWidth -> 80 nb2tex$PDFWidth / 0.75]]];
        c1 = "c:\\drorbn\\bin\\cpdf.exe -scale-page \"0.75 0.75\" " <>
          pdfname <> " -o " <> pdfname;
        Close@OpenRead["!" <> c1];
        StringReplace[
          "\\noindent\\nbpdfXXXType{pdfname}",
          {"XXX" -> StringDrop[tag, 3], "Type" -> type, "pdfname" -> pdfname}
        ]
      ),
      type == "Text" ^ tag == "exec", ToExpression[cell[[1]]; "",
      True, ""
    ],
  ],
  {cell, Cases[notebook, c_Cell /; Length[c] ≥ 2(*^FreeQ[c, _Cell, {1,∞}]*)], ∞}
];
lines = StringJoin@@Riffle[DeleteCases[lines, ""], "\n\n"];
WriteString[tex <> ".tex", lines]; Close[tex <> ".tex"]; ]

```