

Pensieve Header: Computing rotation numbers. Based on Common.nb at pensieve://Classes/21-1350-KnotTheory/.

```
Print["Loading Rot.m from http://drorbn.net/icbs24 to compute rotation numbers."]
```

```
Rot::usage =
"Rot[K] where K is any n-crossing knot presentation returns {Cs, φ}, where
Cs is a length n list of crossings as triples {s,i,j}
and φ is a length 2n list of rotation numbers.";
```

```
In[1]:= PD[epd_EPD] := PD @@ epd /. {Xi_,j_ :> X[j, i + 1, j + 1, i], X̄i_,j_ :> X[j, i, j + 1, i + 1]}
```

```
Rot[pd_PD]:=Module[{n, xs, x, rrots, Xp, Xm, front = {1}, k,
n = Length@pd; rrots = Table[0, {2 n}];
xs = Cases[pd, x_X :> PositiveQ@x4];
xs = Cases[pd, x_X :> True];
Xm[x2, x1] :> True];
For[k = 1, k <= 2 n, ++k,
If[FreeQ[front, -k],
front = Flatten@Replace[front, k → (xs /. {
Xp[k, l_] | Xm[l_, k] :> {l + 1, k + 1, -l},
Xp[l_, k] | Xm[k, l_] :> (++rrrots[[l]]; {-l, k + 1, l + 1}),
_xp | _xm :> {}
}), {1}],
Cases[front, k | -k] /. {k, -k} :> --rrrots[[k]];
]
];
{xs /. {Xp[i_, j_] :> {+1, i, j}, Xm[i_, j_] :> {-1, i, j}}, rrots} ];
Rot[K_]:=Rot[PD[K]];
```