




Everything around sl_{2+}^ϵ is DoPeGDO. So what?


Abstract. I'll explain what "everything around" means: classical and quantum $m, \Delta, S, tr, R, C,$ and $\theta,$ as well as $P, \Phi, J, \mathbb{D},$ and more, and all of their compositions. What **DoPeGDO** means: the category of **Docile Perturbed Gaussian Differential Operators**. And what sl_{2+}^ϵ means: a solvable approximation of the semi-simple Lie algebra sl_2 .

Knot theorists should rejoice because all this leads to very powerful and well-behaved poly-time-computable knot invariants. Quantum algebraists should rejoice because it's a realistic playground for testing complicated equations and theories.

Conventions. 1. For a set $A,$ let $z_A := \{z_i\}_{i \in A}$ and let $\zeta_A := \{z_i^* = \zeta_i\}_{i \in A}.$ †1. Everything converges!



Less Abstract



DoPeGDO := The category with objects finite sets^{†2} and $\text{mor}(A \rightarrow B):$

$$\{\mathcal{F} = \omega \exp(Q + P)\} \subset \mathbb{Q}[[\zeta_A, z_B]]$$

Where: • ω is a scalar.^{†3} • Q is a "small" quadratic in $\zeta_A \cup z_B.$ ^{†4} • P is a "docile perturbation": $P = \sum_{k \geq 1} \epsilon^k P^{(k)},$ where $\text{deg } P^{(k)} \leq 2k + 2.$ ^{†5} • Compositions:^{†6}

$$\mathcal{F} // \mathcal{G} = \mathcal{G} \circ \mathcal{F} := (\mathcal{G}|_{\zeta_i \rightarrow \partial_{z_i} \mathcal{F}})_{z_i=0} = (\mathcal{F}|_{z_i \rightarrow \partial_{\zeta_i} \mathcal{G}})_{\zeta_i=0}.$$

Cool! $(V^*)^{\otimes \Sigma} \otimes V^{\otimes S}$ explodes; the ranks of quadratics and bounded-degree polynomials grow slowly!^{†7} **Representation theory is over-rated!**

Cool! How often do you see a computational toolbox so successful?

Our Algebras. Let $sl_{2+}^\epsilon := L\langle y, b, a, x \rangle$ subject to $[a, x] = x, [b, y] = -\epsilon y, [a, b] = 0, [a, y] = -y, [b, x] = \epsilon x,$ and $[x, y] = \epsilon a + b.$ So $t := \epsilon a - b$ is central and if $\exists \epsilon^{-1}, sl_{2+}^\epsilon / \langle t \rangle \cong sl_2.$ U is either $CU = \mathcal{U}(sl_{2+}^\epsilon)[[\hbar]]$ or $QU = \mathcal{U}_\hbar(sl_{2+}^\epsilon) = A\langle y, b, a, x \rangle[[\hbar]]$ with $[a, x] = x, [b, y] = -\epsilon y, [a, b] = 0, [a, y] = -y, [b, x] = \epsilon x,$ and $xy - qyx = (1 - AB)/\hbar,$ where $q = e^{\hbar \epsilon}, A = e^{-\hbar \epsilon a},$ and $B = e^{-\hbar b}.$ Set also $T = A^{-1}B = e^{\hbar t}.$

The Quantum Leap. Also decree that in $QU,$

$$\Delta(y, b, a, x) = (y_1 + B_1 y_2, b_1 + b_2, a_1 + a_2, x_1 + A_1 x_2),$$
$$S(y, b, a, x) = (-B^{-1}y, -b, -a, -A^{-1}x),$$

$$\text{and } R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q!$$

Mid-Talk Debts. • What is this good for in quantum algebra?

- In knot theory?
- How does the "inclusion" $\mathcal{D}: \text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes S}) \rightsquigarrow$ **DoPeGDO** work?
- Proofs that everything around sl_{2+}^ϵ really is **DoPeGDO**.
- Relations with prior art.
- The rest of the "compositions" story.

Theorem ([BG], conjectured [MM], elucidated [Ro1]). Let $J_d(K)$ be the coloured Jones polynomial of $K,$ in the d -dimensional representation of $sl_2.$ Writing


$$\left. \frac{(q^{1/2} - q^{-1/2}) J_d(K)}{q^{d/2} - q^{-d/2}} \right|_{q=e^\hbar} = \sum_{j,m \geq 0} a_{jm}(K) d^j \hbar^m,$$

"below diagonal" coefficients vanish, $a_{jm}(K) = 0$ if $j > m,$ and "on diagonal" coefficients give the inverse of the Alexander polynomial: $(\sum_{m=0}^\infty a_{mm}(K) \hbar^m) \cdot \omega(K)(e^\hbar) = 1.$

"Above diagonal" we have **Rozansky's Theorem** [Ro3, (1.2)]:

$$J_d(K)(q) = \frac{q^d - q^{-d}}{(q - q^{-1}) \omega(K)(q^d)} \left(1 + \sum_{k=1}^\infty \frac{(q-1)^k \rho_k(K)(q^d)}{\omega^{2k}(K)(q^d)} \right).$$


Compositions (1). In $\text{mor}(A \rightarrow B), Q = \sum_{i \in A, j \in B} E_{ij} \zeta_i z_j + \frac{1}{2} \sum_{i, j \in A} F_{ij} \zeta_i \zeta_j + \frac{1}{2} \sum_{i, j \in B} G_{ij} z_i z_j$



Where • $E = E_1(I - F_2 G_1)^{-1} E_2.$ • $F = F_1 + E_1 F_2 (I - G_1 F_2)^{-1} E_1^T.$ • $G = G_2 + E_2^T G_1 (I - F_2 G_1)^{-1} E_2.$ • $\omega = \omega_1 \omega_2 \det(I - F_2 G_1)^{-1}.$ • P is computed using "connected Feynman diagrams" or as the solution of a messy PDE (yet we're still in algebra!).



One abstraction level up from tangles! {tangles} → {diagram} with compositions:



DoPeGDO Footnotes. †1. Each variable has a "weight" $\in \{0, 1, 2\},$ and always $\text{wt } z_i + \text{wt } \zeta_i = 2.$

- †2. Really, "weight-graded finite sets" $A = A_0 \sqcup A_1 \sqcup A_2.$
- †3. Really, a power series in the weight-0 variables^{†9}.
- †4. The weight of Q must be 2, so it decomposes as $Q = Q_{20} + Q_{11}.$ The coefficients of Q_{20} are rational numbers while the coefficients of Q_{11} may be weight-0 power series^{†9}.
- †5. Setting $\text{wt } \epsilon = -2,$ the weight of P is ≤ 2 (so the powers of the weight-0 variables are not constrained^{†9}).
- †6. There's also an obvious product $\text{mor}(A_1 \rightarrow B_1) \times \text{mor}(A_2 \rightarrow B_2) \rightarrow \text{mor}(A_1 \sqcup A_2 \rightarrow B_1 \sqcup B_2).$
- †7. That is, if the weight-0 variables are ignored. Otherwise more care is needed yet the conclusion remains.
- †8. $\text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes S}) \rightsquigarrow \text{mor}(\{\eta_i, \beta_i, \tau_i, \alpha_i, \xi_i\}_{i \in \Sigma} \rightarrow \{y_i, b_i, t_i, a_i, x_i\}_{i \in S}),$ where $\text{wt}(\eta_i, \xi_i, y_i, x_i) = 1$ and $\text{wt}(\beta_i, \tau_i, \alpha_i; b_i, t_i, a_i) = (2, 2, 0; 0, 0, 2).$
- †9. For tangle invariants the wt-0 power series are always rational functions in the exponentials of the wt-0 variables (for knots: just one variable), with degrees bounded linearly by the crossing number.

$\mathcal{D}: \text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes \Sigma}) \rightarrow \mathbb{Q}[[\eta_\Sigma, \beta_\Sigma, \alpha_\Sigma, \xi_\Sigma, y_\Sigma, b_\Sigma, a_\Sigma, x_\Sigma]]$. The PBW theorem for CU (always in the $ybax$ order), or its quantum analog for QU , say that if $U = CU$ or QU then $U^{\otimes \Sigma}$ is isomorphic as a vector space to $\mathbb{Q}[y_i, b_i, a_i, x_i]_{i \in \Sigma}[[\hbar]]$; so it is enough to understand $\text{Hom}(\mathbb{Q}[z_A] \rightarrow \mathbb{Q}[z_B])$ for finite sets A and B .

Claim. $F \in \text{Hom}(\mathbb{Q}[z_A] \rightarrow \mathbb{Q}[z_B]) \xrightarrow{\sim} \mathbb{Q}[z_B][[\zeta_A]] \ni \mathcal{F}$ via

$$\mathcal{D}(F) := \sum_{n \in \mathbb{N}^A} \frac{\zeta_A^n}{n!} F(z_A^n) = F\left(\bigoplus_{a \in A} \zeta_a z_a\right) = \mathcal{F},$$

$$\mathcal{D}^{-1}(\mathcal{F})(p) = \left(p|_{z_a \rightarrow \partial_{z_a} \mathcal{F}}\right)_{\zeta_a=0} \quad \text{for } p \in \mathbb{Q}[[z_A]].$$

Claim. Assuming convergence, if $F \in \text{Hom}(\mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]])$, $G \in \text{Hom}(\mathbb{Q}[[z_B]] \rightarrow \mathbb{Q}[[z_C]])$, $\mathcal{F} = \mathcal{D}(F)$, and $\mathcal{G} = \mathcal{D}(G)$, then

$$\mathcal{D}(F \circ G) = \left(\mathcal{F}|_{z_i \rightarrow \partial_{z_i} \mathcal{G}}\right)_{\zeta_i=0}.$$

And so the title of the talk finally makes sense!

Example. $\mathcal{D}(id: U \rightarrow U) = \mathbb{Q}^{\eta y + \beta b + \alpha a + \xi x}$.

Example. Let $c\Delta_{jk}^i: CU^{\otimes \{i\}} \rightarrow CU^{\otimes \{j,k\}}$ be the standard co-product, given by $c\Delta_{jk}^i(y_i, b_i, a_i, x_i) = (y_j + y_k, b_j + b_k, a_j + a_k, x_j + x_k)$. Then

$$\begin{aligned} \mathcal{D}(c\Delta_{jk}^i) &= c\Delta_{jk}^i(\mathbb{Q}^{\eta_i y_i + \beta_i b_i + \alpha_i a_i + \xi_i x_i}) \\ &= \mathbb{Q}^{\eta_i(y_j + y_k) + \beta_i(b_j + b_k) + \alpha_i(a_j + a_k) + \xi_i(x_j + x_k)}. \end{aligned}$$

Example. The standard commutative product m_k^{ij} of polynomials is given by $z_i, z_j \rightarrow z_k$. Hence $\mathcal{D}(m_k^{ij}) =$

$$m_k^{ij}(\mathbb{Q}^{\zeta_i z_i + \zeta_j z_j}) = \mathbb{Q}^{(\zeta_i + \zeta_j) z_k}.$$

A real DoPeGDO Example. Let $cm_k^{ij}: CU_i \otimes CU_j \rightarrow CU_k$ be “classical multiplication” for $sl_{\mathbb{C}}^+$, and let $\mathbb{O}_i: \mathbb{Q}[[y_i, b_i, a_i, x_i]] \rightarrow CU_i$ be the PBW ordering map.

$$\begin{array}{ccc} CU_i \otimes CU_j & \xrightarrow{cm_k^{ij}} & CU_k \\ \uparrow \mathbb{O}_{i,j} & & \uparrow \mathbb{O}_k \\ \mathbb{Q}[[y_i, b_i, a_i, x_i, y_j, b_j, a_j, x_j]] & & \mathbb{Q}[[y_k, b_k, a_k, x_k]] \end{array}$$

Claim. Let

$$\begin{aligned} \Lambda &= \left(\eta_i + \frac{e^{-\alpha_i - \epsilon \beta_i} \eta_j}{1 + \epsilon \eta_j \xi_i}\right) y_k + \left(\beta_i + \beta_j + \frac{\log(1 + \epsilon \eta_j \xi_i)}{\epsilon}\right) b_k + \\ &\quad \left(\alpha_i + \alpha_j + \log(1 + \epsilon \eta_j \xi_i)\right) a_k + \left(\frac{e^{-\alpha_j - \epsilon \beta_j} \xi_i}{1 + \epsilon \eta_j \xi_i} + \xi_j\right) x_k \end{aligned}$$

Then $\mathbb{Q}^{\eta_i y_i + \beta_i b_i + \alpha_i a_i + \xi_i x_i + \eta_j y_j + \beta_j b_j + \alpha_j a_j + \xi_j x_j} // \mathbb{O}_{i,j} // cm_k^{ij} = \mathbb{Q}^\Lambda // \mathbb{O}_k$, and hence $\mathcal{D}(cm_k^{ij}) = \mathbb{Q}^\Lambda$ and cm_k^{ij} is DoPeGDO.

Proof. We compute in a faithful 2D representation ρ of CU :

($\omega \epsilon \beta / \text{cm}$)

$$\text{HL}[\mathcal{E}] := \text{Style}[\mathcal{E}, \text{Background} \rightarrow \text{If}[\text{TrueQ}@\mathcal{E}, \text{Green}, \text{Red}]];$$

$$\{\rho y = \begin{pmatrix} 0 & 0 \\ \epsilon & 0 \end{pmatrix}, \rho b = \begin{pmatrix} 0 & 0 \\ 0 & -\epsilon \end{pmatrix}, \rho a = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix}, \rho x = \begin{pmatrix} 0 & 1 \\ 0 & 0 \end{pmatrix}\};$$

$$\begin{aligned} \text{HL} / @ \{ \rho a . \rho x - \rho x . \rho a &= \rho x, \rho a . \rho y - \rho y . \rho a &= -\rho y, \\ \rho b . \rho y - \rho y . \rho b &= -\epsilon \rho y, \rho b . \rho x - \rho x . \rho b &= \epsilon \rho x, \\ \rho x . \rho y - \rho y . \rho x &= \rho b + \epsilon \rho a \end{aligned}$$

{True, True, True, True, True}

HL@Simplify@With[{E = MatrixExp},

$$\begin{aligned} &\text{E}[\eta_i \rho y] . \text{E}[\beta_i \rho b] . \text{E}[\alpha_i \rho a] . \text{E}[\xi_i \rho x] . \text{E}[\eta_j \rho y] . \text{E}[\beta_j \rho b] . \\ &\text{E}[\alpha_j \rho a] . \text{E}[\xi_j \rho x] == \\ &\text{E}[\partial_{y_k} \Lambda \rho y] . \text{E}[\partial_{b_k} \Lambda \rho b] . \text{E}[\partial_{a_k} \Lambda \rho a] . \text{E}[\partial_{x_k} \Lambda \rho x] \end{aligned}$$

True

Series[$\Lambda, \{\epsilon, 0, 1\}$]

$$\begin{aligned} &(\mathbf{a}_k (\alpha_i + \alpha_j) + \mathbf{y}_k (\eta_i + e^{-\alpha_i} \eta_j) + \\ &\mathbf{b}_k (\beta_i + \beta_j + \eta_j \xi_i) + \mathbf{x}_k (e^{-\alpha_j} \xi_i + \xi_j)) + \\ &\left(\mathbf{a}_k \eta_j \xi_i - \frac{1}{2} \mathbf{b}_k \eta_j^2 \xi_i^2 - e^{-\alpha_i} \mathbf{y}_k \eta_j (\beta_i + \eta_j \xi_i) - \right. \\ &\left. e^{-\alpha_j} \mathbf{x}_k \xi_i (\beta_j + \eta_j \xi_i) \right) \epsilon + \mathcal{O}[\epsilon]^2 \end{aligned}$$

(Shame, but this technique fails for QU).

Claim. In QU , R is DoPeGDO.

Proof. Recall that with $q = e^{\hbar \epsilon}$,

$$R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q! = \mathcal{O}\left(\mathbb{Q}^{\hbar b_1 a_2} \mathbb{Q}^{\hbar y_1 x_2}\right).$$

Now expand $\mathbb{Q}^{\hbar y_1 x_2}$ in powers of ϵ using:

Faddeev's Formula (In as much as we can tell, first appeared without proof in Faddeev [Fa], rediscovered and proven in Quesne [Qu], and again with easier proof, in Zagier [Za]).

With $[n]_q := \frac{q^n - 1}{q - 1}$, with $[n]_q! := [1]_q [2]_q \cdots [n]_q$ and with $\mathbb{Q}^x := \sum_{n \geq 0} \frac{x^n}{[n]_q!}$, we have

$$\log \mathbb{Q}^x = \sum_{k \geq 1} \frac{(1 - q)^k x^k}{k(1 - q^k)} = x + \frac{(1 - q)^2 x^2}{2(1 - q^2)} + \dots$$

Proof. We have that $\mathbb{Q}^x = \frac{\mathbb{Q}^{qx} - \mathbb{Q}^x}{qx - x}$ (“the q -derivative of \mathbb{Q}^x is itself”), and hence $\mathbb{Q}^{qx} = (1 + (1 - q)x)\mathbb{Q}^x$, and

$$\log \mathbb{Q}^{qx} = \log(1 + (1 - q)x) + \log \mathbb{Q}^x.$$

Writing $\log \mathbb{Q}^x = \sum_{k \geq 1} a_k x^k$ and comparing powers of x , we get $q^k a_k = -(1 - q)^k / k + a_k$, or $a_k = \frac{(1 - q)^k}{k(1 - q^k)}$. \square

Compositions (2). Recall that with all indices i running in some set B ,

$$\mathcal{F} // \mathcal{G} = \left(\mathcal{F}|_{z_i \rightarrow \partial_{z_i} \mathcal{G}}\right)_{\zeta_i=0} \stackrel{(1)}{=} \mathbb{Q}^{\sum \partial_{z_i} \partial_{z_i} (\mathcal{F} \mathcal{G})} \Big|_{z_i = \zeta_i = 0},$$

(1) Strictly speaking, true only when $B \cap (A \cup C) = \emptyset$.

so in general we wish to understand

$$[F: \mathcal{E}]_B := \mathbb{Q}^{\frac{1}{2} \sum_{i,j \in B} F_{ij} \partial_{z_i} \partial_{z_j} \mathcal{E}} \quad \text{and} \quad \langle F: \mathcal{E} \rangle_B := [F: \mathcal{E}]_B|_{z_B \rightarrow 0},$$

where \mathcal{E} is a docile perturbed Gaussian. The following lemma allows us to restrict to the case where \mathcal{E} has no B - B quadratic part:

Lemma 1. With convergences left to the reader,

$$\left\langle F: \mathcal{E} \mathbb{Q}^{\frac{1}{2} \sum_{i,j \in B} G_{ij} z_i z_j} \right\rangle_B = \det(1 - GF)^{-1/2} \left\langle F(1 - GF)^{-1}: \mathcal{E} \right\rangle_B.$$


The next lemma dispatches the case where \mathcal{E} has a B -linear part:

Lemma 2. $\left\langle F: \mathcal{E} \mathbb{Q}^{\sum_{i \in B} y_i z_i} \right\rangle_B = \mathbb{Q}^{\frac{1}{2} \sum_{i,j \in B} F_{ij} y_i y_j} \left\langle F: \mathcal{E}|_{z_B \rightarrow z_B + F y_B} \right\rangle_B$.

Finally, we deal with the docile perturbation case:

Lemma 3. With an extra variable λ , $Z_\lambda := \log[\lambda F: \mathbb{Q}^P]_B$ satisfies and is determined by the following PDE / IVP:

$$Z_0 = P \quad \text{and} \quad \partial_\lambda Z_\lambda = \frac{1}{2} \sum_{i,j \in B} F_{ij} \left(\partial_{z_i} \partial_{z_j} Z_\lambda + (\partial_{z_i} Z_\lambda)(\partial_{z_j} Z_\lambda) \right).$$



Complexity to ϵ^k , for an n -xing width w knot (by [LT], $w \in O(\sqrt{n})$), is $O(n^2 w^{2k+2} \log n) = O(n^{k+3} \log n)$ integer operations.


A Partial To Do List.

- Understand tr and links.
- Implement Φ, J . Determine the appropriate wt-0 ground ring.
- Implement the “dequantizers”.
- Understand denominators and get rid of them.
- Implement zipping at the log-level.
- Clean the program and make it efficient.
- Run it for all small knots and links, at $k = 3, 4$.
- Understand the centre and figure out how to read the output.
- Extend to sl_3 and beyond.
- Describe a genus bound and a Seifert formula.
- Obtain “Gauss-Gassner formulas” ($\omega\epsilon\beta$ /NCSU).
- Relate with the representation theory dogma, with Melvin-Morton-Rozansky and with Rozansky-Overbay.

- Understand the braid group representations that arise.
- Relate with finite-type (Vassiliev) invariants.
- Find a topological interpretation/foundation. The Garoufalidis - Rozansky “loop expansion” [GR]?
- Figure out the action of the Cartan automorphism.
- Understand “the subspace of classical knots / tangles”.
- **Disprove the ribbon-slice conjecture!**
- Figure out the action of the Weyl group.
- Use to study “Ševera quantization”.
- Do everything at the “arrow diagram” level of finite-type invariants of (rotational) virtual tangles.
- Find “internal” proofs of consistency.
- What else can you do with the “solvable approximations”?
- And with the “Gaussian compositions” technology?

Warning. Some implementation details match earlier versions of the theory.

The Zipping Theorem. If P has a finite ζ -degree and \tilde{q} is the inverse matrix of $1 - q$: $(\delta_j^i - q_j^i)\tilde{q}_k^j = \delta_k^i$, then



$$\left\langle P(z_i, \zeta^j) e^{c+\eta^i z_i + y_j \zeta^j + q_j^i z_i \zeta^j} \right\rangle = |\tilde{q}| e^{c+\eta^i \tilde{q}_i^k y_k} \left\langle P(\tilde{q}_i^k (z_k + y_k), \zeta^j + \eta^i \tilde{q}_i^j) \right\rangle.$$

The “Speedy” Engine

$\omega\epsilon\beta$ /engine

Internal Utilities

Canonical Form:

```
CCF [ε_] :=
  PPCF@ExpandDenominator@
  ExpandNumerator@PPTogether@Together [PPExp [
    Expand [ε] /. e^x - e^y -> e^{x+y} /. e^x -> e^{CCF[x]}];
CF [ε_List] := CF /@ ε;
CF [sd_SeriesData] := MapAt [CF, sd, 3];
CF [ε_] := PPCF@Module [
  {vs = Cases [ε, (y | b | t | a | x | η | β | τ | α | ξ)_, ∞] U
    {y, b, t, a, x, η, β, τ, α, ξ}},
  Total [CoefficientRules [Expand [ε], vs] /.
    (ps_ -> c_) => CCF [c] (Times @@ vs^{ps})
  ];
CF [ε_E] := CF /@ ε;
CF [IE_sp__ [εS_____]] := CF /@ IE_sp [εS];
```

The Kronecker δ :

```
Kδ /: Kδ_{i,j} := If [i == j, 1, 0];
```

Equality, multiplication, and degree-adjustment of perturbed Gaussians; $\mathbb{E}[L, Q, P]$ stands for $e^{L+Q} P$:

```
IE /: IE [L1_, Q1_, P1_] ≡ IE [L2_, Q2_, P2_] :=
  CF [L1 == L2] ∧ CF [Q1 == Q2] ∧ CF [Normal [P1 - P2] == 0];
IE /: IE [L1_, Q1_, P1_] × IE [L2_, Q2_, P2_] :=
  IE [L1 + L2, Q1 + Q2, P1 * P2];
IE [L_, Q_, P_]_{k} := IE [L, Q, Series [Normal@P, {ε, 0, $k}]];
```

Zip and Bind

Variables and their duals:

```
{t*, b*, y*, a*, x*, z*} = {τ, β, η, α, ξ, ζ};
{τ*, β*, η*, α*, ξ*, ζ*} = {t, b, y, a, x, z};
(u_{-i})* := (u*)_i;
```

Upper to lower and lower to Upper:

```
U21 = {B_{-i}^{p-} -> e^{-p h γ b_i}, B_{-i}^{p-} -> e^{-p h γ b}, T_{-i}^{p-} -> e^{p h t_i},
  T_{-i}^{p-} -> e^{p h t}, A_{-i}^{p-} -> e^{p γ α_i}, A_{-i}^{p-} -> e^{p γ α}};
12U = {e^{c_{-i} b_{i+d_{-i}}} -> B_{-i}^{-c/(h γ)} e^d, e^{c_{-i} b+d_{-i}} -> B^{-c/(h γ)} e^d,
  e^{c_{-i} t_{i+d_{-i}}} -> T_{-i}^{c/h} e^d, e^{c_{-i} t+d_{-i}} -> T^{c/h} e^d,
  e^{c_{-i} α_{i+d_{-i}}} -> A_{-i}^{c/γ} e^d, e^{c_{-i} α+d_{-i}} -> A^{c/γ} e^d,
  e^{ε_{-i}} -> e^{Expand@ε}};
```

Derivatives in the presence of exponentiated variables:

```
D_b [f_] := ∂_b f - h γ B ∂_B f; D_{b_i} [f_] := ∂_{b_i} f - h γ B_i ∂_{B_i} f;
D_t [f_] := ∂_t f + h T ∂_T f; D_{t_i} [f_] := ∂_{t_i} f + h T_i ∂_{T_i} f;
D_α [f_] := ∂_α f + γ A ∂_A f; D_{α_i} [f_] := ∂_{α_i} f + γ A_i ∂_{A_i} f;
D_v [f_] := ∂_v f; D_{(v,0)} [f_] := f; D_{()} [f_] := f;
D_{(v,n_Integer)} [f_] := D_v [D_{(v,n-1)} [f]];
D_{(L_List, Ls___)} [f_] := D_{(Ls)} [D_L [f]];
```

Finite Zips:

```
collect [sd_SeriesData, ε_] :=
  MapAt [collect [#, ε] &, sd, 3];
collect [ε_, ε_] := PPCollect@Collect [ε, ε];
Zip_{()} [P_] := P;
Zip_{εS} [Ps_List] := Zip_{εS} /@ Ps;
Zip_{(ε_, εS___)} [P_] := PPZip [
  (collect [P // Zip_{(εS)}, ε] /. f_{-} . ε^{d_{-i}} -> (D_{(ε*, d)} [f])) /.
  ε* -> 0 /. ((ε* /. {b -> B, t -> T, α -> A}) -> 1)];
```

QZip implements the “Q-level zips” on $\mathbb{E}(L, Q, P) = e^{L+Q} P(\epsilon)$.

Such zips regard the L variables as scalars.

```
QZip_{εS_List}@E [L_, Q_, P_] :=
  PPQZip@Module [{ε, z, zs, c, ys, ηs, qt, zrule, grule, out},
  zs = Table [ε*, {ε, εS}];
  c = CF [Q /. Alternatives @@ (εS U zs) -> 0];
  ys = CF@Table [∂_ε (Q /. Alternatives @@ zs -> 0),
    {ε, εS}];
  ηs = CF@Table [∂_z (Q /. Alternatives @@ εS -> 0), {z, zs}];
  qt = CF@Inverse@Table [Kδ_{z, ε*} - ∂_{z, ε} Q, {ε, εS}, {z, zs}];
  zrule = Thread [zs -> CF [qt. (zs + ys)]];
  grule = Thread [εS -> εS + ηs.qt];
  CF /@ E [L, c + ηs.qt.ys,
    Det [qt] Zip_{εS} [P /. (zrule U grule)]];];
```

LZip implements the “L-level zips” on $\mathbb{E}(L, Q, P) = P e^{L+Q}$. Such zips regard all of $P e^Q$ as a single “P”. Here the z’s are b and α and the ζ ’s are β and a .

```
LZip $\zeta$ s_List@E[L_, Q_, P_] :=
  PPLZip@Module[{ $\zeta$ , z, zs, Zs, c, ys,  $\eta$ s, lt, zrule,
    Zrule,  $\zeta$ rule, Q1, EEQ, EQ},
    zs = Table[ $\zeta$ *, { $\zeta$ ,  $\zeta$ s}];
    Zs = zs /. {b -> B, t -> T,  $\alpha$  -> A};
    c = L /. Alternatives @@ ( $\zeta$ s  $\cup$  zs) -> 0 /.
      Alternatives @@ Zs -> 1;
    ys = Table[ $\partial_{\zeta}$ (L /. Alternatives @@ zs -> 0), { $\zeta$ ,  $\zeta$ s}];
     $\eta$ s = Table[ $\partial_z$ (L /. Alternatives @@  $\zeta$ s -> 0), {z, zs}];
    lt = Inverse@Table[K $\delta_{z,\zeta}$ * -  $\partial_{z,\zeta}$ L, { $\zeta$ ,  $\zeta$ s}, {z, zs}];
    zrule = Thread[zs -> lt.(zs + ys)];
    Zrule = Join[zrule,
      zrule /.
        r_Rule -> ((U = r[[1]) /. {b -> B, t -> T,  $\alpha$  -> A}) ->
          (U /. U21 /. r /. 12U))];
     $\zeta$ rule = Thread[ $\zeta$ s ->  $\zeta$ s +  $\eta$ s.lt];
    Q1 = Q /. (Zrule  $\cup$   $\zeta$ rule);
    EEQ[ps___] :=
    EEQ[ps] =
    PPEEQ@(CF[e-Q1 DThread[{zs, {ps}}][eQ1]] /.
      {Alternatives @@ zs -> 0, Alternatives @@ Zs -> 1});
    CF@E[c +  $\eta$ s.lt.ys,
      Q1 /. {Alternatives @@ zs -> 0, Alternatives @@ Zs -> 1},
      Det[lt]
      (Zip $\zeta$ s[(EQ @@ zs) (P /. (Zrule  $\cup$   $\zeta$ rule))] /.
        Derivative[ps___][EQ][___] -> EEQ[ps] /.
          _EQ -> 1) ]];
```

```
B_{i} [L_, R_] := LR;
B_{is_} [L_E, R_E] := PP_B@Module[{n},
  Times[
    L /. Table[(v : b | B | t | T | a | x | y)_i -> vnei,
      {i, {is}}],
    R /. Table[(v :  $\beta$  |  $\tau$  |  $\alpha$  | A |  $\xi$  |  $\eta$ )_i -> vnei, {i, {is}}]
  ] // LZipJoin@Table[{ $\beta$ nei,  $\tau$ nei,  $\alpha$ nei}, {i, {is}}] //
  QZipJoin@Table[{ $\xi$ nei,  $\eta$ nei}, {i, {is}}] ];
B_{is_} [L_, R_] := B_{is} [L, R];
```

E morphisms with domain and range.

```
B_{is_List} [Ed1-r1 [L1_, Q1_, P1_], Ed2-r2 [L2_, Q2_, P2_]] :=
  E(d1  $\cup$  Complement[d2, is]) -> (r2  $\cup$  Complement[r1, is]) @@
  B_{is} [E[L1, Q1, P1], E[L2, Q2, P2]];
Ed1-r1 [L1_, Q1_, P1_] // Ed2-r2 [L2_, Q2_, P2_] :=
  B_{r1  $\cap$  d2} [Ed1-r1 [L1, Q1, P1], Ed2-r2 [L2, Q2, P2]];
Ed1-r1 [L1_, Q1_, P1_]  $\equiv$  Ed2-r2 [L2_, Q2_, P2_] ^:=
  (d1 == d2)  $\wedge$  (r1 == r2)  $\wedge$  (E[L1, Q1, P1]  $\equiv$  E[L2, Q2, P2]);
Ed1-r1 [L1_, Q1_, P1_] Ed2-r2 [L2_, Q2_, P2_] ^:=
  E(d1  $\cup$  d2) -> (r1  $\cup$  r2) @@ (E[L1, Q1, P1]  $\times$  E[L2, Q2, P2]);
Edr [L_, Q_, P_] $k_ := Edr @@ E[L, Q, P] $k;
E_{ $\mathcal{E}$ _} [i_] := { $\mathcal{E}$ } [i];
```

E[A]

```
Edr [A_] :=
  CF@Module[{L,  $\Delta$ 0 = Limit[A,  $\epsilon$  -> 0]},
    Edr [L =  $\Delta$ 0 /. ( $\eta$  | y |  $\xi$  | x) -> 0,  $\Delta$ 0 - L, eA- $\Delta$ 0] $k /. 12U]
```

Exponentials as needed.

Task. Define $\text{Exp}_{m,i,k}[P]$ to compute $e^{\mathcal{O}(P)}$ to ϵ^k in the using the $m_{i,j \rightarrow i}$ multiplication, where P is an ϵ -dependent near-docile element, giving the answer in \mathbb{E} -form.

Methodology. If $P_0 := P_{\epsilon=0}$ and $e^{\lambda \mathcal{O}(P)} = \mathcal{O}(e^{\lambda P_0} F(\lambda))$, then

$F(\lambda=0) = 1$ and we have:

$$\mathcal{O}(e^{\lambda P_0} (P_0 F(\lambda) + \partial_{\lambda} F)) = \mathcal{O}(\partial_{\lambda} e^{\lambda P_0} F(\lambda)) =$$

$$\partial_{\lambda} \mathcal{O}(e^{\lambda P_0} F(\lambda)) = \partial_{\lambda} e^{\lambda \mathcal{O}(P)} = e^{\lambda \mathcal{O}(P)} \mathcal{O}(P) = \mathcal{O}(e^{\lambda P_0} F(\lambda)) \mathcal{O}(P)$$

This is a linear ODE for F . Setting inductively $F_k = F_{k-1} + \epsilon^k \varphi$ we find that $F_0 = 1$ and solve for φ .

```
(* Bug: The first line is valid only if  $\mathcal{O}(e^{P_0}) = e^{\mathcal{O}(P_0)}$  . *)
Exp_{m,i,0}[P_] := Module[{LQ = Normal@P /.  $\epsilon$  -> 0},
  E[LQ /. (x | y)_i -> 0, LQ /. (b | a | t)_i -> 0, 1] ];
```

```
Exp_{m,i,k}[P_] := Block[{$k = k},
  Module[{P0,  $\lambda$ ,  $\varphi$ ,  $\varphi$ s, F, j, rhs, eqn, pows, at0, at $\lambda$ },
    P0 = Normal@P /.  $\epsilon$  -> 0;
    F = Normal@Last@Exp_{m,i,k-1}[ $\lambda$  P];
    While[
      rhs =
      m_{i,j-i} [
        E_{i-i} [i] [ $\lambda$  P0 /. (x | y)_i -> 0,  $\lambda$  P0 /. (b | a | t)_i -> 0,
          F]_k s $\sigma_{i \rightarrow j}$ @E_{i-i} [0, 0, P]_k // Last // Normal;
      eqn = CF[( $\partial_{\lambda}$  F) + P0 F - rhs];
      eqn != 0, (*do*)
      pows = First@CoefficientRules[eqn, {y_i, b_i, a_i, x_i}];
      F += Sum[ $\epsilon^k \varphi_{js} [\lambda]$  Times @@ {y_i, b_i, a_i, x_i}^{js},
        {js, pows}];
      rhs =
      m_{i,j-i} [
        E_{i-i} [i] [ $\lambda$  P0 /. (x | y)_i -> 0,  $\lambda$  P0 /. (b | a | t)_i -> 0,
          F]_k s $\sigma_{i \rightarrow j}$ @E_{i-i} [0, 0, P]_k // Last // Normal;
      eqn = CF[( $\partial_{\lambda}$  F) + P0 F - rhs];
       $\varphi$ s = Table[ $\varphi_{js} [\lambda]$ , {js, pows}];
      at0 = Table[ $\varphi_{js} [0] == 0$ , {js, pows}];
      at $\lambda$  = (# == 0) & /@
        (pows /. CoefficientRules[eqn, {y_i, b_i, a_i, x_i}]);
      F = F /. DSolve[And @@ (at0  $\cup$  at $\lambda$ ),  $\varphi$ s,  $\lambda$ ] [[1]]
    ];
    E_{i-i} [i] [P0 /. (x | y)_i -> 0, P0 /. (b | a | t)_i -> 0,
      F + 0 [ $\epsilon$ ]^{k+1} /.  $\lambda$  -> 1] ] ]
```

“Define” Code

Define[lhs = rhs, ...] defines the lhs to be rhs, except that rhs is computed only once for each value of \$k. Fancy Mathematica not for the faint of heart. Most readers should ignore.


```

SetAttributes[Define, HoldAll];
Define[def_, defs__] := (Define[def]; Define[defs]);
Define[op_is__ = ε_] :=
Module[{SD, ii, jj, kk, isp, nis, nisp, sis},
Block[{i, j, k},
ReleaseHold[Hold[
SD[op_nisp, $k_Integer, PPBoot@Block[{i, j, k}, op_isp, $k = ε;
op_nis, $k];
SD[op_isp, op_{is}, $k]; SD[op_sis__, op_{sis}];
] /. {SD → SetDelayed,
isp → {is} /. {i → i_, j → j_, k → k_},
nis → {is} /. {i → ii, j → jj, k → kk},
nisp → {is} /. {i → ii_, j → jj_, k → kk_}
}]]]

```

The Objects

Symmetric Algebra Objects

```

sm_{i,j} → k :=
E_{i,j} → {k} [b_k (β_i + β_j) + t_k (τ_i + τ_j) + a_k (α_i + α_j) +
y_k (η_i + η_j) + x_k (ξ_i + ξ_j)];
sΔ_{i,j} → k :=
E_{i,j} → {k} [β_i (b_j + b_k) + τ_i (t_j + t_k) + α_i (a_j + a_k) +
η_i (y_j + y_k) + ξ_i (x_j + x_k)];
sS_i := E_{i} → {i} [-β_i b_i - τ_i t_i - α_i a_i - η_i y_i - ξ_i x_i];
se_i := E_{i} → {i} [0];
sη_i := E_{i} → {i} [0];
sσ_{i,j} := E_{i,j} → {j} [β_i b_j + τ_i t_j + α_i a_j + η_i y_j + ξ_i x_j];
sY_{i,j,k,l,m} := E_{i,j,k,l,m} [β_i b_k + τ_i t_k + α_i a_l + η_i y_j + ξ_i x_m];

```

The CU Definitions

$$c\Delta = \left(\eta_i + \frac{e^{-\gamma \alpha_i - \epsilon \beta_i} \eta_j}{1 + \gamma \epsilon \eta_j \xi_i} \right) y_k + \left(\beta_i + \beta_j + \frac{\text{Log}[1 + \gamma \epsilon \eta_j \xi_i]}{\epsilon} \right) b_k + \left(\alpha_i + \alpha_j + \frac{\text{Log}[1 + \gamma \epsilon \eta_j \xi_i]}{\gamma} \right) a_k + \left(\frac{e^{-\gamma \alpha_j - \epsilon \beta_j} \xi_i}{1 + \gamma \epsilon \eta_j \xi_i} + \xi_j \right) x_k;$$

```
Define[cm_{i,j} → k = E_{i,j} → {k} [cΔ]]
```

```

Define[cσ_{i,j} = sσ_{i,j} /. τ_i → 0, ce_i = se_i, cη_i = sη_i,
cΔ_{i,j,k} = sΔ_{i,j,k},
cS_i = sS_i // sY_{i→1,2,3,4} // cm_{4,3→i} // cm_{i,2→i} // cm_{i,1→i}];

```

Booting Up QU

```

Define[aσ_{i,j} = E_{i,j} → {j} [a_j α_i + x_j ξ_i],
bσ_{i,j} = E_{i,j} → {j} [b_j β_i + y_j η_i]]
Define[am_{i,j} → k = E_{i,j} → {k} [(α_i + α_j) a_k + (A_j^{-1} ξ_i + ξ_j) x_k],
bm_{i,j} → k = E_{i,j} → {k} [(β_i + β_j) b_k + (η_i + e^{-ε β_i} η_j) y_k]]

```

```

Define[R_{i,j} = E_{i,j} → {i,j} [ħ a_j b_i + ∑_{k=1}^{j-1} \frac{(1 - e^{\gamma \epsilon \hbar})^k (\hbar y_i x_j)^k}{k (1 - e^{k \gamma \epsilon \hbar})}],
R_{i,j} = CF@E_{i,j} → {i,j} [-ħ a_j b_i, -ħ x_j y_i / B_i,
1 + If[$k == 0, 0, (R_{i,j}, $k-1) $k [3] -
((R_{i,j}, 0) $k R_{1,2} (R_{(3,4), $k-1}) $k) // (bm_{i,1→i} am_{j,2→j}) //
(bm_{i,3→i} am_{j,4→j})] [3]]],
P_{i,j} = E_{i,j} → {} [β_i α_j / ħ, η_i ξ_j / ħ,
1 + If[$k == 0, 0, (P_{i,j}, $k-1) $k [3] -
(R_{1,2} // ((P_{(1,j), 0) $k (P_{(1,2), $k-1}) $k)) [3]]]]]

```

```

Define[aS_i = (aσ_{i→2} R_{1,i}) // P_{1,2},
aS_i = E_{i} → {i} [-a_i α_i, -x_i A_i ξ_i,
1 + If[$k == 0, 0, (aS_{i,j}, $k-1) $k [3] -
((aS_{i,j}, 0) $k // aS_i // (aS_{i,j}, $k-1) $k) [3]]]]]


```

```

Define[bS_i = bσ_{i→1} R_{i,2} // aS_2 // P_{1,2},
bS_i = bσ_{i→1} R_{i,2} // aS_2 // P_{1,2},
aΔ_{i,j,k} = (R_{1,j} R_{2,k}) // bm_{1,2→3} // P_{3,i},
bΔ_{i,j,k} = (R_{j,1} R_{k,2}) // am_{1,2→3} // P_{i,3}]]

```

The Drinfel'd double:



```

Define[
dm_{i,j} → k =
((sY_{i→4,4,1,1} // aΔ_{1→1,2} // aΔ_{2→2,3} // aS_3)
(sY_{j→-1,-1,-4,-4} // bΔ_{-1→-1,-2} // bΔ_{-2→-2,-3})) //
(P_{-1,3} P_{-3,1} am_{2,-4→k} bm_{4,-2→k})]

```

```

Define[dσ_{i,j} = aσ_{i,j} bσ_{i,j},
de_i = se_i, dη_i = sη_i,
dS_i = sY_{i→1,1,2,2} // (bS_i aS_2) // dm_{2,1→i},
dS_i = sY_{i→1,1,2,2} // (bS_i aS_2) // dm_{2,1→i},
dΔ_{i,j,k} = (bΔ_{i→3,1} aΔ_{i→2,4}) // (dm_{3,4→k} dm_{1,2→j})]

```

```

Define[C_i = E_{i} → {i} [0, 0, B_i^{1/2} e^{-ħ ε a_i / 2}] $k,
C_i = E_{i} → {i} [0, 0, B_i^{-1/2} e^{ħ ε a_i / 2}] $k,
Kink_i = (R_{1,3} C_2) // dm_{1,2→1} // dm_{1,3→i},
Kink_i = (R_{1,3} C_2) // dm_{1,2→1} // dm_{1,3→i}]

```

Note. $t = \epsilon a - \gamma b$ and $b = -t / \gamma + \epsilon a / \gamma$.

```

Define[b2t_i = E_{i} → {i} [α_i a_i + β_i (ε a_i - t_i) / γ + ξ_i x_i + η_i y_i],
t2b_i = E_{i} → {i} [α_i a_i + τ_i (ε a_i - γ b_i) + ξ_i x_i + η_i y_i]]

```

The Knot Tensors

```

Define[kR_{i,j} = R_{i,j} // (b2t_i b2t_j) /. {t_i | j → t,
kR_{i,j} = R_{i,j} // (b2t_i b2t_j) /. {t_i | j → t, T_{i|j} → T},
km_{i,j} → k = (t2b_i t2b_j) // dm_{i,j} → k //
b2t_k /. {t_k → t, T_k → T, τ_i | j → 0},
kC_i = C_i // b2t_i /. T_i → T,
kC_i = C_i // b2t_i /. T_i → T,
kKink_i = Kink_i // b2t_i /. {t_i → t, T_i → T},
kKink_i = Kink_i // b2t_i /. {t_i → t, T_i → T}]

```

Some of the Atoms.

ωεβ/atoms

With $A_i := e^{a_i}$ and $B_i = e^{-b_i}$,

```
PP_ := Identity; $k = 1; ħ = γ = 1;
```

```
Column[
```

```

(# → (ε = ToExpression[#];
Normal@Simplify[ε[[1]] + ε[[2]] + Log@ε[[3]]]) & /@
{"dm_{i,j} → k", "dΔ_{i,j,k}", "dS_i", "R_{i,j}", "P_{i,j}"}]

```

$$\begin{aligned}
dm_{i,j \rightarrow k} &\rightarrow a_k (\alpha_i + \alpha_j) + b_k (\beta_i + \beta_j) + y_k \eta_i + \frac{y_k \eta_j}{\mathcal{A}_i} + \frac{x_k \xi_i}{\mathcal{A}_j} + \eta_j \xi_i - \\
&B_k \eta_j \xi_i + \frac{1}{4 \mathcal{A}_i \mathcal{A}_j} \in (2 y_k \eta_j (2 x_k \xi_i + \mathcal{A}_j (-2 \beta_i + (1 - 3 B_k) \eta_j \xi_i)) + \\
&\mathcal{A}_i \xi_i (x_k (-4 \beta_j + 2 (1 - 3 B_k) \eta_j \xi_i) + \\
&\mathcal{A}_j \eta_j (4 a_k B_k + (1 - 4 B_k + 3 B_k^2) \eta_j \xi_i)) + x_k \xi_j \\
d\Delta_{i \rightarrow j, k} &\rightarrow a_j \alpha_i + a_k \alpha_i + b_j \beta_i + b_k \beta_i + y_j \eta_i + B_j y_k \eta_i + \\
&x_j \xi_i + x_k \xi_i + \frac{1}{2} \in (B_j y_j y_k \eta_i^2 + x_k \xi_i (-2 a_j + x_j \xi_i)) \\
dS_i &\rightarrow -a_i \alpha_i - b_i \beta_i - \frac{\mathcal{A}_i (y_i \eta_i + (-\eta_i + B_i (x_i + \eta_i)) \xi_i)}{B_i} - \frac{1}{4 B_i^2} \\
&\in \mathcal{A}_i (\mathcal{A}_i \eta_i^2 (2 y_i^2 - 6 y_i \xi_i + 3 \xi_i^2) + B_i^2 \xi_i (4 a_i x_i + 2 x_i^2 \mathcal{A}_i \xi_i + \\
&2 x_i (2 \beta_i + \mathcal{A}_i \eta_i \xi_i) + \eta_i (-4 + 4 \beta_i + \mathcal{A}_i \eta_i \xi_i)) + \\
&2 B_i \eta_i (y_i (-2 + 2 \beta_i + 2 x_i \mathcal{A}_i \xi_i + \mathcal{A}_i \eta_i \xi_i) - \\
&\xi_i (-2 + 2 a_i + 2 \beta_i + 3 x_i \mathcal{A}_i \xi_i + 2 \mathcal{A}_i \eta_i \xi_i)) \\
R_{i,j} &\rightarrow a_j b_i + x_j y_i - \frac{1}{4} \in x_j^2 y_i^2 \\
P_{i,j} &\rightarrow \alpha_j \beta_i + \eta_i \xi_j + \frac{1}{4} \in \eta_i^2 \xi_j^2
\end{aligned}$$

$$\begin{aligned}
E_{\{\} \rightarrow \{1\}} &\left[\emptyset, \emptyset, \frac{B}{1 - B + B^2} + \right. \\
&\frac{B (-B + 2 B^2 + 2 B^4 + a (-1 + B - B^3 + B^4) - 2 x y - B^3 (3 + 2 x y)) \in}{(1 - B + B^2)^3} + \\
&\frac{1}{2 (1 - B + B^2)^5} \\
&B (4 B^8 + a^2 (1 - B + B^2)^2 (1 + B - 6 B^2 + B^3 + B^4) + 6 B^5 x^2 y^2 + \\
&2 x y (-2 + 3 x y) - B^7 (11 + 4 x y) - 2 B^2 (1 + 6 x^2 y^2) - \\
&2 B^4 (1 - 2 x y + 6 x^2 y^2) + B (1 + 8 x y + 6 x^2 y^2) + \\
&B^6 (6 + 8 x y + 6 x^2 y^2) + B^3 (4 + 4 x y + 3 \theta x^2 y^2) + \\
&2 a (1 - B + B^2) (2 B^6 + 2 x y + 8 B^3 (1 + x y) - 5 B^2 (1 + 2 x y) - \\
&\left. 2 B^5 (1 + 2 x y) - B^4 (7 + 2 x y) + B (2 + 4 x y)) \right) \in^2 + 0[\in]^3]
\end{aligned}$$

A Quantum Algebra Example.

Proto-Proposition^{†0} (with Jesse Frohlich and Roland van der Veen, near [Ma, Proposition 1.7.3]). Let H be a finite dimensional Hopf algebra and let $U = H^{*cop} \otimes H$ be its Drinfel'd double, with R -matrix $R \in H^* \otimes H \subset U \otimes U$. Write $R^{\dagger 1} = \sum \rho_a \otimes r_a$, and let $\langle \cdot | \cdot \rangle: H^* \otimes H \rightarrow \mathbb{F}$ be the duality pairing. Then the functional $\int \in U^*$ defined by

$$\int \phi \otimes x := \sum \langle \phi \rho_a^{\dagger 2} | x r_a^{\dagger 3} \rangle$$

is a right^{†4} integral in U^* . (Meaning $\Delta_{jk}^i \int_j = \int_i \epsilon_k$ in $\text{Hom}(U^{\otimes \{i\}} \rightarrow U^{\otimes \{k\}})$).


†0 A “proto-proposition” is something that will become a proposition once you figure out the correct statement. †1 Or did we want it to be $R//S_1^2$? Or $R//S_2^2$? †2 Or is it $\rho_a \phi$? †3 Or is it $r_a x$? †4 Or maybe “left”?

```

inp = E_{\{\} \rightarrow \{1\}} [3 a_1 b_1, 5 x_1 y_1, 1] // dm_{i,1 \rightarrow i};
Table[
  HL@TrueQ[
    (inp // (sY_{i \rightarrow 1,1,2,2} RR) // BM // AM // P_{1,2}) de_j =
    (inp // \Delta \Delta // (sY_{i \rightarrow 1,1,2,2} RR) // BM // AM // P_{1,2})],
  {\Delta \Delta, {d\Delta_{i \rightarrow i,j}, d\Delta_{i \rightarrow j,i}}}, {AM, {dm_{2,4 \rightarrow 2}, dm_{4,2 \rightarrow 2}}},
  {BM, {dm_{1,3 \rightarrow 1}, dm_{3,1 \rightarrow 1}}},
  {RR, {R_{3,4}, R_{3,4} // dS_3 // dS_3, R_{3,4} // dS_4 // dS_4}}
] // MatrixForm
( (False False False) (False False True) )
( (False False False) (False False False) )
( (False False False) (False False False) )
( (False False True) (False False False) )

```

A Knot Theory Example.



```

#k = 2;
Simplify[
  R_{1,5} R_{6,2} R_{3,7} \overline{C_4} \overline{Kink_8} \overline{Kink_9} \overline{Kink_{10}} // dm_{1,2 \rightarrow 1} // dm_{1,3 \rightarrow 1} //
  dm_{1,4 \rightarrow 1} // dm_{1,5 \rightarrow 1} // dm_{1,6 \rightarrow 1} // dm_{1,7 \rightarrow 1} // dm_{1,8 \rightarrow 1} //
  dm_{1,9 \rightarrow 1} // dm_{1,10 \rightarrow 1} ] /. v_{-1} \to v

```

References.

[BG] D. Bar-Natan and S. Garoufalidis, *On the Melvin-Morton-Rozansky conjecture*, Invent. Math. **125** (1996) 103–133.

[BV] D. Bar-Natan and R. van der Veen, *A Polynomial Time Knot Polynomial*, arXiv:1708.04853.

[Fa] L. Faddeev, *Modular Double of a Quantum Group*, arXiv:math/9912078.

[GR] S. Garoufalidis and L. Rozansky, *The Loop Expansion of the Kontsevich Integral, the Null-Move, and S-Equivalence*, arXiv:math.GT/0003187.

[LT] R. J. Lipton and R. E. Tarjan, *A Separator Theorem for Planar Graphs*, SIAM J. Appl. Math. **36-2** (1979) 177–189.

[Ma] S. Majid, *Foundations of Quantum Group Theory*, Cambridge University Press, 1995.

[MM] P. M. Melvin and H. R. Morton, *The coloured Jones function*, Commun. Math. Phys. **169** (1995) 501–520.

[Ov] A. Overbay, *Perturbative Expansion of the Colored Jones Polynomial*, University of North Carolina PhD thesis, ωεβ/Ov.

[Qu] C. Quesne, *Jackson’s q-Exponential as the Exponential of a Series*, arXiv:math-ph/0305003.

[Ro1] L. Rozansky, *A contribution of the trivial flat connection to the Jones polynomial and Witten’s invariant of 3d manifolds, I*, Comm. Math. Phys. **175-2** (1996) 275–296, arXiv:hep-th/9401061.

[Ro2] L. Rozansky, *The Universal R-Matrix, Burau Representation and the Melvin-Morton Expansion of the Colored Jones Polynomial*, Adv. Math. **134-1** (1998) 1–31, arXiv:q-alg/9604005.

[Ro3] L. Rozansky, *A Universal U(1)-RCC Invariant of Links and Rationality Conjecture*, arXiv:math/0201139.

[Za] D. Zagier, *The Dilogarithm Function*, in Cartier, Moussa, Julia, and Vanhove (eds) *Frontiers in Number Theory, Physics, and Geometry II*. Springer, Berlin, Heidelberg, and ωεβ/Za.





































KiW 43 Abstract ($\omega\epsilon\beta$ /kiw). Whether or not you like the formulas on this page, they describe the strongest truly computable knot invariant we know.

Observations. • Separates the Rolfsen table; does better than





































Khovanov plus HOMFLY-PT on knots with up to 12 crossings (not tested beyond). • The degrees are bounded by the genus! • ρ_1 vanishes for amphichiral knots. • Has a chance of detecting non-ribbonness ($\omega\epsilon\beta$ /akt)!

knot diag	n'_k $(\rho'_1)^+$	Alexander's ω^+ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?	knot diag	n'_k $(\rho'_1)^+$	Alexander's ω^+ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?	knot diag	n'_k $(\rho'_1)^+$	Alexander's ω^+ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?
	0_1^a 0	1	0 / ✓ 0 / ✓		3_1^a T	$T-1$	1 / ✗ 1 / ✗		4_1^a 0	$3-T$	1 / ✗ 1 / ✓
	5_1^a $2T^3+3T$	T^2-T+1	2 / ✗ 2 / ✗		5_2^a $5T-4$	$2T-3$	1 / ✗ 1 / ✗		6_1^a $T-4$	$5-2T$	1 / ✓ 1 / ✗
	6_2^a 7^3-4T^2+4T-4	$-T^2+3T-3$	2 / ✗ 1 / ✗		6_3^a 0	T^2-3T+5	2 / ✗ 1 / ✓		7_1^a $3T^5+5T^3+6T$	T^3-T^2+T-1	3 / ✗ 3 / ✗
	7_2^a $14T-16$	$3T-5$	1 / ✗ 1 / ✗		7_3^a $-9T^3+8T^2-16T+12$	$2T^2-3T+3$	2 / ✗ 2 / ✗		7_4^a $32-24T$	$4T-7$	1 / ✗ 2 / ✗
	7_5^a $9T^3-16T^2+29T-28$	$2T^2-4T+5$	2 / ✗ 2 / ✗		7_6^a $7^3-8T^2+19T-20$	$-T^2+5T-7$	2 / ✗ 1 / ✗		7_7^a $8-3T$	T^2-5T+9	2 / ✗ 1 / ✗
	8_1^a $5T-16$	$7-3T$	1 / ✗ 1 / ✗		8_2^a $2T^5-8T^4+10T^3-12T^2+13T-12$	$-T^3+3T^2-3T+3$	3 / ✗ 2 / ✗		8_3^a 0	$9-4T$	1 / ✗ 2 / ✓
	8_4^a $3T^3-8T^2+6T-4$	$-2T^2+5T-5$	2 / ✗ 2 / ✗		8_5^a $-2T^5+8T^4-13T^3+20T^2-22T+24$	$-T^3+3T^2-4T+5$	3 / ✗ 2 / ✗		8_6^a $5T^3-20T^2+28T-32$	$-2T^2+6T-7$	2 / ✗ 2 / ✗
	8_7^a $-T^5+4T^4-10T^3+12T^2-13T+12$	T^3-3T^2+5T-5	3 / ✗ 1 / ✗		8_8^a $-T^3+4T^2-12T+16$	$2T^2-6T+9$	2 / ✓ 2 / ✗		8_9^a 0	$-T^3+3T^2-5T+7$	3 / ✓ 1 / ✓
	8_{10}^a $-T^5+4T^4-11T^3+16T^2-21T+20$	T^3-3T^2+6T-7	3 / ✗ 2 / ✗		8_{11}^a $5T^3-24T^2+39T-44$	$-2T^2+7T-9$	2 / ✗ 1 / ✗		8_{12}^a 0	$T^2-7T+13$	2 / ✗ 2 / ✓
	8_{13}^a $-T^3+4T^2-14T+20$	$2T^2-7T+11$	2 / ✗ 1 / ✗		8_{14}^a $5T^3-28T^2+57T-68$	$-2T^2+8T-11$	2 / ✗ 1 / ✗		8_{15}^a $21T^3-64T^2+120T-140$	$3T^2-8T+11$	2 / ✗ 2 / ✗
	8_{16}^a $T^5-6T^4+17T^3-28T^2+35T-36$	T^3-4T^2+8T-9	3 / ✗ 2 / ✗		8_{17}^a 0	$-T^3+4T^2-8T+11$	3 / ✗ 1 / ✓		8_{18}^a 0	$-T^3+5T^2-10T+13$	3 / ✗ 2 / ✓
	8_{19}^a $-3T^5-4T^2-3T$	T^3-T^2+1	3 / ✗ 3 / ✗		8_{20}^a $4T-4$	T^2-2T+3	2 / ✓ 1 / ✗		8_{21}^a $T^3-8T^2+16T-20$	$-T^2+4T-5$	2 / ✗ 1 / ✗





































knot diag	n'_k $(\rho'_1)^+$	Alexander's ω^+ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?	knot diag	n'_k $(\rho'_1)^+$	Alexander's ω^+ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?
	9_1^a $4T^7+7T^5+9T^3+10T$	$T^4-T^3+T^2-T+1$	4 / ✗ 4 / ✗		9_2^a $30T-40$	$4T-7$	1 / ✗ 1 / ✗
	9_3^a $-13T^5+12T^4-25T^3+20T^2-32T+24$	$2T^3-3T^2+3T-3$	3 / ✗ 3 / ✗		9_4^a $23T^3-28T^2+46T-44$	$3T^2-5T+5$	2 / ✗ 2 / ✗

knot diag	n_k^l Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^l Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?
	9_5^a $6T-11$ $100-65T$ $-3234T^4+29792T^3-113241T^2+236818T-300294$	1 / \times 2 / \times		9_6^a $2T^3-4T^2+5T-5$ $13T^5-24T^4+45T^3-52T^2+68T-64$ $-26T^{12}+376T^{11}-2212T^{10}+8280T^9-23249T^8+53488T^7-106013T^6+185990T^5-292853T^4+416673T^3-537062T^2+626488T-659788$	3 / \times 3 / \times
	9_7^a $3T^2-7T+9$ $23T^3-56T^2+99T-108$ $-219T^8+2717T^7-15720T^6+58389T^5-157698T^4+329265T^3-548657T^2+741610T-819394$	2 / \times 2 / \times		9_8^a $-2T^2+8T-11$ $3T^3-16T^2+29T-28$ $54T^8-552T^7+2124T^6-2216T^5-12641T^4+67112T^3-172118T^2+289304T-342134$	2 / \times 2 / \times
	9_9^a $2T^3-4T^2+6T-7$ $13T^5-24T^4+55T^3-72T^2+98T-96$ $-26T^{12}+376T^{11}-2296T^{10}+9328T^9-28988T^8+73584T^7-158399T^6+295928T^5-486916T^4+712094T^3-930993T^2+1092074T-1151564$	3 / \times 3 / \times		9_{10}^a $4T^2-8T+9$ $-40T^3+72T^2-114T+120$ $-608T^8+6720T^7-33776T^6+110928T^5-273462T^4+537040T^3-862768T^2+1145784T-1259748$	2 / \times 2, 3 / \times
	9_{11}^a $-T^3+5T^2-7T+7$ $-2T^5+16T^4-41T^3+52T^2-66T+64$ $5T^{12}-65T^{11}+312T^{10}-463T^9-2042T^8+14588T^7-50444T^6+126967T^5-258750T^4+444545T^3-654213T^2+827220T-895336$	3 / \times 2 / \times		9_{12}^a $-2T^2+9T-13$ $5T^3-36T^2+84T-100$ $38T^8-312T^7+45T^6+9790T^5-60473T^4+202775T^3-453255T^2+722176T-841572$	2 / \times 1 / \times
	9_{13}^a $4T^2-9T+11$ $-40T^3+92T^2-154T+168$ $-608T^8+7680T^7-43650T^6+158004T^5-417129T^4+856533T^3-1412461T^2+1899222T-2095210$	2 / \times 2, 3 / \times		9_{14}^a $2T^2-9T+15$ $-T^3+8T^2-35T+60$ $62T^8-752T^7+3655T^6-7178T^5-9502T^4+97737T^3-294656T^2+531720T-642168$	2 / \times 1 / \times
	9_{15}^a $-2T^2+10T-15$ $-5T^3+40T^2-108T+136$ $38T^8-360T^7+208T^6+12328T^5-84103T^4+298764T^3-691161T^2+1121034T-1313504$	2 / \times 2 / \times		9_{16}^a $2T^3-5T^2+8T-9$ $-13T^5+36T^4-80T^3+120T^2-161T+168$ $-26T^{12}+456T^{11}-3331T^{10}+15554T^9-53941T^8+149494T^7-345106T^6+680900T^5-1167591T^4+1759576T^3-2347749T^2+2786466T-2949428$	3 / \times 3 / \times
	9_{17}^a T^3-5T^2+9T-9 $T^5-8T^4+23T^3-32T^2+28T-24$ $8T^{12}-125T^{11}+874T^{10}-3595T^9+9462T^8-15166T^7+6162T^6+47027T^5-181220T^4+415509T^3-716070T^2+982036T-1089796$	3 / \times 2 / \times		9_{18}^a $4T^2-10T+13$ $40T^3-108T^2+193T-220$ $-608T^8+8224T^7-51208T^6+201904T^5-570516T^4+1228920T^3-2087725T^2+2850858T-3159722$	2 / \times 2 / \times
	9_{19}^a $2T^2-10T+17$ $T^3-8T^2+20T-24$ $62T^8-840T^7+4536T^6-10352T^5-7041T^4+116428T^3-372683T^2+688198T-836608$	2 / \times 1 / \times		9_{20}^a $-T^3+5T^2-9T+11$ $2T^5-16T^4+47T^3-84T^2+117T-124$ $5T^{12}-65T^{11}+330T^{10}-577T^9-2439T^8+21482T^7-86959T^6+247237T^5-548658T^4+993841T^3-1502637T^2+1918532T-2080192$	3 / \times 2 / \times
	9_{21}^a $-2T^2+11T-17$ $-5T^3+44T^2-127T+164$ $38T^8-408T^7+493T^6+13802T^5-105014T^4+396685T^3-954552T^2+1583140T-1868380$	2 / \times 1 / \times		9_{22}^a $T^3-5T^2+10T-11$ $-T^5+8T^4-24T^3+38T^2-40T+36$ $8T^{12}-125T^{11}+893T^{10}-3824T^9+10605T^8-17902T^7+69906T^6+64299T^5-251573T^4+584313T^3-1012133T^2+1388650T-1540398$	3 / \times 1 / \times
	9_{23}^a $4T^2-11T+15$ $40T^3-128T^2+243T-288$ $-608T^8+9184T^7-62698T^6+265980T^5-794496T^4+1781117T^3-3107204T^2+4307350T-4797258$	2 / \times 2 / \times		9_{24}^a $-T^3+5T^2-10T+13$ $-4T^2+16T-20$ $9T^{12}-145T^{11}+1075T^{10}-4850T^9+14600T^8-29112T^7+29921T^6+30667T^5-218916T^4+570933T^3-1029833T^2+1433476T-1595654$	3 / \times 1 / \times
	9_{25}^a $-3T^2+12T-17$ $12T^3-70T^2+153T-188$ $174T^8-1200T^7-1027T^6+42696T^5-235512T^4+740956T^3-1585864T^2+2460360T-2841166$	2 / \times 2 / \times		9_{26}^a $T^3-5T^2+11T-13$ $-T^5+8T^4-31T^3+64T^2-85T+92$ $8T^{12}-125T^{11}+900T^{10}-3861T^9+10351T^8-14356T^7-12391T^6+132473T^5-427732T^4+939309T^3-1588046T^2+2154028T-2381116$	3 / \times 1 / \times
	9_{27}^a $-T^3+5T^2-11T+15$ $T^3-8T^2+24T-32$ $9T^{12}-145T^{11}+1096T^{10}-5115T^9+16088T^8-33784T^7+37362T^6+34075T^5-273854T^4+743153T^3-1374545T^2+1941332T-2171344$	3 / \checkmark 1 / \times		9_{28}^a $T^3-5T^2+12T-15$ $T^5-8T^4+30T^3-68T^2+105T-120$ $8T^{12}-125T^{11}+923T^{10}-4138T^9+11800T^8-18092T^7-11101T^6+159415T^5-543916T^4+1228781T^3-2107809T^2+2877256T-3186008$	3 / \times 1 / \times
	9_{29}^a $T^3-5T^2+12T-15$ $T^5-8T^4+26T^3-48T^2+59T-56$ $8T^{12}-125T^{11}+931T^{10}-4290T^9+13096T^8-24848T^7+13335T^6+9404T^5-409576T^4+1010237T^3-1816557T^2+2543836T-2840192$	3 / \times 2 / \times		9_{30}^a $-T^3+5T^2-12T+17$ $2T^3-10T^2+25T-32$ $9T^{12}-145T^{11}+1117T^{10}-5376T^9+17533T^8-38170T^7+43292T^6+43619T^5-347397T^4+957881T^3-1794189T^2+2553442T-2863228$	3 / \times 1 / \times
	9_{31}^a $T^3-5T^2+13T-17$ $T^5-8T^4+33T^3-80T^2+132T-152$ $8T^{12}-125T^{11}+938T^{10}-4303T^9+12544T^8-19138T^7-17200T^6+204143T^5-703180T^4+1617365T^3-2818190T^2+3886636T-4319004$	3 / \times 2 / \times		9_{32}^a $T^3-6T^2+14T-17$ $-T^5+10T^4-42T^3+94T^2-133T+148$ $8T^{12}-150T^{11}+1269T^{10}-6297T^9+19455T^8-32720T^7-11156T^6+260282T^5-930836T^4+2153618T^3-3750358T^2+5165114T-5736454$	3 / \times 2 / \times
	9_{33}^a $-T^3+6T^2-14T+19$ $T^3-10T^2+30T-40$ $9T^{12}-174T^{11}+1539T^{10}-8207T^9+28913T^8-67184T^7+84077T^6+55866T^5-581640T^4+1664798T^3-3166838T^2+4539202T-5100726$	3 / \times 1 / \times		9_{34}^a $-T^3+6T^2-16T+23$ $3T^3-18T^2+43T-56$ $9T^{12}-174T^{11}+1581T^{10}-8831T^9+32988T^8-81774T^7+109631T^6+73248T^5-829341T^4+2480938T^3-4869197T^2+7112552T-8043256$	3 / \times 1 / \times
	9_{35}^a $7T-13$ $90T-144$ $-6355T^4+58861T^3-224539T^2+470386T-596734$	1 / \times 2, 3 / \times		9_{36}^a $-T^3+5T^2-8T+9$ $-2T^5+16T^4-44T^3+66T^2-87T+88$ $5T^{12}-65T^{11}+321T^{10}-532T^9-2081T^8+17066T^7-64846T^6+175611T^5-376739T^4+668001T^3-998037T^2+1267342T-1372104$	3 / \times 2 / \times
	9_{37}^a $2T^2-11T+19$ $T^3-8T^2+22T-28$ $62T^8-928T^7+5487T^6-13814T^5-6681T^4+154867T^3-520239T^2+983348T-1204192$	2 / \times 2 / \times		9_{38}^a $5T^2-14T+19$ $62T^3-204T^2+382T-452$ $-1414T^8+22122T^7-153560T^6+657340T^5-1976110T^4+4454362T^3-7806448T^2+10855582T-12103772$	2 / \times 2, 3 / \times
	9_{39}^a $-3T^2+14T-21$ $-12T^3+84T^2-210T+268$ $174T^8-1442T^7-690T^6+59068T^5-366222T^4+1247214T^3-2815796T^2+4505578T-5255776$	2 / \times 1 / \times		9_{40}^a $T^3-7T^2+18T-23$ $T^5-12T^4+57T^3-144T^2+229T-264$ $8T^{12}-175T^{11}+1712T^{10}-9738T^9+34250T^8-66108T^7-11148T^6+553509T^5-2149560T^4+5230963T^3-9406248T^2+13187800T-14730526$	3 / \times 2 / \times

knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?
	9_{41}^a $3T^2 - 12T + 19$ $3T^3 - 20T^2 + 70T - 108$ $309T^8 - 3288T^7 + 13885T^6 - 20928T^5 - 55179T^4 + 378100T^3 - 1035810T^2 + 1787808T - 2129794$	2 / ✓ 2 / ✗		9_{42}^a $-T^2 + 2T - 1$ $-T^3 + 2T^2 + T - 4$ $3T^8 - 14T^7 + 32T^6 - 96T^5 + 265T^4 - 294T^3 - 498T^2 + 2170T - 3128$	2 / ✗ 1 / ✗
	9_{43}^a $-T^3 + 3T^2 - 2T + 1$ $-2T^5 + 8T^4 - 7T^3 + 2T^2 - 5T + 4$ $57^{12} - 39T^{11} + 110T^{10} - 108T^9 - 115T^8 + 570T^7 - 1477T^6 + 3453T^5 - 6651T^4 + 10951T^3 - 17188T^2 + 24718T - 28462$	3 / ✗ 2 / ✗		9_{44}^a $T^2 - 4T + 7$ $-2T^2 + 9T - 12$ $47^8 - 48T^7 + 237T^6 - 496T^5 - 346T^4 + 4988T^3 - 15044T^2 + 26768T - 32126$	2 / ✗ 1 / ✗
	9_{45}^a $-T^2 + 6T - 9$ $T^3 - 14T^2 + 47T - 60$ $37^8 - 42T^7 + 78T^6 + 1376T^5 - 11135T^4 + 42574T^3 - 102522T^2 + 169806T - 200284$	2 / ✗ 1 / ✗		9_{46}^a $5 - 2T$ $3T - 12$ $-2T^4 + 160T^3 - 1125T^2 + 3082T - 4222$	1 / ✓ 2 / ✗
	9_{47}^a $T^3 - 4T^2 + 6T - 5$ $-T^5 + 6T^4 - 15T^3 + 16T^2 - 10T + 12$ $87^{12} - 100T^{11} + 560T^{10} - 1841T^9 + 3847T^8 - 4710T^7 - 42T^6 + 17494T^5 - 55447T^4 + 117058T^3 - 193749T^2 + 261386T - 288924$	3 / ✗ 2 / ✗		9_{48}^a $-T^2 + 7T - 11$ $-T^3 + 12T^2 - 42T + 52$ $37^8 - 49T^7 + 243T^6 + 267T^5 - 8051T^4 + 40499T^3 - 112167T^2 + 199850T - 241202$	2 / ✗ 2 / ✗
	9_{49}^a $3T^2 - 6T + 7$ $-21T^3 + 38T^2 - 61T + 60$ $-123T^8 + 1614T^7 - 8744T^6 + 29928T^5 - 75873T^4 + 152714T^3 - 250794T^2 + 338238T - 373944$	2 / ✗ 3 / ✗		10_1^a $9 - 4T$ $14T - 40$ $-24T^4 + 2136T^3 - 13430T^2 + 34860T - 47068$	1 / ✗ 1 / ✗
	10_2^a $-T^4 + 3T^3 - 3T^2 + 3T - 3$ $3T^7 - 12T^6 + 16T^5 - 20T^4 + 24T^3 - 24T^2 + 27T - 24$ $7T^{16} - 57T^{15} + 189T^{14} - 293T^{13} - 55T^{12} + 1628T^{11} - 5543T^{10} + 13266T^9 - 26589T^8 + 47468T^7 - 77415T^6 + 116549T^5 - 162911T^4 + 212325T^3 - 258413T^2 + 292580T - 305480$	4 / ✗ 3 / ✗		10_3^a $13 - 6T$ $11T - 28$ $870T^4 + 1288T^3 - 27795T^2 + 85718T - 120138$	1 / ✓ 2 / ✗
	10_4^a $-3T^2 + 7T - 7$ $4T^3 - 8T^2 + T + 8$ $294T^8 - 1807T^7 + 4570T^6 - 4305T^5 - 9550T^4 + 49581T^3 - 117456T^2 + 189330T - 221294$	2 / ✗ 2 / ✗		10_5^a $T^4 - 3T^3 + 5T^2 - 5T + 5$ $-2T^7 + 8T^6 - 20T^5 + 28T^4 - 36T^3 + 36T^2 - 39T + 36$ $12T^{16} - 117T^{15} + 565T^{14} - 1757T^{13} + 3847T^{12} - 5960T^{11} + 5381T^{10} + 2968T^9 - 26625T^8 + 75008T^7 - 157415T^6 + 279173T^5 - 436999T^4 + 615297T^3 - 785328T^2 + 909916T - 955948$	4 / ✗ 2 / ✗
	10_6^a $-2T^3 + 6T^2 - 7T + 7$ $9T^5 - 36T^4 + 56T^3 - 72T^2 + 81T - 84$ $62T^{12} - 408T^{11} + 712T^{10} + 2280T^9 - 17493T^8 + 60652T^7 - 153492T^6 + 319048T^5 - 569584T^4 + 890397T^3 - 1228657T^2 + 1496150T - 1599330$	3 / ✗ 3 / ✗		10_7^a $-3T^2 + 11T - 15$ $14T^3 - 72T^2 + 135T - 160$ $114T^8 - 275T^7 - 5840T^6 + 51739T^5 - 222492T^4 + 626425T^3 - 1267348T^2 + 1914410T - 2193462$	2 / ✗ 1 / ✗
	10_8^a $-2T^3 + 5T^2 - 5T + 5$ $7T^5 - 20T^4 + 23T^3 - 28T^2 + 26T - 24$ $94T^{12} - 672T^{11} + 2115T^{10} - 3678T^9 + 2535T^8 + 6453T^7 - 30645T^6 + 78385T^5 - 154895T^4 + 256601T^3 - 367525T^2 + 458500T - 494524$	3 / ✗ 2 / ✗		10_9^a $-T^4 + 3T^3 - 5T^2 + 7T - 7$ $-T^7 + 4T^6 - 10T^5 + 20T^4 - 25T^3 + 28T^2 - 28T + 28$ $15T^{16} - 153T^{15} + 787T^{14} - 2727T^{13} + 7084T^{12} - 14404T^{11} + 22886T^{10} - 26134T^9 + 11540T^8 + 39332T^7 - 146866T^6 + 325115T^5 - 571077T^4 + 856941T^3 - 1131013T^2 + 1330668T - 1403980$	4 / ✗ 1 / ✗
	10_{10}^a $3T^2 - 11T + 17$ $-5T^3 + 24T^2 - 71T + 100$ $285T^8 - 2735T^7 + 10078T^6 - 9479T^5 - 64000T^4 + 327253T^3 - 827377T^2 + 1378130T - 1624314$	2 / ✗ 1 / ✗		10_{11}^a $-4T^2 + 11T - 13$ $16T^3 - 52T^2 + 68T - 72$ $736T^8 - 4672T^7 + 9634T^6 + 11132T^5 - 125367T^4 + 413121T^3 - 873095T^2 + 1336974T - 1536906$	2 / ✗ 2, 3 / ✗
	10_{12}^a $2T^3 - 6T^2 + 10T - 11$ $-5T^5 + 20T^4 - 50T^3 + 72T^2 - 89T + 92$ $118T^{12} - 1080T^{11} + 4748T^{10} - 12624T^9 + 19414T^8 - 2072T^7 - 88507T^6 + 320836T^5 - 750453T^4 + 1366922T^3 - 2053481T^2 + 2604638T - 2816934$	3 / ✗ 2 / ✗		10_{13}^a $2T^2 - 13T + 23$ $T^3 - 12T^2 + 51T - 84$ $62T^8 - 1088T^7 + 7367T^6 - 20586T^5 - 13356T^4 + 286509T^3 - 1005098T^2 + 1954280T - 2416160$	2 / ✗ 2 / ✗
	10_{14}^a $-2T^3 + 8T^2 - 12T + 13$ $9T^5 - 52T^4 + 119T^3 - 180T^2 + 225T - 236$ $62T^{12} - 584T^{11} + 1720T^{10} + 2816T^9 - 42848T^8 + 195040T^7 - 594177T^6 + 1407688T^5 - 2753604T^4 + 4575154T^3 - 6545078T^2 + 8106820T - 8706026$	3 / ✗ 2 / ✗		10_{15}^a $2T^3 - 6T^2 + 9T - 9$ $-3T^5 + 12T^4 - 24T^3 + 24T^2 - 17T + 12$ $134T^{12} - 1272T^{11} + 5792T^{10} - 16520T^9 + 31765T^8 - 37636T^7 + 2396T^6 + 120176T^5 - 371368T^4 + 752873T^3 - 1195043T^2 + 1560190T - 1702986$	3 / ✗ 2 / ✗
	10_{16}^a $-4T^2 + 12T - 15$ $-16T^3 + 56T^2 - 76T + 80$ $736T^8 - 5248T^7 + 12944T^6 + 6528T^5 - 144162T^4 + 522200T^3 - 1155370T^2 + 1809228T - 2093696$	2 / ✗ 2 / ✗		10_{17}^a $T^4 - 3T^3 + 5T^2 - 7T + 9$ 0 $16T^{16} - 165T^{15} + 861T^{14} - 3043T^{13} + 8173T^{12} - 17514T^{11} + 30162T^{10} - 39958T^9 + 32666T^8 + 139987T^7 - 125081T^6 + 317743T^5 - 588481T^4 + 904569T^3 - 1207020T^2 + 1426556T - 1506972$	4 / ✗ 1 / ✓
	10_{18}^a $-4T^2 + 14T - 19$ $16T^3 - 68T^2 + 121T - 140$ $736T^8 - 6240T^7 + 17736T^6 + 11088T^5 - 245648T^4 + 930168T^3 - 2109201T^2 + 3338706T - 3874682$	2 / ✗ 1 / ✗		10_{19}^a $2T^3 - 7T^2 + 11T - 11$ $3T^5 - 16T^4 + 35T^3 - 40T^2 + 30T - 24$ $134T^{12} - 1480T^{11} + 7641T^{10} - 24194T^9 + 50855T^8 - 66007T^7 + 12323T^6 + 201357T^5 - 665287T^4 + 1397797T^3 - 2271085T^2 + 3006128T - 3296368$	3 / ✗ 2 / ✗
	10_{20}^a $-3T^2 + 9T - 11$ $14T^3 - 56T^2 + 88T - 104$ $114T^8 - 153T^7 - 4783T^6 + 34425T^5 - 128711T^4 + 327435T^3 - 618704T^2 + 899066T - 1017366$	2 / ✗ 2 / ✗		10_{21}^a $-2T^3 + 7T^2 - 9T + 9$ $9T^5 - 44T^4 + 80T^3 - 104T^2 + 121T - 124$ $62T^{12} - 496T^{11} + 1203T^{10} + 2078T^9 - 24456T^8 + 97163T^7 - 267878T^6 + 592041T^5 - 1106738T^4 + 1789591T^3 - 2525732T^2 + 3113752T - 3341184$	3 / ✗ 2 / ✗
	10_{22}^a $-2T^3 + 6T^2 - 10T + 13$ $-T^5 + 4T^4 - 10T^3 + 24T^2 - 37T + 44$ $142T^{12} - 1368T^{11} + 6524T^{10} - 20120T^9 + 42790T^8 - 57928T^7 + 16919T^6 + 158700T^5 - 540707T^4 + 1130294T^3 - 1809643T^2 + 2363114T - 2577418$	3 / ✓ 2 / ✗		10_{23}^a $2T^3 - 7T^2 + 13T - 15$ $-5T^5 + 24T^4 - 67T^3 + 108T^2 - 137T + 144$ $118T^{12} - 1272T^{11} + 6541T^{10} - 20402T^9 + 38443T^8 - 21945T^7 - 132442T^6 + 594335T^5 - 1530420T^4 + 2960363T^3 - 4622193T^2 + 5992048T - 6526360$	3 / ✗ 1 / ✗
	10_{24}^a $-4T^2 + 14T - 19$ $24T^3 - 116T^2 + 221T - 268$ $416T^8 - 1568T^7 - 13224T^6 + 136928T^5 - 604124T^4 + 1701008T^3 - 3414673T^2 + 5118714T - 5846946$	2 / ✗ 2 / ✗		10_{25}^a $-2T^3 + 8T^2 - 14T + 17$ $9T^5 - 52T^4 + 131T^3 - 232T^2 + 314T - 344$ $62T^{12} - 584T^{11} + 1856T^{10} + 2264T^9 - 47052T^8 + 241288T^7 - 80954T^6 + 2068016T^5 - 4270010T^4 + 7347930T^3 - 10723331T^2 + 13406206T - 14434208$	3 / ✗ 2 / ✗
	10_{26}^a $-2T^3 + 7T^2 - 13T + 17$ $-T^5 + 4T^4 - 10T^3 + 28T^2 - 49T + 60$ $142T^{12} - 1600T^{11} + 8823T^{10} - 31058T^9 + 74964T^8 - 117897T^7 + 67064T^6 + 255997T^5 - 1047600T^4 + 2360395T^3 - 3947888T^2 + 5281288T - 5805248$	3 / ✗ 1 / ✗		10_{27}^a $2T^3 - 8T^2 + 16T - 19$ $5T^5 - 28T^4 + 87T^3 - 164T^2 + 229T - 252$ $118T^{12} - 1464T^{11} + 8536T^{10} - 29792T^9 + 62096T^8 - 39696T^7 - 242195T^6 + 1151848T^5 - 3078140T^4 + 6098910T^3 - 9661940T^2 + 12621240T - 13779050$	3 / ✗ 1 / ✗

knot diag	n_k^+ Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?
	10_{28}^a $4T^2 - 13T + 19$ $-8T^3 + 36T^2 - 100T + 136$ $928T^8 - 7872T^7 + 26174T^6 - 22588T^5 - 142295T^4 + 689113T^3 - 1676391T^2 + 2728998T - 3192146$	2 / ✗ 2 / ✗		10_{29}^a $T^3 - 7T^2 + 15T - 17$ $T^5 - 12T^4 + 52T^3 - 104T^2 + 124T - 128$ $87T^{12} - 175T^{11} + 1659T^{10} - 8913T^9 + 29252T^8 - 542927T^7 + 10686T^6 + 290989T^5 - 1126663T^4 + 2673211T^3 - 4723498T^2 + 6566572T - 7317656$	3 / ✗ 2 / ✗
	10_{30}^a $-4T^2 + 17T - 25$ $24T^3 - 148T^2 + 345T - 440$ $416T^8 - 2048T^7 - 17490T^6 + 219996T^5 - 1101894T^4 + 3396907T^3 - 7245510T^2 + 11243734T - 12988226$	2 / ✗ 1 / ✗		10_{31}^a $4T^2 - 14T + 21$ $-4T^2 + 9T - 12$ $992T^8 - 9440T^7 + 36936T^6 - 59136T^5 - 72624T^4 + 623304T^3 - 1691899T^2 + 2867550T - 3391374$	2 / ✗ 1 / ✗
	10_{32}^a $-2T^3 + 8T^2 - 15T + 19$ $T^5 - 4T^4 + 13T^3 - 40T^2 + 78T - 96$ $142T^{12} - 1832T^{11} + 11204T^{10} - 42688T^9 + 109909T^8 - 184384T^7 + 124831T^6 + 360782T^5 - 1615391T^4 + 3759585T^3 - 6404890T^2 + 8655360T - 9545252$	3 / ✗ 1 / ✗		10_{33}^a $4T^2 - 16T + 25$ 0 $992T^8 - 10816T^7 + 47856T^6 - 88336T^5 - 84402T^4 + 920320T^3 - 2655340T^2 + 4640912T - 5542372$	2 / ✗ 1 / ✓
	10_{34}^a $3T^2 - 9T + 13$ $-5T^3 + 20T^2 - 52T + 68$ $285T^8 - 2205T^7 + 6601T^6 - 3429T^5 - 43369T^4 + 185703T^3 - 431857T^2 + 687874T - 799218$	2 / ✗ 2 / ✗		10_{35}^a $2T^2 - 12T + 21$ $-T^3 + 12T^2 - 47T + 76$ $62T^8 - 1000T^7 + 6244T^6 - 15744T^5 - 15707T^4 + 232680T^3 - 775840T^2 + 1474372T - 1810118$	2 / ✓ 2 / ✗
	10_{36}^a $-3T^2 + 13T - 19$ $14T^3 - 88T^2 + 208T - 264$ $114T^8 - 397T^7 - 7597T^6 + 81141T^5 - 393441T^4 + 1198967T^3 - 2544952T^2 + 3941362T - 4550398$	2 / ✗ 2 / ✗		10_{37}^a $4T^2 - 13T + 19$ 0 $992T^8 - 8736T^7 + 31914T^6 - 47212T^5 - 64499T^4 + 497921T^3 - 1308755T^2 + 2181630T - 2566522$	2 / ✗ 2 / ✓
	10_{38}^a $-4T^2 + 15T - 21$ $24T^3 - 128T^2 + 270T - 336$ $416T^8 - 1632T^7 - 16122T^6 + 172460T^5 - 788845T^4 + 2280037T^3 - 4653713T^2 + 7038342T - 8061882$	2 / ✗ 2 / ✗		10_{39}^a $-2T^3 + 8T^2 - 13T + 15$ $9T^5 - 52T^4 + 125T^3 - 204T^2 + 263T - 280$ $62T^{12} - 584T^{11} + 1788T^{10} + 2480T^9 - 44191T^8 + 213488T^7 - 683173T^6 + 1684054T^5 - 3393468T^4 + 5753447T^3 - 8330571T^2 + 10379080T - 11164828$	3 / ✗ 2 / ✗
	10_{40}^a $2T^3 - 8T^2 + 17T - 21$ $-5T^3 + 28T^4 - 89T^3 + 176T^2 - 258T + 288$ $118T^{12} - 1464T^{11} + 8692T^{10} - 31256T^9 + 67987T^8 - 49624T^7 - 257955T^6 + 1301482T^5 - 3582545T^4 + 7240253T^3 - 11620382T^2 + 15292356T - 16735336$	3 / ✗ 2 / ✗		10_{41}^a $T^3 - 7T^2 + 17T - 21$ $T^5 - 12T^4 + 54T^3 - 120T^2 + 157T - 164$ $87T^{12} - 175T^{11} + 1697T^{10} - 9543T^9 + 33561T^8 - 69114T^7 + 29117T^6 + 354127T^5 - 1527139T^4 + 3836499T^3 - 7019042T^2 + 9942516T - 11145016$	3 / ✗ 2 / ✗
	10_{42}^a $-T^3 + 7T^2 - 19T + 27$ $2T^3 - 8T^2 + 11T - 12$ $9T^{12} - 203T^{11} + 2093T^{10} - 12971T^9 + 52885T^8 - 142268T^7 + 214987T^6 + 60931T^5 - 1368859T^4 + 4365895T^3 - 8815357T^2 + 13058404T - 14831092$	3 / ✓ 1 / ✗		10_{43}^a $-T^3 + 7T^2 - 17T + 23$ 0 $9T^{12} - 203T^{11} + 2051T^{10} - 12253T^9 + 47594T^8 - 120962T^7 + 170450T^6 + 61017T^5 - 1045911T^4 + 3175271T^3 - 6209661T^2 + 9025932T - 10186676$	3 / ✗ 2 / ✓
	10_{44}^a $T^3 - 7T^2 + 19T - 25$ $T^5 - 12T^4 + 56T^3 - 140T^2 + 220T - 248$ $87T^{12} - 175T^{11} + 1735T^{10} - 10157T^9 + 37586T^8 - 81160T^7 + 29232T^6 + 500937T^5 - 2197451T^4 + 5635115T^3 - 10448058T^2 + 14900236T - 16735696$	3 / ✗ 1 / ✗		10_{45}^a $-T^3 + 7T^2 - 21T + 31$ 0 $9T^{12} - 203T^{11} + 2135T^{10} - 13689T^9 + 58324T^8 - 165246T^7 + 266640T^6 + 52413T^5 - 1738539T^4 + 5821367T^3 - 12123077T^2 + 18290148T - 20900556$	3 / ✗ 2 / ✓
	10_{46}^a $-T^4 + 3T^3 - 4T^2 + 5T - 5$ $-3T^7 + 12T^6 - 21T^5 + 34T^4 - 43T^3 + 52T^2 - 55T + 56$ $7T^{16} - 57T^{15} + 204T^{14} - 382T^{13} + 69T^{12} + 2247T^{11} - 9674T^{10} + 27287T^9 - 61957T^8 + 121378T^7 - 211961T^6 + 335438T^5 - 485235T^4 + 644818T^3 - 789365T^2 + 891215T - 928064$	4 / ✗ 3 / ✗		10_{47}^a $T^4 - 3T^3 + 6T^2 - 7T + 7$ $-2T^7 + 8T^6 - 23T^5 + 38T^4 - 56T^3 + 60T^2 - 68T + 64$ $12T^{16} - 117T^{15} + 598T^{14} - 2030T^{13} + 4959T^{12} - 8715T^{11} + 9312T^{10} + 2921T^9 - 44823T^8 + 139602T^7 - 312112T^6 + 579182T^5 - 936546T^4 + 1347538T^3 - 1741633T^2 + 2029805T - 2135930$	4 / ✗ 2, 3 / ✗
	10_{48}^a $T^4 - 3T^3 + 6T^2 - 9T + 11$ $T^5 - 2T^4 + 2T^3 - 3T + 4$ $16T^{16} - 165T^{15} + 906T^{14} - 3452T^{13} + 10069T^{12} - 23423T^{11} + 43765T^{10} - 63343T^9 + 59588T^8 + 82327T^7 - 192505T^6 + 537134T^5 - 1048176T^4 + 1669528T^3 - 2281994T^2 + 2735109T - 2902594$	4 / ✓ 2 / ✗		10_{49}^a $3T^3 - 8T^2 + 12T - 13$ $30T^5 - 94T^4 + 196T^3 - 292T^2 + 372T - 392$ $-177T^{12} + 3028T^{11} - 22080T^{10} + 101361T^9 - 341354T^8 + 914348T^7 - 2044469T^6 + 3931812T^5 - 6622778T^4 + 9874270T^3 - 13105110T^2 + 15522532T - 16422794$	3 / ✗ 3 / ✗
	10_{50}^a $-2T^3 + 7T^2 - 11T + 13$ $-9T^5 + 44T^4 - 94T^3 + 150T^2 - 186T + 200$ $62T^{12} - 496T^{11} + 1283T^{10} + 2094T^9 - 29732T^8 + 134301T^7 - 412809T^6 + 990903T^5 - 1959941T^4 + 3278621T^3 - 4702408T^2 + 5824956T - 6253664$	3 / ✗ 2 / ✗		10_{51}^a $2T^3 - 7T^2 + 15T - 19$ $-5T^5 + 24T^4 - 73T^3 + 134T^2 - 194T + 212$ $118T^{12} - 1272T^{11} + 6813T^{10} - 22602T^9 + 45771T^8 - 28275T^7 - 180411T^6 + 857569T^5 - 2306697T^4 + 4602641T^3 - 7332665T^2 + 9612128T - 10506256$	3 / ✗ 2, 3 / ✗
	10_{52}^a $2T^3 - 7T^2 + 13T - 15$ $-3T^5 + 16T^4 - 37T^3 + 50T^2 - 49T + 44$ $134T^{12} - 1480T^{11} + 7961T^{10} - 27058T^9 + 62159T^8 - 88993T^7 + 22042T^6 + 296843T^5 - 1040240T^4 + 2254967T^3 - 3720017T^2 + 4952400T - 5437448$	3 / ✗ 2 / ✗		10_{53}^a $6T^2 - 18T + 25$ $93T^3 - 346T^2 + 680T - 828$ $-3642T^8 + 58248T^7 - 417976T^6 + 1846212T^5 - 5694639T^4 + 13084936T^3 - 23231163T^2 + 32545278T - 36374532$	2 / ✗ 2, 3 / ✗
	10_{54}^a $2T^3 - 6T^2 + 10T - 11$ $-3T^5 + 12T^4 - 24T^3 + 26T^2 - 21T + 16$ $134T^{12} - 1272T^{11} + 5964T^{10} - 17880T^9 + 36606T^8 - 46740T^7 + 6565T^6 + 150576T^5 - 487825T^4 + 1010638T^3 - 1619593T^2 + 2120978T - 2316318$	3 / ✗ 2, 3 / ✗		10_{55}^a $5T^2 - 15T + 21$ $66T^3 - 246T^2 + 488T - 596$ $-1966T^8 + 30491T^7 - 215627T^6 + 945597T^5 - 2905831T^4 + 6662951T^3 - 11814712T^2 + 16540014T - 18481854$	2 / ✗ 2 / ✗
	10_{56}^a $-2T^3 + 8T^2 - 14T + 17$ $-9T^5 + 52T^4 - 133T^3 + 234T^2 - 312T + 340$ $62T^{12} - 584T^{11} + 1800T^{10} + 2840T^9 - 49588T^8 + 247616T^7 - 819257T^6 + 2077408T^5 - 4277830T^4 + 7364010T^3 - 10765639T^2 + 13481990T - 14525656$	3 / ✗ 2 / ✗		10_{57}^a $2T^3 - 8T^2 + 18T - 23$ $-5T^5 + 28T^4 - 93T^3 + 194T^2 - 300T + 340$ $118T^{12} - 1464T^{11} + 8808T^{10} - 32264T^9 + 71276T^8 - 49320T^7 - 305843T^6 + 1537376T^5 - 4286854T^4 + 8774390T^3 - 14221383T^2 + 18829374T - 20648444$	3 / ✗ 2 / ✗
	10_{58}^a $3T^2 - 16T + 27$ $3T^3 - 28T^2 + 94T - 140$ $309T^8 - 4384T^7 + 24039T^6 - 49896T^5 - 90763T^4 + 864784T^3 - 2647834T^2 + 4837480T - 5867454$	2 / ✗ 2 / ✗		10_{59}^a $T^3 - 7T^2 + 18T - 23$ $-T^5 + 12T^4 - 55T^3 + 128T^2 - 181T + 196$ $87T^{12} - 175T^{11} + 1716T^{10} - 9858T^9 + 35706T^8 - 76124T^7 + 33704T^6 + 412653T^5 - 1824096T^4 + 4655939T^3 - 8596644T^2 + 12230816T - 13727286$	3 / ✗ 1 / ✗
	10_{60}^a $-T^3 + 7T^2 - 20T + 29$ $5T^3 - 40T^2 + 122T - 176$ $9T^{12} - 203T^{11} + 2114T^{10} - 13338T^9 + 55732T^8 - 154496T^7 + 241898T^6 + 66137T^5 - 1621594T^4 + 5326603T^3 - 10989858T^2 + 16499428T - 18824860$	3 / ✗ 1 / ✗		10_{61}^a $-2T^3 + 5T^2 - 6T + 7$ $-7T^5 + 20T^4 - 27T^3 + 36T^2 - 35T + 36$ $94T^{12} - 672T^{11} + 2231T^{10} - 4382T^9 + 4108T^8 + 6320T^7 - 40187T^6 + 113296T^5 - 235714T^4 + 400470T^3 - 576529T^2 + 714816T - 767686$	3 / ✗ 2, 3 / ✗
	10_{62}^a $T^4 - 3T^3 + 6T^2 - 8T + 9$ $-2T^7 + 8T^6 - 23T^5 + 40T^4 - 63T^3 + 76T^2 - 89T + 88$ $12T^{16} - 117T^{15} + 598T^{14} - 2057T^{13} + 5172T^{12} - 9509T^{11} + 10856T^{10} + 2734T^9 - 54502T^8 + 178917T^7 - 414312T^6 + 786766T^5 - 1289208T^4 + 1865866T^3 - 2414454T^2 + 2812025T - 2957594$	4 / ✗ 2 / ✗		10_{63}^a $5T^2 - 14T + 19$ $66T^3 - 220T^2 + 416T - 496$ $-1966T^8 + 28318T^7 - 188080T^6 + 783388T^5 - 2311570T^4 + 5141906T^3 - 8929148T^2 + 12349082T - 13743884$	2 / ✗ 2 / ✗

knot diag	n_k^+ Alexander's ω^+ $(\rho_1^+)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ $(\rho_1^+)^+$	genus / ribbon unknotting # / amphi?
	10_{64}^a $-T^4+3T^3-6T^2+10T-11$ $-T^7+4T^6-11T^5+24T^4-37T^3+52T^2-60T+64$ $157^{16}-1537^{15}+8307^{14}-31477^{13}+91337^{12}-209837^{11}+379637^{10}-501647^9+306427^8+687417^7-$ $3100367^6+7454307^5-13817357^4+21505607^3-29063177^2+34648297-3671204$	4 / \times 2 / \times		10_{65}^a $2T^3-7T^2+14T-17$ $-5T^5+24T^4-71T^3+124T^2-169T+180$ $1187^{12}-12727^{11}+66577^{10}-212827^9+408747^8-207687^7-1666917^6+7422167^5-19337047^4+37817947^3-$ $59509477^2+77491207-8452246$	3 / \times 2 / \times
	10_{66}^a $3T^3-9T^2+16T-19$ $30T^5-112T^4+279T^3-480T^2+662T-724$ $-1777^{12}+33217^{11}-275367^{10}+1453467^9-5616147^8+17067887^7-42561347^6+89461737^5-161354247^4+$ $252719357^3-346474567^2+417906807-44471832$	3 / \times 3 / \times		10_{67}^a $-4T^2+16T-23$ $24T^3-140T^2+312T-392$ $4167^8-16967^7-185927^6+2053847^5-9714747^4+28848807^3-60044847^2+91888727-10566612$	2 / \times 2 / \times
	10_{68}^a $4T^2-14T+21$ $8T^3-40T^2+117T-164$ $9287^8-84487^7+297847^6-267367^5-1789847^4+8917367^3-22171477^2+36573907-4297054$	2 / \times 2 / \times		10_{69}^a $T^3-7T^2+21T-29$ $-T^5+12T^4-68T^3+212T^2-397T+476$ $87^{12}-1757^{11}+17537^{10}-103397^9+374357^8-681747^7-789977^6+10156357^5-38807797^4+96974917^3-$ $179378267^2+256463007-28844672$	3 / \times 2 / \times
	10_{70}^a $T^3-7T^2+16T-19$ $-T^5+12T^4-53T^3+114T^2-146T+152$ $87^{12}-1757^{11}+16787^{10}-92207^9+312517^8-604507^7+143357^6+3375937^5-13517737^4+32758037^3-$ $58643367^2+82086547-9166724$	3 / \times 2 / \times		10_{71}^a $-T^3+7T^2-18T+25$ T^3-2T^2-T+4 $97^{12}-2037^{11}+20727^{10}-126087^9+501677^8-1310827^7+1906557^6+649377^5-12069177^4+37456597^3-$ $74361027^2+109067787-12346734$	3 / \times 1 / \times
	10_{72}^a $-2T^3+9T^2-16T+19$ $-9T^5+60T^4-167T^3+298T^2-410T+448$ $627^{12}-6727^{11}+24077^{10}+28467^9-670467^8+3587147^7-12374407^6+32251367^5-67607027^4+$ $117679847^3-173157777^2+217571467-23465324$	3 / \times 2 / \times		10_{73}^a $T^3-7T^2+20T-27$ $T^5-12T^4+65T^3-194T^2+350T-416$ $87^{12}-1757^{11}+17387^{10}-101127^9+361177^8-660387^7-612357^6+8694497^5-32966037^4+81338037^3-$ $14880807^2+211228907-23697928$	3 / \times 1 / \times
	10_{74}^a $-4T^2+16T-23$ $24T^3-136T^2+290T-360$ $4167^8-19847^7-144487^6+1788327^5-8705427^4+26261047^3-55217647^2+85007607-9794748$	2 / \times 2 / \times		10_{75}^a $-T^3+7T^2-19T+27$ $-4T^3+36T^2-117T+172$ $97^{12}-2037^{11}+20937^{10}-129797^9+530857^8-1440607^7+2227957^6+459397^5-13825077^4+45289197^3-$ $93023657^2+139269407-15875332$	3 / \checkmark 2 / \times
	10_{76}^a $-2T^3+7T^2-12T+15$ $-9T^5+44T^4-104T^3+184T^2-245T+272$ $627^{12}-4967^{11}+12637^{10}+29267^9-376117^8+1747747^7-5537947^6+13597407^5-27275057^4+45956687^3-$ $66100397^2+81933147-8796596$	3 / \times 2, 3 / \times		10_{77}^a $2T^3-7T^2+14T-17$ $-5T^5+24T^4-71T^3+132T^2-189T+208$ $1187^{12}-12727^{11}+66577^{10}-211707^9+396027^8-134807^7-1935637^6+8125687^5-20724527^4+39975387^3-$ $62278797^2+80589127-8771174$	3 / \times 2, 3 / \times
	10_{78}^a $-T^3+7T^2-16T+21$ $2T^5-24T^4+105T^3-244T^2+390T-448$ $57^{12}-917^{11}+6267^{10}-13107^9-96827^8+982687^7-4728087^6+15588977^5-38922007^4+76991077^3-$ $123652787^2+163513527-17933784$	3 / \times 2 / \times		10_{79}^a $T^4-3T^3+7T^2-12T+15$ 0 $167^{16}-1657^{15}+9517^{14}-38927^{13}+123277^{12}-313017^{11}+640477^{10}-1020887^9+1089427^8-51727^7-$ $3286357^6+10136447^5-20993187^4+34867987^3-49048247^2+59791097-6380898$	4 / \times 2, 3 / \checkmark
	10_{80}^a $3T^3-9T^2+15T-17$ $30T^5-112T^4+260T^3-426T^2+568T-616$ $-1777^{12}+33217^{11}-269197^{10}+1374197^9-5117887^8+15009067^7-36256087^6+74200937^5-131017857^4+$ $201967677^3-273886557^2+328264447-34860060$	3 / \times 3 / \times		10_{81}^a $-T^3+8T^2-20T+27$ 0 $97^{12}-2327^{11}+26327^{10}-173477^9+731467^8-1994767^7+3037177^6+635167^5-17832227^4+56366747^3-$ $112399187^2+165010927-18681194$	3 / \times 2 / \checkmark
	10_{82}^a $-T^4+4T^3-8T^2+12T-13$ $T^7-6T^6+19T^5-42T^4+64T^3-78T^2+84T-84$ $157^{16}-2047^{15}+13627^{14}-59567^{13}+190677^{12}-469407^{11}+896467^{10}-1259847^9+943797^8+1184887^7-$ $6636007^6+16759447^5-31876267^4+50465087^3-68996327^2+82827527-8796438$	4 / \times 1 / \times		10_{83}^a $2T^3-9T^2+19T-23$ $-5T^5+34T^4-110T^3+214T^2-301T+332$ $1187^{12}-16327^{11}+105017^{10}-401667^9+921547^8-746617^7-3449387^6+18290497^5-51557867^4+$ $105890037^3-171840027^2+227634167-24966116$	3 / \times 2 / \times
	10_{84}^a $2T^3-9T^2+20T-25$ $-5T^5+34T^4-116T^3+246T^2-373T+424$ $1187^{12}-16327^{11}+106017^{10}-409707^9+933617^8-601307^7-4577127^6+22761847^5-63799777^4+$ $131310887^3-213701257^2+283635427-31128704$	3 / \times 1 / \times		10_{85}^a $T^4-4T^3+8T^2-10T+11$ $2T^7-12T^6+36T^5-68T^4+101T^3-124T^2+138T-140$ $127^{16}-1567^{15}+9867^{14}-39827^{13}+113197^{12}-230427^{11}+299877^{10}-30987^9-1164607^8+4183147^7-$ $10054257^6+19530487^5-32523987^4+47647767^3-62206117^2+72850427-7676632$	4 / \times 2 / \times
	10_{86}^a $-2T^3+9T^2-19T+25$ $-T^5+6T^4-21T^3+58T^2-105T+128$ $1427^{12}-20567^{11}+141357^{10}-603467^9+1730737^8-3224577^7+2561327^6+6408397^5-31921787^4+$ $78065117^3-137127317^2+188520807-20906284$	3 / \times 2 / \times		10_{87}^a $-2T^3+9T^2-18T+23$ $-T^5+6T^4-23T^3+66T^2-125T+152$ $1427^{12}-20567^{11}+139557^{10}-583187^9+1627987^8-2932287^7+2148677^6+6129607^5-28824607^4+$ $69025707^3-119796697^2+163614447-18106010$	3 / \checkmark 2 / \times
	10_{88}^a $-T^3+8T^2-24T+35$ 0 $97^{12}-2327^{11}+27167^{10}-189557^9+863007^8-2576647^7+4362817^6+557607^5-28236567^4+96579627^3-$ $203064807^2+307754727-35215022$	3 / \times 1 / \checkmark		10_{89}^a $T^3-8T^2+24T-33$ $T^5-14T^4+83T^3-264T^2+495T-596$ $87^{12}-2007^{11}+22367^{10}-144617^9+569927^8-1170727^7-761527^6+15086047^5-60939367^4+156200307^3-$ $292866047^2+421554007-47509694$	3 / \times 2 / \times
	10_{90}^a $-2T^3+8T^2-17T+23$ $-T^5+6T^4-21T^3+54T^2-93T+112$ $1427^{12}-18247^{11}+114527^{10}-455687^9+1231537^8-2149767^7+1385157^6+5239187^5-23090347^4+$ $54584437^3-94323097^2+128614967-14226804$	3 / \times 2 / \times		10_{91}^a $T^4-4T^3+9T^2-14T+17$ $T^5-2T^4+2T^3-3T+4$ $167^{16}-2207^{15}+15357^{14}-71667^{13}+248857^{12}-674767^{11}+1450707^{10}-2420147^9+2787537^8-782127^7-$ $6243297^6+20919107^5-44241087^4+73976307^3-104254187^2+127118147-13565348$	4 / \times 1 / \times
	10_{92}^a $-2T^3+10T^2-20T+25$ $-9T^5+68T^4-216T^3+428T^2-622T+696$ $627^{12}-7607^{11}+32287^{10}+17767^9-906867^8+5557727^7-21141697^6+59519647^5-132511597^4+$ $241278507^3-366240167^2+468624607-50844652$	3 / \times 2 / \times		10_{93}^a $2T^3-8T^2+15T-17$ $3T^5-18T^4+43T^3-58T^2+55T-48$ $1347^{12}-16967^{11}+101807^{10}-378807^9+941837^8-1472727^7+627297^6+4248667^5-16185967^4+$ $36167437^3-60597937^2+81308687-8948936$	3 / \times 2 / \times
	10_{94}^a $-T^4+4T^3-9T^2+14T-15$ $-T^7+6T^6-20T^5+46T^4-76T^3+102T^2-115T+120$ $157^{16}-2047^{15}+14057^{14}-64547^{13}+219077^{12}-574327^{11}+1170807^{10}-1767547^9+1504057^8+1359727^7-$ $9287177^6+24606427^5-48040197^4+77294627^3-106729907^2+128815667-13703760$	4 / \times 2 / \times		10_{95}^a $2T^3-9T^2+21T-27$ $-5T^5+32T^4-114T^3+248T^2-384T+436$ $1187^{12}-16567^{11}+110457^{10}-444627^9+1091187^8-1040357^7-3915837^6+22980837^5-68047117^4+$ $144567097^3-240080827^2+322366967-35514492$	3 / \times 1 / \times
	10_{96}^a $-T^3+7T^2-22T+35$ $-7T^3+50T^2-147T+212$ $97^{12}-2037^{11}+21567^{10}-140607^9+611897^8-1770347^7+2874377^6+966897^5-2149697^4+7231587^3-$ $152280827^2+231633547-26546674$	3 / \times 2 / \times		10_{97}^a $-5T^2+22T-33$ $-37T^3+242T^2-603T+788$ $10617^8-54867^7-470907^6+6150647^5-31571657^4+99049267^3-213764467^2+333957867-38661308$	2 / \times 2 / \times

knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ (ρ_2^+) ⁺	genus / ribbon unknotting # / amphi?
	10_{98}^a $-2T^3+9T^2-18T+23$ $9T^5-60T^4+177T^3-348T^2+501T-564$ $627^{12}-672T^{11}+2575T^{10}+16667T^9-67602T^8+398948T^7-1483813T^6+4115776T^5-9069800T^4+16396378T^3-24767965T^2+31602148T-34255402$	3 / ✗ 2 / ✗		10_{99}^a $T^4-4T^3+10T^2-16T+19$ 0 $16T^{16}-220T^{15}+1580T^{14}-7688T^{13}+27976T^{12}-79612T^{11}+179656T^{10}-315060T^9+386272T^8-148160T^7-792172T^6+2854748T^5-6237824T^4+10649644T^3-15214156T^2+18696608T-20003232$	4 / ✓ 2 / ✓
	10_{100}^a $T^4-4T^3+9T^2-12T+13$ $2T^7-12T^6+39T^5-80T^4+128T^3-164T^2+192T-196$ $127^{16}-1567^{15}+1019T^{14}-4340T^{13}+13189T^{12}-29012T^{11}+41715T^{10}-11232T^9-153611T^8+603116T^7-1520513T^6+3049452T^5-5190414T^4+7715304T^3-10164234T^2+11961684T-12623974$	4 / ✗ 2, 3 / ✗		10_{101}^a $7T^2-21T+29$ $-129T^3+480T^2-942T+1148$ $-7453T^8+115979T^7-819947T^6+3586847T^5-10987573T^4+25120359T^3-44443695T^2+62133778T-69396618$	2 / ✗ 2, 3 / ✗
	10_{102}^a $-2T^3+8T^2-16T+21$ $-T^5+6T^4-19T^3+50T^2-89T+108$ $142T^{12}-1824T^{11}+11296T^{10}-44000T^9+115984T^8-197200T^7+123203T^6+462512T^5-1996064T^4+4649298T^3-7951840T^2+10777160T-11897326$	3 / ✗ 1 / ✗		10_{103}^a $2T^3-8T^2+17T-21$ $5T^5-30T^4+93T^3-178T^2+254T-280$ $118T^{12}-1440T^{11}+8404T^{10}-29584T^9+61863T^8-33736T^7-289763T^6+1355186T^5-3666373T^4+7367413T^3-11802974T^2+15525908T-16990056$	3 / ✗ 3 / ✗
	10_{104}^a $T^4-4T^3+9T^2-15T+19$ $T^5-2T^4+2T^3-3T+4$ $167^{16}-220T^{15}+1535T^{14}-7197T^{13}+25227T^{12}-69332T^{11}+151513T^{10}-257279T^9+301366T^8-83393T^7-710402T^6+2409469T^5-5162297T^4+8726478T^3-12397663T^2+15191203T-16238052$	4 / ✗ 1 / ✗		10_{105}^a $T^3-8T^2+22T-29$ $-T^5+14T^4-71T^3+184T^2-292T+332$ $8T^{12}-200T^{11}+2218T^{10}-14261T^9+57123T^8-132986T^7+65302T^6+805306T^5-3722841T^4+9784430T^3-18400587T^2+26441286T-29769592$	3 / ✗ 2 / ✗
	10_{106}^a $-T^4+4T^3-9T^2+15T-17$ $-T^7+6T^6-20T^5+48T^4-82T^3+114T^2-134T+140$ $15T^{16}-204T^{15}+1405T^{14}-6481T^{13}+22197T^{12}-58948T^{11}+122017T^{10}-186937T^9+159252T^8+161653T^7-1073190T^6+2872671T^5-5674479T^4+9221494T^3-12827310T^2+15551003T-16568312$	4 / ✗ 2 / ✗		10_{107}^a $-T^3+8T^2-22T+31$ $2T^3-8T^2+13T-16$ $9T^{12}-232T^{11}+2674T^{10}-18155T^9+79705T^8-227986T^7+366663T^6+65430T^5-2285283T^4+7518398T^3-15408513T^2+22997470T-26180364$	3 / ✗ 1 / ✗
	10_{108}^a $2T^3-8T^2+14T-15$ $-3T^5+18T^4-41T^3+50T^2-40T+32$ $134T^{12}-1696T^{11}+10032T^{10}-36416T^9+87916T^8-133860T^7+58617T^6+353392T^5-1337642T^4+2961006T^3-4930449T^2+6594854T-7251776$	3 / ✗ 2 / ✗		10_{109}^a $T^4-4T^3+10T^2-17T+21$ 0 $167^{16}-220T^{15}+1580T^{14}-7719T^{13}+28318T^{12}-81525T^{11}+186591T^{10}-332351T^9+413696T^8-158284T^7-889129T^6+3239371T^5-7165411T^4+12361738T^3-1779919T^2+2197965T-23554274$	4 / ✗ 2 / ✓
	10_{110}^a $T^3-8T^2+20T-25$ $T^5-14T^4+69T^3-160T^2+219T-236$ $8T^{12}-200T^{11}+2180T^{10}-1356T^9+52114T^8-116472T^7+61616T^6+604668T^5-2747906T^4+7072274T^3-13103918T^2+18672836T-20967250$	3 / ✗ 2 / ✗		10_{111}^a $-2T^3+9T^2-17T+21$ $-9T^5+60T^4-171T^3+316T^2-436T+480$ $62T^{12}-672T^{11}+2507T^{10}+1894T^9-64067T^8+361705T^7-1299145T^6+3506889T^5-7575591T^4+13510069T^3-20234835T^2+25700228T-27818092$	3 / ✗ 2 / ✗
	10_{112}^a $-T^4+5T^3-11T^2+17T-19$ $T^7-8T^6+29T^5-68T^4+115T^3-152T^2+175T-180$ $15T^{16}-255T^{15}+2068T^{14}-10699T^{13}+39650T^{12}-111160T^{11}+239401T^{10}-381338T^9+357595T^8+215240T^7-1900590T^6+5252099T^5-10470652T^4+17062683T^3-23747257T^2+28786648T-30666904$	4 / ✗ 2 / ✗		10_{113}^a $2T^3-11T^2+26T-33$ $-5T^5+42T^4-167T^3+394T^2-623T+720$ $118T^{12}-2016T^{11}+15681T^{10}-71126T^9+190712T^8-187416T^7-827053T^6+4935892T^5-14986146T^4+32456282T^3-54606535T^2+73872380T-81581546$	3 / ✗ 1 / ✗
	10_{114}^a $-2T^3+10T^2-21T+27$ $T^5-8T^4+30T^3-78T^2+140T-168$ $142T^{12}-2280T^{11}+16976T^{10}-76976T^9+230999T^8-445876T^7+369450T^6+890044T^5-455448T^4+11256519T^3-19890736T^2+27431686T-30450926$	3 / ✗ 1 / ✗		10_{115}^a $-T^3+9T^2-26T+37$ 0 $9T^{12}-261T^{11}+3345T^{10}-24942T^9+118870T^8-365932T^7+636497T^6+31527T^5-3907730T^4+13472649T^3-28298039T^2+42798944T-48929878$	3 / ✗ 2 / ✓
	10_{116}^a $-T^4+5T^3-12T^2+19T-21$ $T^7-8T^6+30T^5-74T^4+132T^3-184T^2+217T-228$ $15T^{16}-255T^{15}+2111T^{14}-11302T^{13}+43668T^{12}-128023T^{11}+288575T^{10}-482307T^9+485985T^8+215018T^7-2416711T^6+6942030T^5-14142246T^4+23374622T^3-32832655T^2+40008697T-42694444$	4 / ✗ 2 / ✗		10_{117}^a $2T^3-10T^2+24T-31$ $-5T^5+38T^4-144T^3+330T^2-522T+600$ $118T^{12}-1824T^{11}+13156T^{10}-56312T^9+143746T^8-128212T^7-648731T^6+3701012T^5-11080717T^4+23844230T^3-39994730T^2+54033352T-59650184$	3 / ✗ 2 / ✗
	10_{118}^a $T^4-5T^3+12T^2-19T+23$ 0 $16T^{16}-275T^{15}+2305T^{14}-12526T^{13}+49379T^{12}-149077T^{11}+352067T^{10}-641987T^9+825146T^8-399494T^7-1458086T^6+5641784T^5-12589879T^4+21712756T^3-31187934T^2+38432195T-41152780$	4 / ✗ 1 / ✓		10_{119}^a $-2T^3+10T^2-23T+31$ $-T^5+6T^4-26T^3+86T^2-175T+220$ $142T^{12}-2288T^{11}+17392T^{10}-81560T^9+255719T^8-521820T^7+483354T^6+990524T^5-5618050T^4+14499405T^3-26339835T^2+36916418T-41198798$	3 / ✗ 1 / ✗
	10_{120}^a $8T^2-26T+37$ $166T^3-692T^2+1433T-1788$ $-11768T^8+2013207T^7-15411327T^6+17193960T^5-23193562T^4+55098408T^3-100101577T^2+142136186T-159564534$	2 / ✗ 2, 3 / ✗		10_{121}^a $2T^3-11T^2+27T-35$ $5T^5-42T^4+167T^3-396T^2+634T-732$ $118T^{12}-2016T^{11}+15853T^{10}-73450T^9+204605T^8-232351T^7-764251T^6+5054205T^5-15890853T^4+35160633T^3-59996079T^2+18131748T-90616328$	3 / ✗ 2 / ✗
	10_{122}^a $-2T^3+11T^2-24T+31$ $-T^5+8T^4-34T^3+104T^2-211T+264$ $142T^{12}-2512T^{11}+20355T^{10}-99362T^9+318535T^8-657014T^7+617040T^6+1199636T^5-6869579T^4+17663208T^3-31953091T^2+44656222T-49787168$	3 / ✗ 2 / ✗		10_{123}^a $T^4-6T^3+15T^2-24T+29$ 0 $167^{16}-330T^{15}+3216T^{14}-19770T^{13}+86170T^{12}-282500T^{11}+715162T^{10}-1388790T^9+1917350T^8-1169720T^7-2832520T^6+12363784T^5-28689660T^4+50560110T^3-73579700T^2+91325158T-98015944$	4 / ✓ 2 / ✓
	10_{124}^a T^4-T^3+T-1 $-4T^7-6T^4-4T^2-6T$ $9T^{15}-25T^{14}+10T^{13}+75T^{12}-177T^{11}+155T^{10}+113T^9-570T^8+850T^7-428T^6-824T^5+2167T^4-2340T^3+510T^2+2375T-3832$	4 / ✗ 4 / ✗		10_{125}^a T^3-2T^2+2T-1 $-T^5+2T^4-2T^3+3T-4$ $8T^{12}-50T^{11}+151T^{10}-289T^9+4177T^8-5247T^7+536T^6-150T^5-1168T^4+3942T^3-8130T^2+12314T-14126$	3 / ✗ 2 / ✗
	10_{126}^a T^3-2T^2+4T-5 $T^5-2T^4+10T^3-12T^2+22T-20$ $8T^{12}-50T^{11}+185T^{10}-457T^9+666T^8-187T^7-3074T^6+10724T^5-24495T^4+43738T^3-64631T^2+81072T-87356$	3 / ✗ 2 / ✗		10_{127}^a $-T^3+4T^2-6T+7$ $2T^5-14T^4+32T^3-52T^2+67T-72$ $5T^{12}-48T^{11}+128T^{10}+289T^9-3551T^8+15554T^7-46589T^6+109206T^5-211625T^4+348370T^3-494107T^2+608154T-651576$	3 / ✗ 2 / ✗
	10_{128}^a $2T^3-3T^2+T+1$ $-13T^5+12T^4-3T^3-10T^2-9T+12$ $-26T^{12}+296T^{11}-1071T^{10}+1750T^9-11077T^8+2877T^7-29387T^6+7959T^5-7820T^4+3175T^3-8727T^2+28392T-40368$	3 / ✗ 3 / ✗		10_{129}^a $2T^2-6T+9$ $-T^3-2T^2+14T-20$ $62T^8-568T^7+2280T^6-4308T^5-553T^4+25616T^3-76125T^2+132258T-157332$	2 / ✓ 1 / ✗
	10_{130}^a $2T^2-4T+5$ $T^3-2T^2+19T-24$ $62T^8-336T^7+924T^6-1568T^5+253T^4+8384T^3-28668T^2+53628T-65374$	2 / ✗ 2 / ✗		10_{131}^a $-2T^2+8T-11$ $5T^3-38T^2+87T-112$ $38T^8-272T^7-580T^6+12792T^5-66417T^4+202096T^3-422662T^2+646440T-742870$	2 / ✗ 1 / ✗
	10_{132}^a T^2-T+1 $2T^2+5T-4$ $4T^8-7T^7+12T^6-145T^5+508T^4-631T^3-322T^2+2150T-3150$	2 / ✗ 1 / ✗		10_{133}^a $-T^2+5T-7$ $T^3-14T^2+37T-48$ $3T^8-43T^7+16T^6+1489T^5-9322T^4+30945T^3-68047T^2+106954T-123994$	2 / ✗ 1 / ✗

knot diag	n_k^l Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^l Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?
	10_{134}^n $2T^3 - 4T^2 + 4T - 3$ $-13T^3 + 24T^4 - 33T^3 + 30T^2 - 41T + 40$ $-26T^{12} + 376T^{11} - 2056T^{10} + 6760T^9 - 16248T^8 + 32568T^7 - 58951T^6 + 98316T^5 - 150194T^4 + 210738T^3 - 273246T^2 + 324124T - 344346$	3 / ✗ 3 / ✗		10_{135}^n $3T^2 - 9T + 13$ $T^3 - 6T^2 + 18T - 24$ $321T^8 - 2613T^7 + 8905T^6 - 12033T^5 - 19329T^4 + 132451T^3 - 337025T^2 + 553002T - 647370$	2 / ✗ 2 / ✗
	10_{136}^n $-T^2 + 4T - 5$ $-T^3 + 4T^2 - 2T - 4$ $3T^8 - 36T^7 + 189T^6 - 512T^5 + 347T^4 + 2660T^3 - 11142T^2 + 22668T - 28354$	2 / ✗ 1 / ✗		10_{137}^n $T^2 - 6T + 11$ $-4T^2 + 24T - 44$ $4T^8 - 74T^7 + 512T^6 - 1420T^5 - 1160T^4 + 21074T^3 - 72904T^2 + 140922T - 173900$	2 / ✓ 1 / ✗
	10_{138}^n $T^3 - 5T^2 + 8T - 7$ $-T^5 + 8T^4 - 22T^3 + 24T^2 - 11T + 8$ $8T^{12} - 125T^{11} + 855T^{10} - 3374T^9 + 8458T^8 - 13328T^7 + 8173T^6 + 25863T^5 - 114602T^4 + 277037T^3 - 497313T^2 + 702260T - 787812$	3 / ✗ 2 / ✗		10_{139}^n $T^4 - T^3 + 2T - 3$ $-4T^7 - 12T^4 + 5T^3 - 4T^2 - 16T + 12$ $9T^{15} - 25T^{14} - 3T^{13} + 172T^{12} - 425T^{11} + 290T^{10} + 924T^9 - 3099T^8 + 4327T^7 - 1756T^6 - 5200T^5 + 12117T^4 - 11846T^3 + 1547T^2 + 12451T - 19002$	4 / ✗ 4 / ✗
	10_{140}^n $T^2 - 2T + 3$ $8T - 8$ $4T^8 - 22T^7 + 90T^6 - 292T^5 + 424T^4 + 430T^3 - 3056T^2 + 6470T - 8104$	2 / ✓ 2 / ✗		10_{141}^n $-T^3 + 3T^2 - 4T + 5$ $T^3 - 8T^2 + 16T - 20$ $9T^{12} - 87T^{11} + 396T^{10} - 1150T^9 + 2382T^8 - 3516T^7 + 2746T^6 + 3397T^5 - 19148T^4 + 46359T^3 - 80476T^2 + 109936T - 121692$	3 / ✗ 1 / ✗
	10_{142}^n $2T^3 - 3T^2 + 2T - 1$ $-13T^3 + 12T^4 - 13T^3 + 4T^2 - 17T + 12$ $-26T^{12} + 296T^{11} - 1155T^{10} + 2582T^9 - 4276T^8 + 6812T^7 - 11749T^6 + 19392T^5 - 27878T^4 + 36798T^3 - 48891T^2 + 62932T - 69706$	3 / ✗ 3 / ✗		10_{143}^n $T^3 - 3T^2 + 6T - 7$ $T^5 - 4T^4 + 15T^3 - 28T^2 + 45T - 48$ $8T^{12} - 75T^{11} + 362T^{10} - 1106T^9 + 2070T^8 - 1092T^7 - 7698T^6 + 33841T^5 - 86216T^4 + 164927T^3 - 254838T^2 + 327896T - 356170$	3 / ✗ 1 / ✗
	10_{144}^n $-3T^2 + 10T - 13$ $10T^3 - 44T^2 + 80T - 96$ $222T^8 - 1642T^7 + 3140T^6 + 12252T^5 - 94326T^4 + 307146T^3 - 651636T^2 + 998418T - 1147140$	2 / ✗ 2 / ✗		10_{145}^n $T^2 + T - 3$ $2T^3 + 8T^2 + 6T - 8$ $-5T^7 + 7T^6 + 113T^5 - 141T^4 - 465T^3 + 730T^2 + 850T - 2198$	2 / ✗ 2 / ✗
	10_{146}^n $2T^2 - 8T + 13$ $T^3 - 8T^2 + 21T - 28$ $62T^8 - 664T^7 + 2844T^6 - 4544T^5 - 9663T^4 + 71376T^3 - 197106T^2 + 340392T - 405394$	2 / ✗ 1 / ✗		10_{147}^n $-2T^2 + 7T - 9$ $-3T^3 + 12T^2 - 15T + 12$ $54T^8 - 488T^7 + 1697T^6 - 1694T^5 - 8312T^4 + 42905T^3 - 107222T^2 + 177492T - 208860$	2 / ✗ 1 / ✗
	10_{148}^n $T^3 - 3T^2 + 7T - 9$ $T^5 - 4T^4 + 18T^3 - 36T^2 + 62T - 68$ $8T^{12} - 75T^{11} + 377T^{10} - 1209T^9 + 2330T^8 - 864T^7 - 11900T^6 + 51677T^5 - 135261T^4 + 266207T^3 - 420746T^2 + 549160T - 599424$	3 / ✗ 2 / ✗		10_{149}^n $T^3 - 3T^2 - 9T + 11$ $2T^5 - 18T^4 + 55T^3 - 104T^2 + 149T - 164$ $5T^{12} - 61T^{11} + 226T^{10} + 339T^9 - 7195T^8 + 38874T^7 - 135727T^6 + 357173T^5 - 753890T^4 + 1318245T^3 - 1945105T^2 + 2447584T - 2640944$	3 / ✗ 2 / ✗
	10_{150}^n $-T^3 + 4T^2 - 6T + 7$ $-2T^5 + 12T^4 - 26T^3 + 38T^2 - 45T + 44$ $5T^{12} - 52T^{11} + 216T^{10} - 355T^9 - 719T^8 + 6578T^7 - 24361T^6 + 64526T^5 - 137117T^4 + 243126T^3 - 364723T^2 + 464942T - 504136$	3 / ✗ 2 / ✗		10_{151}^n $T^3 - 4T^2 + 10T - 13$ $-T^5 + 6T^4 - 21T^3 + 42T^2 - 66T + 72$ $8T^{12} - 100T^{11} + 632T^{10} - 2529T^9 + 6645T^8 - 9606T^7 - 5854T^6 + 80466T^5 - 270269T^4 + 605378T^3 - 103389T^2 + 1408362T - 1558600$	3 / ✗ 2 / ✗
	10_{152}^n $T^4 - T^3 - T^2 + 4T - 5$ $4T^7 - 7T^5 + 18T^4 - 7T^3 - 12T^2 + 45T - 52$ $9T^{15} - 14T^{14} - 92T^{13} + 396T^{12} - 4197T^{11} - 1212T^{10} + 5444T^9 - 9692T^8 + 6412T^7 + 11488T^6 - 39344T^5 + 55244T^4 - 332347T^3 - 30168T^2 + 102115T - 133894$	4 / ✗ 4 / ✗		10_{153}^n $T^3 - T^2 - T + 3$ $T^5 - 2T^4 + T^3 + 2T^2 - T$ $8T^{12} - 17T^{11} - 46T^{10} + 231T^9 - 381T^8 + 364T^7 - 367T^6 + 157T^5 + 1142T^4 - 2815T^3 + 1874T^2 + 2128T - 4572$	3 / ✓ 2 / ✗
	10_{154}^n $T^3 - 4T + 7$ $-3T^3 - 6T^4 + 13T^3 - 47T + 68$ $48T^{10} - 93T^9 - 546T^8 + 2396T^7 - 1956T^6 - 8376T^5 + 25906T^4 - 23802T^3 - 25690T^2 + 102540T - 140874$	3 / ✗ 3 / ✗		10_{155}^n $-T^3 + 3T^2 - 5T + 7$ $-2T^3 + 12T^2 - 22T + 28$ $9T^{12} - 87T^{11} + 417T^{10} - 1321T^9 + 3014T^8 - 4806T^7 + 3646T^6 + 6917T^5 - 34773T^4 + 82963T^3 - 142781T^2 + 193836T - 214060$	3 / ✓ 2 / ✗
	10_{156}^n $T^3 - 4T^2 + 8T - 9$ $T^5 - 6T^4 + 19T^3 - 30T^2 + 33T - 32$ $8T^{12} - 100T^{11} + 594T^{10} - 2165T^9 + 5120T^8 - 6852T^7 - 2208T^6 + 41208T^5 - 134214T^4 + 293026T^3 - 493422T^2 + 668112T - 738218$	3 / ✗ 1 / ✗		10_{157}^n $-T^3 + 6T^2 - 11T + 13$ $-2T^5 + 22T^4 - 78T^3 + 148T^2 - 218T + 240$ $5T^{12} - 74T^{11} + 340T^{10} + 321T^9 - 11314T^8 + 67637T^7 - 250977T^6 + 688036T^5 - 1493487T^4 + 2661131T^3 - 3974091T^2 + 5034465T - 5444000$	3 / ✗ 2 / ✗
	10_{158}^n $-T^3 + 4T^2 - 10T + 15$ $2T^2 - 7T + 12$ $9T^{12} - 116T^{11} + 764T^{10} - 3275T^9 + 9743T^8 - 19422T^7 + 18439T^6 + 32898T^5 - 196271T^4 + 513374T^3 - 940025T^2 + 1323614T - 1479452$	3 / ✗ 2 / ✗		10_{159}^n $T^3 - 4T^2 + 9T - 11$ $T^5 - 6T^4 + 26T^3 - 60T^2 + 98T - 112$ $8T^{12} - 100T^{11} + 609T^{10} - 2267T^9 + 5047T^8 - 3237T^7 - 23513T^6 + 115362T^5 - 318739T^4 + 648093T^3 - 1045247T^2 + 1379659T - 1511358$	3 / ✗ 1 / ✗
	10_{160}^n $-T^3 + 4T^2 - 4T + 3$ $-2T^3 + 12T^4 - 20T^3 + 14T^2 - 16T + 12$ $5T^{12} - 52T^{11} + 198T^{10} - 255T^9 - 522T^8 + 3092T^7 - 8443T^6 + 18756T^5 - 37588T^4 + 67858T^3 - 108568T^2 + 148444T - 165862$	3 / ✗ 2 / ✗		10_{161}^n $T^3 - 2T + 3$ $3T^5 + 6T^4 - 3T^3 + 4T^2 + 14T - 12$ $30T^{10} - 53T^9 - 145T^8 + 630T^7 - 674T^6 - 870T^5 + 3591T^4 - 4450T^3 + 581T^2 + 6166T - 9640$	3 / ✗ 3 / ✗
	10_{162}^n $-3T^2 + 9T - 11$ $10T^3 - 38T^2 + 58T - 68$ $222T^8 - 1473T^7 + 2609T^6 + 8829T^5 - 65543T^4 + 206079T^3 - 427536T^2 + 647498T - 741358$	2 / ✗ 2 / ✗		10_{163}^n $T^3 - 5T^2 + 12T - 15$ $-T^5 + 8T^4 - 30T^3 + 62T^2 - 89T + 96$ $8T^{12} - 125T^{11} + 923T^{10} - 4154T^9 + 12040T^8 - 19732T^7 - 4345T^6 + 140575T^5 - 506052T^4 + 1171653T^3 - 2040193T^2 + 2809224T - 3119648$	3 / ✗ 1, 2 / ✗
	10_{164}^n $3T^2 - 11T + 17$ $T^3 - 10T^2 + 29T - 40$ $321T^8 - 3179T^7 + 12782T^6 - 20103T^5 - 32876T^4 + 254013T^3 - 688337T^2 + 1170838T - 1386922$	2 / ✗ 1 / ✗		10_{165}^n $-2T^2 + 10T - 15$ $-5T^3 + 50T^2 - 146T + 196$ $38T^8 - 344T^7 - 848T^6 + 23020T^5 - 137555T^4 + 465256T^3 - 1047705T^2 + 1673914T - 1951560$	2 / ✗ 2 / ✗