




# Everything around $sl_{2+}^\epsilon$ is DoPeGDO. So what?


**Abstract.** I'll explain what "everything around" means: classical and quantum  $m, \Delta, S, tr, R, C$ , and  $\theta$ , as well as  $P, \Phi, J, \mathbb{D}$ , and more, and all of their compositions. What **DoPeGDO** means: the category of **Docile Perturbed Gaussian Differential Operators**. And what  $sl_{2+}^\epsilon$  means: a solvable approximation of the semi-simple Lie algebra  $sl_2$ .

Knot theorists should rejoice because all this leads to very powerful and well-behaved poly-time-computable knot invariants. Quantum algebraists should rejoice because it's a realistic playground for testing complicated equations and theories.

**Conventions.** 1. For a set  $A$ , let  $z_A := \{z_i\}_{i \in A}$  and let  $\zeta_A := \{\zeta_i^* = \zeta_i\}_{i \in A}$ .  
†1. Everything converges!



## Less Abstract



**DoPeGDO** := The category with objects finite sets<sup>†2</sup> and  $\text{mor}(A \rightarrow B)$ :

$$\left\{ \mathcal{F} = \omega \exp \left( Q + \sum_{k \geq 1} P^{(k)} \right) \right\} \checkmark$$

Where: •  $\omega$  is a scalar.<sup>†3</sup> •  $Q$  is a "small" quadratic in  $\zeta_A \cup \zeta_B$ .<sup>†4</sup> • The  $P^{(k)}$  are "perturbation polynomials" and  $\deg P^{(k)} \leq 2k + 2$ .<sup>†5</sup>

• Compositions:<sup>†6</sup>  $P$  is a docile perturbation:  $P = \sum \epsilon^k P^{(k)}$  w/ ...

$$\mathcal{F} // \mathcal{G} = \mathcal{G} \circ \mathcal{F} := \left( \mathcal{G} |_{\zeta_i \rightarrow \partial_{\zeta_i} \mathcal{F}} \right)_{\zeta_i=0} = \left( \mathcal{F} |_{z_i \rightarrow \partial_{z_i} \mathcal{G}} \right)_{z_i=0}$$

**Cool!**  $(V^*)^{\otimes \Sigma} \otimes V^{\otimes S}$  explodes; the ranks of quadratics and bounded-degree polynomials grow slowly!<sup>†7</sup>

**Our Algebras.** Let  $sl_{2+}^\epsilon := L\langle y, b, a, x \rangle$  subject to  $[a, x] = x$ ,  $[b, y] = -\epsilon y$ ,  $[a, b] = 0$ ,  $[a, y] = -y$ ,  $[b, x] = \epsilon x$ , and  $[x, y] = \epsilon a + b$ . So  $t := \epsilon a - b$  is central and  $sl_{2+}^\epsilon / \langle t \rangle \cong sl_2$ .

$U$  is either  $CU = \hat{U}(sl_{2+}^\epsilon)$  or  $QU = \hat{U}_\hbar(sl_{2+}^\epsilon) = A\langle y, b, a, x \rangle$  with  $[a, x] = x$ ,  $[b, y] = -\epsilon y$ ,  $[a, b] = 0$ ,  $[a, y] = -y$ ,  $[b, x] = \epsilon x$ , and  $xy - qyx = (1 - AB)/\hbar$ , where  $q = e^{\hbar \epsilon}$ ,  $A = e^{-\hbar \epsilon a}$ , and  $B = e^{-\hbar b}$ . Set also  $T = A^{-1}B = e^{\hbar t}$ .

**The Quantum Leap.** Also decree that in  $QU$ ,

$$\Delta(y, b, a, x) = (y_1 + B_1 y_2, b_1 + b_2, a_1 + a_2, x_1 + A_1 x_2),$$

$$S(y, b, a, x) = (-B^{-1}y, -b, -a, -A^{-1}x),$$

and  $R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q!$ .

**Mid-Talk Debts.** • What is this good for in quantum algebra?

- In knot theory?
- How does the "inclusion"  $\mathcal{D}: \text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes S}) \rightsquigarrow$  **DoPeGDO** work?
- Proofs that everything around  $sl_{2+}^\epsilon$  really is **DoPeGDO**.
- Relations with prior art.
- The rest of the "compositions" story.

**Theorem** ([BNG], conjectured [MM], elucidated [Ro1]). Let  $J_d(K)$  be the coloured Jones polynomial of  $K$ , in the  $d$ -dimensional representation of  $sl_2$ . Writing


$$\left. \frac{(q^{1/2} - q^{-1/2}) J_d(K)}{q^{d/2} - q^{-d/2}} \right|_{q=e^\hbar} = \sum_{j, m \geq 0} a_{jm}(K) d^j \hbar^m,$$

"below diagonal" coefficients vanish,  $a_{jm}(K) = 0$  if  $j > m$ , and "on diagonal" coefficients give the inverse of the Alexander polynomial:  $(\sum_{m=0}^\infty a_{mm}(K) \hbar^m) \cdot \omega(K)(e^\hbar) = 1$ .

"Above diagonal" we have **Rozansky's Theorem** [Ro3, (1.2)]:

$$J_d(K)(q) = \frac{q^d - q^{-d}}{(q - q^{-1}) \omega(K)(q^d)} \left( 1 + \sum_{k=1}^\infty \frac{(q-1)^k \rho_k(K)(q^d)}{\omega^{2k}(K)(q^d)} \right).$$

**Compositions (1).** In  $\text{mor}(A \rightarrow B)$ ,  $Q = \sum_{i \in A, j \in B} E_{ij} \zeta_i z_j + \frac{1}{2} \sum_{i, j \in A} F_{ij} \zeta_i \zeta_j + \frac{1}{2} \sum_{i, j \in B} G_{ij} z_i z_j$



Where •  $\omega = \omega_1 \omega_2 \det(I - F_2 G_1)^{-1}$ .

- $E = E_1 (I - F_2 G_1)^{-1} E_2$ .
- $F = F_1 + E_1 F_2 (I - G_1 F_2)^{-1} E_1^T$ .
- $G = G_2 + E_2^T G_1 (I - F_2 G_1)^{-1} E_2$ .
- $P$  is computed using "connected Feynman diagrams" or as the solution of a messy PDE (yet we're still in algebra!).

One abstraction level up from tangles! {tangles} → { } with compositions:

**DoPeGDO Footnotes.** †1. Each variable has a "weight"  $\in \{0, 1, 2\}$ , and always  $\text{wt } z_i + \text{wt } \zeta_i = 2$ .

- †2. Really, "weight-graded finite sets"  $A = A_0 \sqcup A_1 \sqcup A_2$ .
- †3. Really, a power series in the weight-0 variables<sup>†9</sup>.
- †4. The weight of  $Q$  must be 2, so it decomposes as  $Q = Q_{20} + Q_{11}$ . The coefficients of  $Q_{20}$  are rational numbers while the coefficients of  $Q_{11}$  may be weight-0 power series<sup>†9</sup>.
- †5. Setting  $\text{wt } \epsilon = -2$  and  $P := \sum_{k \geq 1} \epsilon^k P^{(k)}$ , the weight of  $P$  is  $\leq 2$  (so the powers of the weight-0 variables are not constrained<sup>†9</sup>).
- †6. There's also an obvious product  $\text{mor}(A_1 \rightarrow B_1) \times \text{mor}(A_2 \rightarrow B_2) \rightarrow \text{mor}(A_1 \sqcup A_2 \rightarrow B_1 \sqcup B_2)$ .
- †7. That is, if the weight-0 variables are ignored. Otherwise more care is needed yet the conclusion remains.
- †8.  $\text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes S}) \rightsquigarrow \text{mor}(\{\eta_i, \beta_i, \tau_i, \alpha_i, \xi_i\}_{i \in \Sigma} \rightarrow \{y_i, b_i, t_i, a_i, x_i\}_{i \in S})$ , where  $\text{wt}(\eta_i, \xi_i, y_i, x_i) = 1$  and  $\text{wt}(\beta_i, \tau_i, \alpha_i; b_i, t_i, a_i) = (2, 2, 0; 0, 0, 2)$ .
- †9. For tangle invariants the weight-0 power series are always rational functions in the exponentials of the weight-0 variables (for knots: just one variable).

**D**:  $\text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes \mathcal{S}}) \rightsquigarrow \text{DoPeGDO}$ . The PBW theorem for  $CU$  (always in the  $ybax$  order), or its quantum analog for  $QU$ , says that if  $U = CU$  or  $QU$  then  $U^{\otimes \mathcal{S}}$  is isomorphic as a vector space to  $\mathbb{Q}[[y_i, b_i, a_i, x_i]]_{i \in \mathcal{S}}$ ; so it is enough to understand  $\text{Hom}(\mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]])$  for finite sets  $A$  and  $B$ . Using the pairing

$$\langle z_i^m, z_j^n \rangle = \partial_{z_i}^m z_j^n \Big|_{z_A \rightarrow 0} = \delta_{ij} \delta_{mn} n!,$$

we get a map

$$\begin{aligned} \mathcal{D}: \text{Hom}(\mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]]) &\cong \rightarrow \mathbb{Q}[[z_A]]^* \otimes \mathbb{Q}[[z_B]] \\ &\cong \mathbb{Q}[[z_A]] \otimes \mathbb{Q}[[z_B]] \cong \mathbb{Q}[[z_A, z_B]] \end{aligned}$$

**Example.**  $\mathcal{D}(\text{id}: \mathbb{Q}[[z]] \rightarrow \mathbb{Q}[[z]]) = e^{\zeta z}$ . Indeed,

$$\langle e^{\zeta z}, z^n \rangle = \left\langle \sum_m \frac{(\zeta z)^m}{m!}, z^n \right\rangle = \sum_m \frac{z^m}{m!} \delta_{mn} n! = z^n.$$

**Example.**  $\mathcal{D}(\text{id}: U \rightarrow U) = e^{\eta y + \beta b + \alpha a + \xi x}$ .

And so the title of the talk finally makes sense!

**Other GDOs. Claim.** If  $L: \mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]]$  is linear, then  $\mathcal{D}(L) = L \left( e^{\sum_{i \in A} \zeta_i z_i} \right)$ .

**Example.** Let  $c\Delta_{jk}^i: CU^{\otimes \{i\}} \rightarrow CU^{\otimes \{j,k\}}$  be the standard co-product, given by  $c\Delta_{jk}^i(y_i, b_i, a_i, x_i) = (y_j + y_k, b_j + b_k, a_j + a_k, x_j + x_k)$ . Then

$$\begin{aligned} \mathcal{D}(c\Delta_{jk}^i) &= c\Delta_{jk}^i(e^{\eta y_i + \beta b_i + \alpha a_i + \xi x_i}) \\ &= e^{\eta(y_j + y_k) + \beta(b_j + b_k) + \alpha(a_j + a_k) + \xi(x_j + x_k)}. \end{aligned}$$

**Example.** The standard commutative product  $m_k^{ij}$  of polynomials is given by  $z_i, z_j \rightarrow z_k$ . Hence  $\mathcal{D}(m_k^{ij}) = m_k^{ij}(e^{\zeta_i z_i + \zeta_j z_j}) = e^{(\zeta_i + \zeta_j) z_k}$ .

$$\begin{array}{ccc} \mathbb{Q}[[z]]_i \otimes \mathbb{Q}[[z]]_j & \xrightarrow{m_k^{ij}} & \mathbb{Q}[[z]]_k \\ \parallel & & \parallel \\ \mathbb{Q}[[z_i, z_j]] & \xrightarrow{m_k^{ij}} & \mathbb{Q}[[z_k]] \end{array}$$

**The first DoPeGDO Example.** Let  $cm_k^{ij}: CU_i \otimes CU_j \rightarrow CU_k$  be “classical multiplication” for  $sl_{2+}^\epsilon$ , and let  $\mathcal{O}_i: \mathbb{Q}[[y_i, b_i, a_i, x_i]] \rightarrow CU_i$  be the PBW ordering map.

$$\begin{array}{ccc} CU_i \otimes CU_j & \xrightarrow{cm_k^{ij}} & CU_k \\ \uparrow \mathcal{O}_{i,j} & & \uparrow \mathcal{O}_k \\ \mathbb{Q}[[y_i, b_i, a_i, x_i, y_j, b_j, a_j, x_j]] & & \mathbb{Q}[[y_k, b_k, a_k, x_k]] \end{array}$$

**Claim.** Let

$$\begin{aligned} \Lambda &= y_k \left( \eta_i + \frac{e^{-\alpha_i - \epsilon \beta_i} \eta_j}{1 + \epsilon \eta_j \xi_i} \right) + b_k \left( \beta_i + \beta_j + \frac{\log(1 + \epsilon \eta_j \xi_i)}{\epsilon} \right) \\ &\quad + a_k \left( \alpha_i + \alpha_j + \log(1 + \epsilon \eta_j \xi_i) \right) + x_k \left( \frac{e^{-\alpha_j - \epsilon \beta_j} \xi_i}{1 + \epsilon \eta_j \xi_i} + \xi_j \right). \end{aligned}$$

Then  $e^{\eta y_i + \beta b_i + \alpha a_i + \xi x_i + \eta y_j + \beta b_j + \alpha a_j + \xi x_j} // \mathcal{O}_{i,j} // cm_k^{ij} = e^\Lambda // \mathcal{O}_k$ , and hence  $\mathcal{D}(cm_k^{ij}) = e^\Lambda$  and  $cm_k^{ij}$  is DoPeGDO.

**Proof.** We compute in a faithful 2D representation  $\rho$  of  $CU$ :

```

(omega epsilon beta / cm)
HL[math_E] := Style[math_E, Background -> If[TrueQ@math_E, Green, Pink]];
{math_p y = (0 0; epsilon 0), math_p b = (0 0; 0 -epsilon), math_p a = (1 0; 0 0), math_p x = (0 1; 0 0)};
HL / @ {math_p a . math_p x - math_p x . math_p a == math_p x, math_p a . math_p y - math_p y . math_p a == -math_p y,
math_p b . math_p y - math_p y . math_p b == -epsilon math_p y, math_p b . math_p x - math_p x . math_p b == epsilon math_p x,
math_p x . math_p y - math_p y . math_p x == math_p b + epsilon math_p a}
{True, True, True, True, True}

```

```
HL@Simplify@With[{E = MatrixExp},
```

```

E[[eta_j math_p y] . E[[beta_j math_p b] . E[[alpha_j math_p a] . E[[xi_j math_p x] . E[[eta_j math_p y] . E[[beta_j math_p b] .
E[[alpha_j math_p a] . E[[xi_j math_p x] ==
E[[math_p y math_p a] . E[[math_p b math_p a] . E[[math_p a math_p a] . E[[math_p x math_p a]]

```

**true** lighter green! (Shame, but this technique fails for  $QU$ ).

print series[math\_L, {epsilon, 0, 1}] and highlight some points.

**Claim.** In  $QU$ ,  $R$  is DoPeGDO.

**Proof.** Recall that with  $q = e^{\hbar \epsilon}$ ,

$$R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q! = \mathcal{O} \left( e^{\hbar b_1 a_2} e_q^{\hbar y_1 x_2} \right).$$

Now expand  $e_q^{\hbar y_1 x_2}$  in powers of  $\epsilon$  using:

**Faddeev's Formula** (In as much as we can tell, first appeared without proof in Faddeev [Fa], rediscovered and proven in Quesne [Qu], and again with easier proof, in Zagier [Za]). With  $[n]_q := \frac{q^n - 1}{q - 1}$ , with  $[n]_q! := [1]_q [2]_q \cdots [n]_q$  and with  $e_q^x := \sum_{n \geq 0} \frac{x^n}{[n]_q!}$ , we have

$$\log e_q^x = \sum_{k \geq 1} \frac{(1-q)^k x^k}{k(1-q^k)} = x + \frac{(1-q)^2 x^2}{2(1-q^2)} + \dots$$

**Proof.** We have that  $e_q^x = \frac{e^{qx} - e^x}{qx - x}$  (“the  $q$ -derivative of  $e_q^x$  is itself”), and hence  $e_q^{qx} = (1 + (1-q)x)e_q^x$ , and

$$\log e_q^{qx} = \log(1 + (1-q)x) + \log e_q^x.$$

Writing  $\log e_q^x = \sum_{k \geq 1} a_k x^k$  and comparing powers of  $x$ , we get  $q^k a_k = -(1-q)^k / k + a_k$ , or  $a_k = \frac{(1-q)^k}{k(1-q^k)}$ .  $\square$

**Compositions (2).** Recall that with all indices  $i$  running in some set  $B$ ,

$$\mathcal{F} // \mathcal{G} = \left( \mathcal{F} \Big|_{z_i \rightarrow \partial_{z_i} \mathcal{G}} \right)_{z_i=0} = e^{\sum \partial_{z_i} \partial_{z_i} (\mathcal{F} \mathcal{G})} \Big|_{z_i=z_i=0},$$

so in general we wish to understand

$$[F: \mathcal{E}]_B := e^{\frac{1}{2} \sum_{i,j \in B} F_{ij} \partial_{z_i} \partial_{z_j} \mathcal{E}} \quad \text{and} \quad \langle F: \mathcal{E} \rangle_B := [F: \mathcal{E}]_B \Big|_{z_B \rightarrow 0},$$

where  $\mathcal{E}$  is a docile perturbed Gaussian. The following lemma allows us to restrict to the case where  $\mathcal{E}$  has no  $B$ - $B$  quadratic part:

**Lemma.** With convergences left to the user,

$$\left\langle F: \mathcal{E} e^{\frac{1}{2} \sum_{i,j \in B} G_{ij} z_i z_j} \right\rangle_B = \det(1 - GF)^{-1} \left\langle F(1 - GF)^{-1}: \mathcal{E} \right\rangle_B.$$

The next lemma dispatches the case where  $\mathcal{E}$  has a  $B$ -linear part:

**Lemma.**  $\left\langle F: \mathcal{E} e^{\sum_{i \in B} y_i z_i} \right\rangle_B = \left\langle F: \mathcal{E} \Big|_{z_B \rightarrow z_B + F y_B} \right\rangle_B$ .

Finally, we deal with the docile perturbation case:

**Lemma.** With an extra variable  $\lambda$ ,  $Z_\lambda := \log[\lambda F: e^P]_B$  satisfies and is determined by the following PDE / IVP:

$$Z_0 = P \quad \text{and} \quad \partial_\lambda Z_\lambda = \sum_{i,j \in B} F_{ij} \left( \partial_{z_i} \partial_{z_j} Z_\lambda + (\partial_{z_i} Z_\lambda) (\partial_{z_j} Z_\lambda) \right).$$

Add three pictures for 3 lemmas

**Warning.** Some implementation details match earlier versions of the theory.

In time, fold in, remove Y & PP.

## The “Speedy” Engine

omega epsilon beta / engine

Internal Utilities

Canonical Form:

```
CCF[ε_] :=
  PPCF@ExpandDenominator@
  ExpandNumerator@PPTogether@Together[PPExp[
    Expand[ε] /. e^x e^y -> e^{x+y} /. e^x -> e^{CCF[x]}]];
CF[ε_List] := CF /@ ε;
CF[sd_SeriesData] := MapAt[CF, sd, 3];
CF[ε_] := PPCF@Module[
  {vs = Cases[ε, (y | b | t | a | x | η | β | τ | α | ξ)_ , ∞] ∪
    {y, b, t, a, x, η, β, τ, α, ξ}},
  Total[CoefficientRules[Expand[ε], vs] /.
    (ps_ -> c_) -> CCF[c] (Times@@vs^{ps})
  ];
CF[ε_E] := CF /@ ε;
CF[Esp___[εS___]] := CF /@ Esp[εS];
```

The Kronecker δ:

```
Kδ /: Kδ_{i,j} := If[i == j, 1, 0];
```

Equality, multiplication, and degree-adjustment of perturbed Gaussians;  $E[L, Q, P]$  stands for  $e^{L+Q} P$ :

```
E /: E[L1_, Q1_, P1_] ≡ E[L2_, Q2_, P2_] :=
  CF[L1 == L2] ∧ CF[Q1 == Q2] ∧ CF[Normal[P1 - P2] == 0];
E /: E[L1_, Q1_, P1_] × E[L2_, Q2_, P2_] :=
  E[L1 + L2, Q1 + Q2, P1 * P2];
E[L_, Q_, P_]_{hk} := E[L, Q, Series[Normal@P, {ε, 0, $k}]];
```

## Zip and Bind

Variables and their duals:

```
{t*, b*, y*, a*, x*, z*} = {τ, β, η, α, ξ, ζ};
{t, b, y, a, x, z} = {t, b, y, a, x, z};
(u_{i-})* := (u*)_i;
```

```
U21 = {B_{i-}^{p-} -> e^{-p h y b_i}, B_{i-}^{p-} -> e^{-p h y b}, T_{i-}^{p-} -> e^{p h t_i},
  T_{i-}^{p-} -> e^{p h t}, A_{i-}^{p-} -> e^{p y a_i}, A_{i-}^{p-} -> e^{p y a}};
12U = {e^{c_{i-} b_{i-} + d_{i-}} -> B_{i-}^{-c/(h y)} e^d, e^{c_{i-} b + d_{i-}} -> B^{-c/(h y)} e^d,
  e^{c_{i-} t_{i-} + d_{i-}} -> T_{i-}^{c/h} e^d, e^{c_{i-} t + d_{i-}} -> T^{c/h} e^d,
  e^{c_{i-} a_{i-} + d_{i-}} -> A_{i-}^{c/y} e^d, e^{c_{i-} a + d_{i-}} -> A^{c/y} e^d,
  e^ε -> e^{Expand@ε}};
```

```
D_b[f_] := ∂_b f - h y B ∂_b f; D_{b_i}[f_] := ∂_{b_i} f - h y B_i ∂_{b_i} f;
D_t[f_] := ∂_t f + h T ∂_t f; D_{t_i}[f_] := ∂_{t_i} f + h T_i ∂_{t_i} f;
D_a[f_] := ∂_a f + y A ∂_a f; D_{a_i}[f_] := ∂_{a_i} f + y A_i ∂_{a_i} f;
D_v[f_] := ∂_v f; D_{v_{,0}}[f_] := f; D_{{}[f_] := f;
D_{v_{,n_Integer}}[f_] := D_v[D_{v_{,n-1}}[f]];
D_{l_List, ls___}[f_] := D_{ls}[D_l[f]];
```

Finite Zips:

```
collect[sd_SeriesData, ε_] :=
  MapAt[collect[#, ε] &, sd, 3];
collect[ε_, ε_] := PPCollect@Collect[ε, ε];
Zip_{}[P_] := P;
Zip_{εS_List} := Zip_{εS} /@ εS;
Zip_{εS, εS___}[P_] := PPZip[
  (collect[P // Zip_{εS}, ε] /. f_{i-} . ε^{d_{i-}} -> (D_{εS, d}[f])) /.
  εS -> 0 /. ((εS / . {b -> B, t -> T, α -> A}) -> 1)]
```

QZip implements the “Q-level zips” on  $E(L, Q, P) = e^{L+Q} P(\epsilon)$  and/or on  $E(\omega, L, Q, P) = \omega^{-1} e^{L+\omega^{-1}Q} P(\omega^{-4} \epsilon)$ . Such zips regard the L variables as scalars.

```
QZip_{εS_List}@E[L_, Q_, P_] :=
  PPQZip@Module[{ε, z, zs, c, ys, ηs, qt, zrule, grule, out},
  zs = Table[ε*, {ε, εS}];
  c = CF[Q /. Alternatives@@(εS ∪ zs) -> 0];
  ys = CF@Table[∂_ε(Q /. Alternatives@@zs -> 0), {ε, εS}];
  ηs = CF@Table[∂_z(Q /. Alternatives@@εS -> 0), {z, zs}];
  qt = CF@Inverse@Table[Kδ_{z,ε*} - ∂_{z,ε} Q, {ε, εS}, {z, zs}];
  zrule = Thread[zs -> CF[qt.(zs + ys)]];
  grule = Thread[εS -> εS + ηs.qt];
  CF /@ E[L, c + ηs.qt.y,
    Det[qt] Zip_{εS}[P /. (zrule ∪ grule)]];
  ];
```

Upper to lower and lower to Upper:

```
U21 = {B_{i-}^{p-} -> e^{-p h y b_i}, B_{i-}^{p-} -> e^{-p h y b}, T_{i-}^{p-} -> e^{p h t_i},
  T_{i-}^{p-} -> e^{p h t}, A_{i-}^{p-} -> e^{p y a_i}, A_{i-}^{p-} -> e^{p y a}};
12U = {e^{c_{i-} b_{i-} + d_{i-}} -> B_{i-}^{-c/(h y)} e^d, e^{c_{i-} b + d_{i-}} -> B^{-c/(h y)} e^d,
  e^{c_{i-} t_{i-} + d_{i-}} -> T_{i-}^{c/h} e^d, e^{c_{i-} t + d_{i-}} -> T^{c/h} e^d,
  e^{c_{i-} a_{i-} + d_{i-}} -> A_{i-}^{c/y} e^d, e^{c_{i-} a + d_{i-}} -> A^{c/y} e^d,
  e^ε -> e^{Expand@ε}};
```

LZip implements the “L-level zips” on  $E(L, Q, P) = P e^{L+Q}$ . Such zips regard all of  $P e^Q$  as a single “P”. Here the z’s are b and α and the ζ’s are β and a.

```
LZip_{εS_List}@E[L_, Q_, P_] :=
  PPLZip@Module[{ε, z, zs, Zs, c, ys, ηs, lt, zrule,
  Zrule, grule, Q1, EEQ, EQ},
  zs = Table[ε*, {ε, εS}];
  Zs = zs /. {b -> B, t -> T, α -> A};
  c = L /. Alternatives@@(εS ∪ zs) -> 0;
  ys = Table[∂_ε(L /. Alternatives@@zs -> 0), {ε, εS}];
  ηs = Table[∂_z(L /. Alternatives@@εS -> 0), {z, zs}];
  lt = Inverse@Table[Kδ_{z,ε*} - ∂_{z,ε} L, {ε, εS}, {z, zs}];
  zrule = Thread[zs -> lt.(zs + ys)];
  Zrule = zrule ~Join~
  (zrule /.
  ✓ r_Rule -> ((U = r[[1]] /. {b -> B, t -> T, α -> A}) ->
    (U /. U21 /. r // 12U)));
  grule = Thread[εS -> εS + ηs.lt];
  Q1 = Q /. (Zrule ∪ grule);
  ✓ EEQ[ps___] :=
  ✓ EEQ[ps] =
  (PP^{EEQ}@ (CF[e^{-Q1} D_{Thread[{zs, {ps}}]}][e^{Q1}]) /.
  {Alternatives@@zs -> 0,
  Alternatives@@Zs -> 1});
  CF /@ ((*CF/@*) E[
  c + ηs.lt.y,
  Q1 /. {Alternatives@@zs -> 0,
  Alternatives@@Zs -> 1},
  ✓ Det[lt]
  (Zip_{εS}[(EQ@@zs) (P /. (Zrule ∪ grule))] /.
  Derivative[ps___][EQ][___] -> EEQ[ps] /.
  _EQ -> 1)
  ]);
  ];
```

```

B_{i} [L_, R_] := L R;
B_{is_} [L_E, R_E] := PPB@Module[{n},
  Times[
    L /. Table[(v : b | B | t | T | a | x | y)_i -> v_{nei},
      {i, {is}}],
    R /. Table[(v : beta | tau | alpha | A | xi | eta)_i -> v_{nei}, {i, {is}}]
  ] // LZipJoin@Table[{beta_{nei}, tau_{nei}, alpha_{nei}}, {i, {is}}] //
  QZipJoin@Table[{xi_{nei}, eta_{nei}}, {i, {is}}] ];
B_{is_} [L_, R_] := B_{is} [L, R];

```

## E morphisms with domain and range.

```

B_{is_List} [E_{d1 -> r1} [L1_, Q1_, P1_], E_{d2 -> r2} [L2_, Q2_, P2_]] :=
  E_{(d1 U Complement[d2, is]) -> (r2 U Complement[r1, is])} @@
  B_{is} [E [L1, Q1, P1], E [L2, Q2, P2]];
E_{d1 -> r1} [L1_, Q1_, P1_] // E_{d2 -> r2} [L2_, Q2_, P2_] :=
  B_{r1 U d2} [E_{d1 -> r1} [L1, Q1, P1], E_{d2 -> r2} [L2, Q2, P2]];
E_{d1 -> r1} [L1_, Q1_, P1_] == E_{d2 -> r2} [L2_, Q2_, P2_] ^:=
  (d1 == d2) ^ (r1 == r2) ^ (E [L1, Q1, P1] == E [L2, Q2, P2]);
E_{d1 -> r1} [L1_, Q1_, P1_] E_{d2 -> r2} [L2_, Q2_, P2_] ^:=
  E_{(d1 U d2) -> (r1 U r2)} @@ (E [L1, Q1, P1] x E [L2, Q2, P2]);
E_{d -> r} [L_, Q_, P_] $k := E_{d -> r} @ E [L, Q, P] $k;
E_{E_} [i_] := {E} [i];

```

## “Define” Code

Define[lhs = rhs, ...] defines the lhs to be rhs, except that rhs is computed only once for each value of \$k. Fancy Mathematica notation for the faint of heart. Most readers should ignore.

```

SetAttributes[Define, HoldAll];
Define[def_, defs_] := (Define[def]; Define[defs]);
Define[op_is_ = E_] :=
  Module[{SD, ii, jj, kk, isp, nis, nisp, sis},
    Block[{i, j, k},
      ReleaseHold[Hold[
        SD[op_nisp, $k_Integer, PPBoot@Block[{i, j, k}, op_isp, $k = E;
          op_nis, $k]];
        SD[op_isp, op_{is}, $k]; SD[op_sis_, op_{sis}];
      ] /. {SD -> SetDelayed,
        isp -> {is} /. {i -> ii, j -> jj, k -> kk},
        nis -> {is} /. {i -> ii, j -> jj, k -> kk},
        nisp -> {is} /. {i -> ii, j -> jj, k -> kk}
      } ] ]

```

# The Objects

$\omega\epsilon\beta$ /objects

## Symmetric Algebra Objects

```

sm_{i,j -> k} := E_{i,j -> {k}} [b_k (beta_i + beta_j) + t_k (tau_i + tau_j) + a_k (alpha_i + alpha_j),
  y_k (eta_i + eta_j) + x_k (xi_i + xi_j), 1];
sY_{i -> j, k, l, m} := E_{i -> {j, k, l, m}} [beta_i b_k + tau_i t_k + alpha_i a_l,
  eta_i y_j + xi_i x_m, 1];
sA_{i -> j, k} := E_{i -> {j, k}} [beta_i (b_j + b_k) + tau_i (t_j + t_k) + alpha_i (a_j + a_k),
  eta_i (y_j + y_k) + xi_i (x_j + x_k), 1];
ss_i := E_{i -> {i}} [-beta_i b_i - tau_i t_i - alpha_i a_i, -eta_i y_i - xi_i x_i, 1];
se_i := E_{i -> {i}} [0, 0, 1]; sn_i := E_{i -> {i}} [0, 0, 1];
so_{i -> j} := E_{i -> {j, k}} [beta_i b_j + tau_i t_j + alpha_i a_j, eta_i y_j + xi_i x_j, 1];

```

## Booting Up QU

```

Define[a_{i -> j} = E_{i -> {j}} [a_j alpha_i, x_j xi_i, 1],
  b_{i -> j} = E_{i -> {j}} [b_j beta_i, y_j eta_i, 1]

```

```

Define[am_{i,j -> k} = E_{i,j -> {k}} [(alpha_i + alpha_j) a_k, (A_j^{-1} xi_i + xi_j) x_k, 1] $k,
  bm_{i,j -> k} = E_{i,j -> {k}} [(beta_i + beta_j) b_k, (eta_i + eta_j) y_k, e^{(e^{-beta_i - 1}) eta_j y_k}] $k]

```

```

Define[
  R_{i,j} = CF@
  E_{i -> {i,j}} [h a_j b_i, h x_j y_i, e^{sum_{k=2}^{i+j-1} ((1 - e^{gamma e^h})^k (h y_i x_j)^k) / (k (1 - e^{k gamma e^h}))}] $k,
  R_{i,j} = CF@E_{i -> {i,j}} [-h a_j b_i, -h x_j y_i / B_i,
  1 + If[$k == 0, 0, (R_{i,j}, $k-1) $k [3] -
  ((R_{i,j}, 0) $k R_{1,2} (R_{3,4}, $k-1) $k) // (bm_{i,1 -> i} am_{j,2 -> j}) //
  (bm_{i,3 -> i} am_{j,4 -> j}) [3]]],
  P_{i,j} = E_{i,j -> {i}} [beta_i alpha_j / h, eta_i xi_j / h,
  1 + If[$k == 0, 0, (P_{i,j}, $k-1) $k [3] -
  (R_{1,2} // ((P_{1,2}, 0) $k (P_{i,2}, $k-1) $k)) [3]]] ]

```

```


Define[as_j = R_{i,j} ~ B_i ~ P_{i,j},
  as_i = E_{i -> {i}} [-a_i alpha_i, -x_i xi_i xi_i,
  1 + If[$k == 0, 0, (as_{i,j}, $k-1) $k [3] -
  ((as_{i,j}, 0) $k ~ B_i ~ as_i ~ B_i ~ (as_{i,j}, $k-1) $k) [3]]] ]

```

```

Define[bs_i = R_{i,1} ~ B_1 ~ as_1 ~ B_1 ~ P_{i,1},
  bs_i = R_{i,1} ~ B_1 ~ as_1 ~ B_1 ~ P_{i,1},
  a_{d1 -> j, k} = (R_{1,j} R_{2,k}) // bm_{1,2 -> 3} // P_{3,i},
  b_{d1 -> j, k} = (R_{j,1} R_{k,2}) // am_{1,2 -> 3} // P_{i,3}

```



```

Define[
  dm_{i,j -> k} =
  ((sY_{i -> 4, 4, 1, 1} // a_{d1 -> 1, 2} // a_{d2 -> 2, 3} // as_3)
  (sY_{j -> -1, -1, -4, -4} // b_{d1 -> -1, -2} // b_{d2 -> -2, -3}) //
  (P_{-1, 3} P_{-3, 1} am_{2, -4 -> k} bm_{4, -2 -> k})

```

```

Define[d_{sigma_{i -> j} = a_{sigma_{i -> j} b_{sigma_{i -> j},
  de_i = se_i, dn_i = sn_i,
  ds_i = sY_{i -> 1, 1, 2, 2} // (bs_1 a_{s2}) // dm_{2, 1 -> i},
  ds_i = sY_{i -> 1, 1, 2, 2} // (bs_1 as_2) // dm_{2, 1 -> i},
  da_{i -> j, k} = (b_{d1 -> 3, 1} a_{d1 -> 2, 4}) // (dm_{3, 4 -> k} dm_{1, 2 -> j})

```

```

Define[C_i = E_{i -> {i}} [0, 0, B_i^{1/2} e^{-h e^{a_i/2}}] $k,
  C_i = E_{i -> {i}} [0, 0, B_i^{-1/2} e^{h e^{a_i/2}}] $k,
  Kink_i = (R_{1,3} C_2) // dm_{1, 2 -> 1} // dm_{1, 3 -> i},
  Kink_i = (R_{1,3} C_2) // dm_{1, 2 -> 1} // dm_{1, 3 -> i}

```

Note.  $t = \epsilon a - \gamma b$  and  $b = -t/\gamma + \epsilon a/\gamma$ .

```

Define[
  b2t_i = E_{i -> {i}} [alpha_i a_i - beta_i t_i / gamma, xi_i x_i + eta_i y_i, e^{beta_i a_i / gamma}] $k,
  t2b_i = E_{i -> {i}} [alpha_i a_i - tau_i y_b_i, xi_i x_i + eta_i y_i, e^{tau_i a_i}] $k

```

## The CU Definitions

```

Define[cm_{i,j -> k} = CF@E_{i,j -> {k}} [
  a_k (alpha_i + alpha_j) + b_k (beta_i + beta_j),
  y_k (eta_i + eta_j / A_i) + gamma b_k eta_j xi_i + x_k (xi_i / A_j + xi_j),
  e^{y_k eta_j (frac{e^{-epsilon beta_i}}{xi_i + gamma e^{xi_i eta_j xi_i} - 1/A_i} + xi_i (x_k (frac{e^{-epsilon beta_j}}{xi_j + gamma e^{xi_j eta_j xi_i} - 1/A_j} - gamma b_k eta_j)
  (1 + gamma e^{eta_j xi_i} / (gamma y e^{xi_i})))} $k]

```

```

Define [cσi→j = sσi,j /. τi → 0,
      cεi = sεi, cηi = sηi,
      cΔi→j,k = sΔi→j,k,
      cSi = sSi // sYi→1,2,3,4 // cm4,3→i // cmi,2→i // cmi,1→i];

```

## The Knot Tensors

```

Define [kRi,j = Ri,j // (b2ti b2tj) /. {ti|j → t,
      kRi,j = Ri,j // (b2ti b2tj) /. {ti|j → t, Ti|j → T},
      kmi,j→k = (t2bi t2bj) // dmi,j→k //
      b2tk /. {tk → t, Tk → T, τi|j → 0},
      kCi = Ci // b2ti /. Ti → T,
      kCi = Ci // b2ti /. Ti → T,
      kKinki = Kinki // b2ti /. {ti → t, Ti → T},
      kKinki = Kinki // b2ti /. {ti → t, Ti → T}];

```

## A Quantum Algebra Example.

ωεβ/qa

**Proto-Theorem**<sup>†0</sup> (with Jesse Frohlich and Roland van der Veen). Let  $H$  be a finite dimensional Hopf algebra and let  $U = H^{*cop} \otimes H$  be its Drinfel'd double, with  $R$ -matrix  $R \in H^* \otimes H \subset U \otimes U$ . Write  $R^{\dagger 1} = \sum \rho_a \otimes r_a$ , and let  $\langle \cdot | \cdot \rangle: H^* \otimes H \rightarrow \mathbb{F}$  be the duality pairing. Then the functional  $\int \in U^*$  defined by

$$\int \phi \otimes x := \sum \langle \phi \rho_a^{\dagger 2} | x r_a^{\dagger 3} \rangle$$

is a right<sup>†4</sup> integral in  $U^*$ . (Meaning  $\Delta_{jk}^i // \int_j = \int_i // \epsilon_k$  in  $\text{Hom}(U^{\otimes \{i\}} \rightarrow U^{\otimes \{k\}})$ ).

†0 A “proto-theorem” is something that will become a theorem once you figure out the correct statement. †1 Or did we want it to be  $R // S_1^2$ ? Or  $R // S_2^2$ ? †2 Or is it  $\rho_a \phi$ ? †3 Or is it  $r_a x$ ? †4 Or maybe “left”?

PP\_ := Identity; \$k = 1; h = γ = 1;

inp = E\_{()→{1}} [3 a<sub>1</sub> b<sub>1</sub>, 5 x<sub>1</sub> y<sub>1</sub>, 1] // dm<sub>i,1→i</sub>;


Table[

```

HL@TrueQ[
  (inp // (sYi→1,1,2,2 RR) // BM // AM // P1,2) dej ≡
  (inp // ΔΔ // (sYi→1,1,2,2 RR) // BM // AM // P1,2)],
  {ΔΔ, {dΔi→i,j, dΔi→j,i}}, {AM, {dm2,4→2, dm4,2→2}},
  {BM, {dm1,3→1, dm3,1→1}},
  {RR, {R3,4, R3,4 // dS3 // dS3, R3,4 // dS4 // dS4}}
] // MatrixForm
( ( False False False ) ( False False True ) )
( ( False False False ) ( False False False ) )
( ( False False False ) ( False False False ) )
( ( False False True ) ( False False False ) )

```

## A Knot Theory Example.



**KiW 43 Abstract** (ωεβ/kiw). Whether or not you like the formulas on this page, they describe the strongest truly computable knot invariant we know.

**Observations.** • Separates the Rolfsen tables; does better than

\$k = 2;

Simplify[

```

R1,5 R6,2 R3,7 C4 Kink8 Kink9 Kink10 // dm1,2→1 // dm1,3→1 //
dm1,4→1 // dm1,5→1 // dm1,6→1 // dm1,7→1 // dm1,8→1 //
dm1,9→1 // dm1,10→1] /. v-1 → v

```

E\_{()→{1}} [0, 0,  $\frac{B}{1 - B + B^2}$  +

$$\frac{B(-B + 2B^2 + 2B^4 + a(-1 + B - B^3 + B^4) - 2xy - B^3(3 + 2xy)) \in}{(1 - B + B^2)^3} +$$

$$\frac{1}{2(1 - B + B^2)^5}$$

$$B(4B^8 + a^2(1 - B + B^2)^2(1 + B - 6B^2 + B^3 + B^4) + 6B^5x^2y^2 + 2xy(-2 + 3xy) - B^7(11 + 4xy) - 2B^2(1 + 6x^2y^2) - 2B^4(1 - 2xy + 6x^2y^2) + B(1 + 8xy + 6x^2y^2) + B^6(6 + 8xy + 6x^2y^2) + B^3(4 + 4xy + 30x^2y^2) + 2a(1 - B + B^2)(2B^6 + 2xy + 8B^3(1 + xy) - 5B^2(1 + 2xy) - 2B^5(1 + 2xy) - B^4(7 + 2xy) + B(2 + 4xy)) \in^2 + 0[\in]^3]$$

## References.





































- [BNG] D. Bar-Natan and S. Garoufalidis, *On the Melvin-Morton-Rozansky conjecture*, Invent. Math. **125** (1996) 103–133.
- [BV] D. Bar-Natan and R. van der Veen, *A Polynomial Time Knot Polynomial*, arXiv:1708.04853.
- [Fa] L. Faddeev, *Modular Double of a Quantum Group*, arXiv:math/9912078.
- [MM] P. M. Melvin and H. R. Morton, *The coloured Jones function*, Commun. Math. Phys. **169** (1995) 501–520.
- [Ov] A. Overbay, *Perturbative Expansion of the Colored Jones Polynomial*, University of North Carolina PhD thesis, ωεβ/Ov.
- [Qu] C. Quesne, *Jackson’s q-Exponential as the Exponential of a Series*, arXiv:math-ph/0305003.
- [Ro1] L. Rozansky, *A contribution of the trivial flat connection to the Jones polynomial and Witten’s invariant of 3d manifolds, I*, Comm. Math. Phys. **175-2** (1996) 275–296, arXiv:hep-th/9401061.
- [Ro2] L. Rozansky, *The Universal R-Matrix, Burau Representation and the Melvin-Morton Expansion of the Colored Jones Polynomial*, Adv. Math. **134-1** (1998) 1–31, arXiv:q-alg/9604005.
- [Ro3] L. Rozansky, *A Universal U(1)-RCC Invariant of Links and Rationality Conjecture*, arXiv:math/0201139.
- [Za] D. Zagier, *The Dilogarithm Function*, in Cartier, Moussa, Julia, and Vanhove (eds) *Frontiers in Number Theory, Physics, and Geometry II*. Springer, Berlin, Heidelberg, and ωεβ/Za.

Khovanov plus HOMFLY-PT for up to 12 crossings. • The degrees are bounded by the genus! •  $\rho_1$  vanishes for amphichiral knots. • Has a chance of detecting non-ribbonness (ωεβ/ind)!



































knot diag	$n'_k$ $(\rho'_1)^+$	Alexander's $\omega^+$ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?	knot diag	$n'_k$ $(\rho'_1)^+$	Alexander's $\omega^+$ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?	knot diag	$n'_k$ $(\rho'_1)^+$	Alexander's $\omega^+$ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?
	$0_1^a$ 0	1 0	0 / ✓ 0 / ✓		$3_1^a$ $t$	$t-1$ $3t^3 - 12t^2 + 26t - 38$	1 / ✗ 1 / ✗		$4_1^a$ 0	$3-t$ $t^4 - 3t^3 - 15t^2 + 74t - 110$	1 / ✗ 1 / ✓
	$5_1^a$ $2t^3 + 3t$	$t^2 - t + 1$ $5t^7 - 20t^6 + 55t^5 - 120t^4 + 217t^3 - 338t^2 + 450t - 510$	2 / ✗ 2 / ✗		$5_2^a$ $5t - 4$	$2t - 3$ $-10t^4 + 120t^3 - 487t^2 + 1054t - 1362$	1 / ✗ 1 / ✗		$6_1^a$ $t - 4$	$5 - 2t$ $14t^4 - 16t^3 - 293t^2 + 1098t - 1598$	1 / ✓ 1 / ✗
	$6_2^a$ $t^3 - 4t^2 + 4t - 4$	$-t^2 + 3t - 3$ $3t^8 - 21t^7 + 49t^6 + 15t^5 - 433t^4 + 1543t^3 - 3431t^2 + 5482t - 6410$	2 / ✗ 1 / ✗		$6_3^a$ 0	$t^2 - 3t + 5$ $4t^8 - 33t^7 + 121t^6 - 203t^5 - 111t^4 + 1499t^3 - 4210t^2 + 7186t - 8510$	2 / ✗ 1 / ✓		$7_1^a$ $3t^5 + 5t^3 + 6t$	$t^3 - t^2 + t - 1$ $7t^{11} - 28t^{10} + 77t^9 - 168t^8 + 322t^7 - 560t^6 + 891t^5 - 1310t^4 + 1777t^3 - 2238t^2 + 2604t - 2772$	3 / ✗ 3 / ✗
	$7_2^a$ $14t - 16$	$3t - 5$ $-12t^4 + 1177t^3 - 4421t^2 + 9226t - 11718$	1 / ✗ 1 / ✗		$7_3^a$ $-9t^3 + 8t^2 - 16t + 12$	$2t^2 - 3t + 3$ $-18t^8 + 208t^7 - 917t^6 + 2666t^5 - 6049t^4 + 11283t^3 - 17671t^2 + 23356t - 25736$	2 / ✗ 2 / ✗		$7_4^a$ $32 - 24t$	$4t - 7$ $-352t^4 + 3616t^3 - 14378t^2 + 30700t - 39188$	1 / ✗ 2 / ✗
	$7_5^a$ $9t^3 - 16t^2 + 29t - 28$	$2t^2 - 4t + 5$ $-18t^8 + 264t^7 - 1548t^6 + 5680t^5 - 15107t^4 + 31152t^3 - 51476t^2 + 69252t - 76414$	2 / ✗ 2 / ✗		$7_6^a$ $t^3 - 8t^2 + 19t - 20$	$-t^2 + 5t - 7$ $3t^8 - 35t^7 + 128t^6 + 105t^5 - 2610t^4 + 11225t^3 - 28031t^2 + 47186t - 55946$	2 / ✗ 1 / ✗		$7_7^a$ $8 - 3t$	$t^2 - 5t + 9$ $4t^8 - 55t^7 + 310t^6 - 805t^5 + 86t^4 + 6349t^3 - 22686t^2 + 43610t - 53622$	2 / ✗ 1 / ✗
	$8_1^a$ $5t - 16$	$7 - 3t$ $42t^4 + 215t^3 - 2542t^2 + 7562t - 10542$	1 / ✗ 1 / ✗		$8_2^a$ $2t^5 - 8t^4 + 10t^3 - 12t^2 + 13t - 12$	$-t^3 + 3t^2 - 3t + 3$ $5t^{12} - 39t^{11} + 119t^{10} - 139t^9 - 249t^8 + 1660t^7 - 4959t^6 + 11131t^5 - 20813t^4 + 33595t^3 - 47521t^2 + 58988t - 63556$	3 / ✗ 2 / ✗		$8_3^a$ 0	$9 - 4t$ $224t^4 - 224t^3 - 3910t^2 + 14100t - 20364$	1 / ✗ 2 / ✓
	$8_4^a$ $3t^3 - 8t^2 + 6t - 4$	$-2t^2 + 5t - 5$ $54t^8 - 344t^7 + 865t^6 - 650t^5 - 2723t^4 + 12243t^3 - 28461t^2 + 45792t - 53540$	2 / ✗ 2 / ✗		$8_5^a$ $-2t^5 + 8t^4 - 13t^3 + 20t^2 - 22t + 24$	$-t^3 + 3t^2 - 4t + 5$ $5t^{12} - 39t^{11} + 128t^{10} - 182t^9 - 274t^8 + 2476t^7 - 8642t^6 + 21517t^5 - 42924t^4 + 71719t^3 - 102448t^2 + 126480t - 135628$	3 / ✗ 2 / ✗		$8_6^a$ $5t^3 - 20t^2 + 28t - 32$	$-2t^2 + 6t - 7$ $38t^8 - 216t^7 + 112t^6 + 2880t^5 - 14787t^4 + 42444t^3 - 85415t^2 + 128406t - 146916$	2 / ✗ 2 / ✗
	$8_7^a$ $-t^5 + 4t^4 - 10t^3 + 12t^2 - 13t + 12$	$t^3 - 3t^2 + 5t - 5$ $8t^{12} - 75t^{11} + 343t^{10} - 979t^9 + 1821t^8 - 1782t^7 - 1623t^6 + 12083t^5 - 33001t^4 + 64599t^3 - 101194t^2 + 131404t - 143216$	3 / ✗ 1 / ✗		$8_8^a$ $-t^3 + 4t^2 - 12t + 16$	$2t^2 - 6t + 9$ $62t^8 - 504t^7 + 1736t^6 - 2408t^5 - 3717t^4 + 26492t^3 - 68493t^2 + 113418t - 133180$	2 / ✓ 2 / ✗		$8_9^a$ 0	$-t^3 + 3t^2 - 5t + 7$ $9t^{12} - 87t^{11} + 417t^{10} - 1305t^9 + 2858t^8 - 4134t^7 + 2114t^6 + 8285t^5 - 31925t^4 + 69235t^3 - 112773t^2 + 148508t - 162396$	3 / ✓ 1 / ✓
	$8_{10}^a$ $-t^5 + 4t^4 - 11t^3 + 16t^2 - 21t + 20$	$t^3 - 3t^2 + 6t - 7$ $8t^{12} - 75t^{11} + 362t^{10} - 1122t^9 + 2306t^8 - 2540t^7 - 2198t^6 + 18817t^5 - 54380t^4 + 110103t^3 - 175694t^2 + 230080t - 251346$	3 / ✗ 2 / ✗		$8_{11}^a$ $5t^3 - 24t^2 + 39t - 44$	$-2t^2 + 7t - 9$ $38t^8 - 264t^7 + 301t^6 + 3514t^5 - 21716t^4 + 68785t^3 - 146898t^2 + 227828t - 263172$	2 / ✗ 1 / ✗		$8_{12}^a$ 0	$t^2 - 7t + 13$ $4t^8 - 77t^7 + 583t^6 - 1991t^5 + 987t^4 + 17311t^3 - 71802t^2 + 147914t - 185846$	2 / ✗ 2 / ✓
	$8_{13}^a$ $-t^3 + 4t^2 - 14t + 20$	$2t^2 - 7t + 11$ $62t^8 - 592t^7 + 2351t^6 - 3918t^5 - 4235t^4 + 40079t^3 - 111533t^2 + 191500t - 227432$	2 / ✗ 1 / ✗		$8_{14}^a$ $5t^3 - 28t^2 + 57t - 68$	$-2t^2 + 8t - 11$ $38t^8 - 312t^7 + 444t^6 + 5096t^5 - 34777t^4 + 116368t^3 - 255750t^2 + 401632t - 465478$	2 / ✗ 1 / ✗		$8_{15}^a$ $21t^3 - 64t^2 + 120t - 140$	$3t^2 - 8t + 11$ $-123t^8 + 2128t^7 - 15241t^6 + 66120t^5 - 199999t^4 + 451912t^3 - 792414t^2 + 1101720t - 1228222$	2 / ✗ 2 / ✗
	$8_{16}^a$ $t^3 - 6t^4 + 17t^3 - 28t^2 + 35t - 36$	$t^3 - 4t^2 + 8t - 9$ $8t^{12} - 100t^{11} + 598t^{10} - 2205t^9 + 5292t^8 - 7164t^7 - 2380t^6 + 43100t^5 - 137314t^4 + 291750t^3 - 478742t^2 + 636488t - 698666$	3 / ✗ 2 / ✗		$8_{17}^a$ 0	$-t^3 + 4t^2 - 8t + 11$ $9t^{12} - 116t^{11} + 722t^{10} - 2843t^9 + 7656t^8 - 13668t^7 + 11117t^6 + 21968t^5 - 113086t^4 + 273778t^3 - 475622t^2 + 649064t - 717954$	3 / ✗ 1 / ✓		$8_{18}^a$ 0	$-t^3 + 5t^2 - 10t + 13$ $9t^{12} - 145t^{11} + 1075t^{10} - 4842t^9 + 14504t^8 - 28560t^7 + 27957t^6 + 35195t^5 - 225204t^4 + 573797t^3 - 1021641t^2 + 1411484t - 1567262$	3 / ✗ 2 / ✓
	$8_{19}^a$ $-3t^5 - 4t^2 - 3t$	$t^3 - t^2 + 1$ $7t^{11} - 19t^{10} + 6t^9 + 48t^8 - 52t^7 - 91t^6 + 211t^5 + 16t^4 - 431t^3 + 289t^2 + 536t - 1060$	3 / ✗ 3 / ✗		$8_{20}^a$ $4t - 4$	$t^2 - 2t + 3$ $4t^8 - 22t^7 + 66t^6 - 124t^5 + 52t^4 + 478t^3 - 1652t^2 + 3014t - 3640$	2 / ✓ 1 / ✗		$8_{21}^a$ $t^3 - 8t^2 + 16t - 20$	$t^2 + 4t - 5$ $3t^8 - 28t^7 + 49t^6 + 352t^5 - 2489t^4 + 8164t^3 - 17530t^2 + 27092t - 31226$	2 / ✗ 1 / ✗

knot diag	$n'_k$ $(\rho'_1)^+$	Alexander's $\omega^+$ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?	knot diag	$n'_k$ $(\rho'_1)^+$	Alexander's $\omega^+$ $(\rho'_2)^+$	genus / ribbon unknotting # / amphi?
	$9_1^a$ $4t^7 + 7t^5 + 9t^3 + 10t$	$t^4 - t^3 + t^2 - t + 1$ $9t^{15} - 36t^{14} + 99t^{13} - 216t^{12} + 414t^{11} - 720t^{10} + 1170t^9 - 1800t^8 + 2630t^7 - 3662t^6 + 4853t^5 - 6142t^4 + 7423t^3 - 8572t^2 + 9420t - 9780$	4 / ✗ 4 / ✗		$9_2^a$ $30t - 40$	$4t - 7$ $-728t^4 + 6088t^3 - 21946t^2 + 44788t - 56420$	1 / ✗ 1 / ✗
	$9_3^a$ $-13t^5 + 12t^4 - 25t^3 + 20t^2 - 32t + 24$	$2t^3 - 3t^2 + 3t - 3$ $-26t^{12} + 296t^{11} - 1311t^{10} + 3838t^9 - 8867t^8 + 17613t^7 - 31407t^6 + 51061t^5 - 76085t^4 + 104297t^3 - 131779t^2 + 152840t - 160976$	3 / ✗ 3 / ✗		$9_4^a$ $23t^3 - 28t^2 + 46t - 44$	$3t^2 - 5t + 5$ $-219t^8 + 1999t^7 - 8389t^6 + 23799t^5 - 52835t^4 + 96723t^3 - 149121t^2 + 194698t - 213338$	2 / ✗ 2 / ✗
	$9_5^a$ $100 - 65t$	$6t - 11$ $-3234t^4 + 29792t^3 - 113241t^2 + 236818t - 300294$	1 / ✗ 2 / ✗		$9_6^a$ $13t^5 - 24t^4 + 45t^3 - 52t^2 + 68t - 64$	$2t^3 - 4t^2 + 5t - 5$ $-26t^{12} + 376t^{11} - 2212t^{10} + 8280t^9 - 23249t^8 + 53488t^7 - 106013t^6 + 185990t^5 - 292853t^4 + 416673t^3 - 537062t^2 + 626488t - 659788$	3 / ✗ 3 / ✗
	$9_7^a$ $23t^3 - 56t^2 + 99t - 108$	$3t^2 - 7t + 9$ $-219t^8 + 2717t^7 - 15720t^6 + 58389t^5 - 157698t^4 + 329265t^3 - 548657t^2 + 741610t - 819394$	2 / ✗ 2 / ✗		$9_8^a$ $3t^3 - 16t^2 + 29t - 28$	$-2t^2 + 8t - 11$ $54t^8 - 552t^7 + 2124t^6 - 2216t^5 - 12641t^4 + 67112t^3 - 172118t^2 + 289304t - 342134$	2 / ✗ 2 / ✗
	$9_9^a$ $13t^5 - 24t^4 + 55t^3 - 72t^2 + 98t - 96$	$2t^3 - 4t^2 + 6t - 7$ $-26t^{12} + 376t^{11} - 2296t^{10} + 9328t^9 - 28988t^8 + 73584t^7 - 158399t^6 + 295928t^5 - 486916t^4 + 712094t^3 - 930993t^2 + 1092074t - 1151564$	3 / ✗ 3 / ✗		$9_{10}^a$ $-40t^3 + 72t^2 - 114t + 120$	$4t^2 - 8t + 9$ $-608t^8 + 6720t^7 - 33776t^6 + 110928t^5 - 273462t^4 + 537040t^3 - 862768t^2 + 1145784t - 1259748$	2 / ✗ 2, 3 / ✗

knot diag	$n_k^t$ Alexander's $\omega^+$ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?	knot diag	$n_k^t$ Alexander's $\omega^+$ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?
	$9_{11}^a$ $-t^3 + 5t^2 - 7t + 7$ $-2t^5 + 16t^4 - 41t^3 + 52t^2 - 66t + 64$ $5t^{12} - 65t^{11} + 312t^{10} - 463t^9 - 2042t^8 + 14588t^7 - 50444t^6 + 126967t^5 - 258750t^4 + 444545t^3 - 654213t^2 + 827220t - 895336$	3 / ✗ 2 / ✗		$9_{12}^a$ $-2t^2 + 9t - 13$ $5t^3 - 36t^2 + 84t - 100$ $38t^8 - 312t^7 + 45t^6 + 9790t^5 - 60473t^4 + 202775t^3 - 453255t^2 + 722176t - 841572$	2 / ✗ 1 / ✗
	$9_{13}^a$ $4t^2 - 9t + 11$ $-40t^3 + 92t^2 - 154t + 168$ $-608t^8 + 7680t^7 - 43650t^6 + 158004t^5 - 417129t^4 + 856533t^3 - 1412461t^2 + 1899222t - 2095210$	2 / ✗ 2, 3 / ✗		$9_{14}^a$ $2t^2 - 9t + 15$ $-t^3 + 8t^2 - 35t + 60$ $62t^8 - 752t^7 + 3655t^6 - 7178t^5 - 9502t^4 + 97737t^3 - 294656t^2 + 531720t - 642168$	2 / ✗ 1 / ✗
	$9_{15}^a$ $-2t^2 + 10t - 15$ $-5t^3 + 40t^2 - 108t + 136$ $38t^8 - 360t^7 + 208t^6 + 12328t^5 - 84103t^4 + 298764t^3 - 691161t^2 + 1121034t - 1313504$	2 / ✗ 2 / ✗		$9_{16}^a$ $2t^3 - 5t^2 + 8t - 9$ $-13t^5 + 36t^4 - 80t^3 + 120t^2 - 161t + 168$ $-26t^{12} + 456t^{11} - 3331t^{10} + 15554t^9 - 53941t^8 + 149494t^7 - 345106t^6 + 680900t^5 - 1167591t^4 + 1759576t^3 - 2347749t^2 + 2786466t - 2949428$	3 / ✗ 3 / ✗
	$9_{17}^a$ $t^3 - 5t^2 + 9t - 9$ $t^5 - 8t^4 + 23t^3 - 32t^2 + 28t - 24$ $8t^{12} - 125t^{11} + 874t^{10} - 3595t^9 + 9462t^8 - 15166t^7 + 6162t^6 + 47027t^5 - 181220t^4 + 415509t^3 - 716070t^2 + 982036t - 1089796$	3 / ✗ 2 / ✗		$9_{18}^a$ $4t^2 - 10t + 13$ $40t^3 - 108t^2 + 193t - 220$ $-608t^8 + 8224t^7 - 51208t^6 + 201904t^5 - 570516t^4 + 1228920t^3 - 2087725t^2 + 2850858t - 3159722$	2 / ✗ 2 / ✗
	$9_{19}^a$ $2t^2 - 10t + 17$ $t^3 - 8t^2 + 20t - 24$ $62t^8 - 840t^7 + 4536t^6 - 10352t^5 - 7041t^4 + 116428t^3 - 372683t^2 + 688198t - 836608$	2 / ✗ 1 / ✗		$9_{20}^a$ $-t^3 + 5t^2 - 9t + 11$ $2t^5 - 16t^4 + 47t^3 - 84t^2 + 117t - 124$ $5t^{12} - 65t^{11} + 330t^{10} - 577t^9 - 2439t^8 + 21482t^7 - 86959t^6 + 247237t^5 - 548658t^4 + 993841t^3 - 1502637t^2 + 1918532t - 2080192$	3 / ✗ 2 / ✗
	$9_{21}^a$ $-2t^2 + 11t - 17$ $-5t^3 + 44t^2 - 127t + 164$ $38t^8 - 408t^7 + 493t^6 + 13802t^5 - 105014t^4 + 396685t^3 - 954552t^2 + 1583140t - 1868380$	2 / ✗ 1 / ✗		$9_{22}^a$ $t^3 - 5t^2 + 10t - 11$ $-t^5 + 8t^4 - 24t^3 + 38t^2 - 40t + 36$ $8t^{12} - 125t^{11} + 893t^{10} - 3824t^9 + 10605t^8 - 17902t^7 + 6990t^6 + 64299t^5 - 251573t^4 + 584313t^3 - 1012133t^2 + 1388650t - 1540398$	3 / ✗ 1 / ✗
	$9_{23}^a$ $4t^2 - 11t + 15$ $40t^3 - 128t^2 + 243t - 288$ $-608t^8 + 9184t^7 - 62698t^6 + 265980t^5 - 794496t^4 + 1781111t^3 - 3107204t^2 + 4307350t - 4797258$	2 / ✗ 2 / ✗		$9_{24}^a$ $-t^3 + 5t^2 - 10t + 13$ $-4t^2 + 16t - 20$ $9t^{12} - 145t^{11} + 1075t^{10} - 4850t^9 + 14600t^8 - 29112t^7 + 29921t^6 + 30667t^5 - 218916t^4 + 570933t^3 - 1029833t^2 + 1433476t - 1595654$	3 / ✗ 1 / ✗
	$9_{25}^a$ $-3t^2 + 12t - 17$ $12t^3 - 70t^2 + 153t - 188$ $174t^8 - 1200t^7 - 1027t^6 + 42696t^5 - 235512t^4 + 740956t^3 - 1585864t^2 + 2460360t - 2841166$	2 / ✗ 2 / ✗		$9_{26}^a$ $t^3 - 5t^2 + 11t - 13$ $-t^5 + 8t^4 - 31t^3 + 64t^2 - 85t + 92$ $8t^{12} - 125t^{11} + 900t^{10} - 3861t^9 + 10351t^8 - 14356t^7 - 12391t^6 + 132473t^5 - 427732t^4 + 939309t^3 - 1588046t^2 + 2154028t - 2381116$	3 / ✗ 1 / ✗
	$9_{27}^a$ $-t^3 + 5t^2 - 11t + 15$ $t^3 - 8t^2 + 24t - 32$ $9t^{12} - 145t^{11} + 1096t^{10} - 5115t^9 + 16088t^8 - 33784t^7 + 37362t^6 + 34075t^5 - 273854t^4 + 743153t^3 - 1374545t^2 + 1941332t - 2171344$	3 / ✓ 1 / ✗		$9_{28}^a$ $t^3 - 5t^2 + 12t - 15$ $t^5 - 8t^4 + 30t^3 - 68t^2 + 105t - 120$ $8t^{12} - 125t^{11} + 923t^{10} - 4138t^9 + 11800t^8 - 18092t^7 - 11101t^6 + 159415t^5 - 543916t^4 + 1228781t^3 - 2107809t^2 + 2877256t - 3186008$	3 / ✗ 1 / ✗
	$9_{29}^a$ $t^3 - 5t^2 + 12t - 15$ $t^5 - 8t^4 + 26t^3 - 48t^2 + 59t - 56$ $8t^{12} - 125t^{11} + 931t^{10} - 4290t^9 + 13096t^8 - 24848t^7 + 13335t^6 + 94047t^5 - 409576t^4 + 1010237t^3 - 1816557t^2 + 2543836t - 2840192$	3 / ✗ 2 / ✗		$9_{30}^a$ $-t^3 + 5t^2 - 12t + 17$ $2t^3 - 10t^2 + 25t - 32$ $9t^{12} - 145t^{11} + 1117t^{10} - 5376t^9 + 17533t^8 - 38170t^7 + 43292t^6 + 43619t^5 - 347397t^4 + 957881t^3 - 1794189t^2 + 2553442t - 2863228$	3 / ✗ 1 / ✗
	$9_{31}^a$ $t^3 - 5t^2 + 13t - 17$ $t^5 - 8t^4 + 33t^3 - 80t^2 + 132t - 152$ $8t^{12} - 125t^{11} + 938t^{10} - 4303t^9 + 12544t^8 - 19138t^7 - 17200t^6 + 204143t^5 - 703180t^4 + 1617365t^3 - 2818190t^2 + 3886636t - 4319004$	3 / ✗ 2 / ✗		$9_{32}^a$ $t^3 - 6t^2 + 14t - 17$ $-t^5 + 10t^4 - 42t^3 + 94t^2 - 133t + 148$ $8t^{12} - 150t^{11} + 1269t^{10} - 6297t^9 + 19455t^8 - 32720t^7 - 11156t^6 + 260282t^5 - 930836t^4 + 2153618t^3 - 3750358t^2 + 5165114t - 5736454$	3 / ✗ 2 / ✗
	$9_{33}^a$ $-t^3 + 6t^2 - 14t + 19$ $t^3 - 10t^2 + 30t - 40$ $9t^{12} - 174t^{11} + 1539t^{10} - 8207t^9 + 28913t^8 - 67184t^7 + 84077t^6 + 55866t^5 - 581640t^4 + 1664798t^3 - 3166838t^2 + 4539202t - 5100726$	3 / ✗ 1 / ✗		$9_{34}^a$ $-t^3 + 6t^2 - 16t + 23$ $3t^3 - 18t^2 + 43t - 56$ $9t^{12} - 174t^{11} + 1581t^{10} - 8831t^9 + 32988t^8 - 81774t^7 + 109631t^6 + 73248t^5 - 829341t^4 + 2480938t^3 - 4869197t^2 + 7112552t - 8043256$	3 / ✗ 1 / ✗
	$9_{35}^a$ $7t - 13$ $90t - 144$ $-6355t^4 + 58861t^3 - 224539t^2 + 470386t - 596734$	1 / ✗ 2, 3 / ✗		$9_{36}^a$ $-t^3 + 5t^2 - 8t + 9$ $-2t^5 + 16t^4 - 44t^3 + 66t^2 - 87t + 88$ $5t^{12} - 65t^{11} + 321t^{10} - 532t^9 - 2081t^8 + 17066t^7 - 64846t^6 + 175611t^5 - 376739t^4 + 668001t^3 - 998037t^2 + 1267342t - 1372104$	3 / ✗ 2 / ✗
	$9_{37}^a$ $2t^2 - 11t + 19$ $t^3 - 8t^2 + 22t - 28$ $62t^8 - 928t^7 + 5487t^6 - 13814t^5 - 6681t^4 + 154867t^3 - 520239t^2 + 983348t - 1204192$	2 / ✗ 2 / ✗		$9_{38}^a$ $5t^2 - 14t + 19$ $62t^3 - 204t^2 + 382t - 452$ $-1414t^8 + 22122t^7 - 153560t^6 + 657340t^5 - 1976110t^4 + 4454362t^3 - 7806448t^2 + 10855582t - 12103772$	2 / ✗ 2, 3 / ✗
	$9_{39}^a$ $-3t^2 + 14t - 21$ $-12t^3 + 84t^2 - 210t + 268$ $174t^8 - 1442t^7 - 690t^6 + 59068t^5 - 366222t^4 + 1247214t^3 - 2815796t^2 + 4505578t - 5255776$	2 / ✗ 1 / ✗		$9_{40}^a$ $t^3 - 7t^2 + 18t - 23$ $t^5 - 12t^4 + 57t^3 - 144t^2 + 229t - 264$ $8t^{12} - 175t^{11} + 1712t^{10} - 9738t^9 + 34250t^8 - 66108t^7 - 11148t^6 + 553509t^5 - 2149560t^4 + 5230963t^3 - 9406248t^2 + 13187800t - 14730526$	3 / ✗ 2 / ✗
	$9_{41}^a$ $3t^2 - 12t + 19$ $3t^3 - 20t^2 + 70t - 108$ $309t^8 - 3288t^7 + 13885t^6 - 20928t^5 - 55179t^4 + 378100t^3 - 1035810t^2 + 1787808t - 2129794$	2 / ✓ 2 / ✗		$9_{42}^a$ $-t^2 + 2t - 1$ $-t^3 + 2t^2 + t - 4$ $3t^8 - 14t^7 + 32t^6 - 96t^5 + 265t^4 - 294t^3 - 498t^2 + 2170t - 3128$	2 / ✗ 1 / ✗
	$9_{43}^a$ $-t^3 + 3t^2 - 2t + 1$ $-2t^5 + 8t^4 - 7t^3 + 2t^2 - 5t + 4$ $5t^{12} - 39t^{11} + 110t^{10} - 108t^9 - 115t^8 + 570t^7 - 1477t^6 + 3453t^5 - 6651t^4 + 10951t^3 - 17188t^2 + 24718t - 28462$	3 / ✗ 2 / ✗		$9_{44}^a$ $t^2 - 4t + 7$ $-2t^2 + 9t - 12$ $4t^8 - 48t^7 + 237t^6 - 496t^5 - 346t^4 + 4988t^3 - 15044t^2 + 26768t - 32126$	2 / ✗ 1 / ✗
	$9_{45}^a$ $-t^2 + 6t - 9$ $t^3 - 14t^2 + 47t - 60$ $3t^8 - 42t^7 + 78t^6 + 1376t^5 - 11135t^4 + 42574t^3 - 102522t^2 + 169806t - 200284$	2 / ✗ 1 / ✗		$9_{46}^a$ $5 - 2t$ $3t - 12$ $-2t^4 + 160t^3 - 1125t^2 + 3082t - 4222$	1 / ✓ 2 / ✗

knot diag	$n_k^t$ Alexander's $\omega^+$ $(\rho_1)^+$	genus / ribbon unknotting # / <b>amphi?</b>	knot diag	$n_k^t$ Alexander's $\omega^+$ $(\rho_1)^+$	genus / ribbon unknotting # / <b>amphi?</b>
	$9_{47}^a$ $t^3 - 4t^2 + 6t - 5$ $-t^5 + 6t^4 - 15t^3 + 16t^2 - 10t + 12$ $8r^{12} - 100r^{11} + 560r^{10} - 1841r^9 + 3847r^8 - 4710r^7 - 42r^6 + 17494r^5 - 55447r^4 + 117058r^3 - 193749r^2 + 261386r - 288924$	3 / <b>X</b> 2 / <b>X</b>		$9_{48}^a$ $-t^2 + 7t - 11$ $-t^3 + 12t^2 - 42t + 52$ $3r^8 - 49r^7 + 243r^6 + 267r^5 - 8051r^4 + 40499r^3 - 112167r^2 + 199850r - 241202$	2 / <b>X</b> 2 / <b>X</b>
	$9_{49}^a$ $3t^2 - 6t + 7$ $-21t^3 + 38t^2 - 61t + 60$ $-123r^8 + 1614r^7 - 8744r^6 + 29928r^5 - 75873r^4 + 152714r^3 - 250794r^2 + 338238r - 373944$	2 / <b>X</b> 3 / <b>X</b>		$10_1^a$ $9 - 4t$ $14t - 40$ $-24r^4 + 2136r^3 - 13430r^2 + 34860r - 47068$	1 / <b>X</b> 1 / <b>X</b>
	$10_2^a$ $-t^4 + 3t^3 - 3t^2 + 3t - 3$ $3t^7 - 12t^6 + 16t^5 - 20t^4 + 24t^3 - 24t^2 + 27t - 24$ $7r^{16} - 57r^{15} + 189r^{14} - 293r^{13} - 55r^{12} + 1628r^{11} - 5543r^{10} + 13266r^9 - 26589r^8 + 47468r^7 - 77415r^6 + 116549r^5 - 162911r^4 + 212325r^3 - 258413r^2 + 292580r - 305480$	4 / <b>X</b> 3 / <b>X</b>		$10_3^a$ $13 - 6t$ $11t - 28$ $870r^4 + 1288r^3 - 27795r^2 + 85718r - 120138$	1 / <b>✓</b> 2 / <b>X</b>
	$10_4^a$ $-3t^2 + 7t - 7$ $4r^3 - 8r^2 + t + 8$ $294r^8 - 1807r^7 + 4570r^6 - 4305r^5 - 9550r^4 + 49581r^3 - 117456r^2 + 189330r - 221294$	2 / <b>X</b> 2 / <b>X</b>		$10_5^a$ $t^4 - 3r^3 + 5t^2 - 5t + 5$ $-2r^7 + 8r^6 - 20r^5 + 28r^4 - 36r^3 + 36r^2 - 39t + 36$ $12r^{16} - 117r^{15} + 565r^{14} - 1757r^{13} + 3847r^{12} - 5960r^{11} + 5381r^{10} + 2968r^9 - 26625r^8 + 75008r^7 - 157415r^6 + 279173r^5 - 436999r^4 + 615297r^3 - 785328r^2 + 909916r - 955948$	4 / <b>X</b> 2 / <b>X</b>
	$10_6^a$ $-2r^3 + 6r^2 - 7t + 7$ $9r^5 - 36r^4 + 56r^3 - 72r^2 + 81t - 84$ $62r^{12} - 408r^{11} + 712r^{10} + 2280r^9 - 17493r^8 + 60652r^7 - 153492r^6 + 319048r^5 - 569584r^4 + 890397r^3 - 1228657r^2 + 1496150r - 1599330$	3 / <b>X</b> 3 / <b>X</b>		$10_7^a$ $-3r^2 + 11t - 15$ $14r^3 - 72r^2 + 135t - 160$ $114r^8 - 275r^7 - 5840r^6 + 51739r^5 - 222492r^4 + 626425r^3 - 1267348r^2 + 1914410r - 2193462$	2 / <b>X</b> 1 / <b>X</b>
	$10_8^a$ $-2r^3 + 5t^2 - 5t + 5$ $7t^5 - 20r^4 + 23r^3 - 28r^2 + 26t - 24$ $94r^{12} - 672r^{11} + 2115r^{10} - 3678r^9 + 2535r^8 + 6453r^7 - 30645r^6 + 78385r^5 - 154895r^4 + 256601r^3 - 367525r^2 + 458500r - 494524$	3 / <b>X</b> 2 / <b>X</b>		$10_9^a$ $-t^4 + 3r^3 - 5t^2 + 7t - 7$ $-t^7 + 4t^6 - 10r^5 + 20r^4 - 25r^3 + 28r^2 - 28t + 28$ $15r^{16} - 153r^{15} + 787r^{14} - 2727r^{13} + 7084r^{12} - 14404r^{11} + 22886r^{10} - 26134r^9 + 11540r^8 + 39332r^7 - 146866r^6 + 325115r^5 - 571077r^4 + 856941r^3 - 1131013r^2 + 1330668r - 1403980$	4 / <b>X</b> 1 / <b>X</b>
	$10_{10}^a$ $3r^2 - 11t + 17$ $-5r^3 + 24t^2 - 71t + 100$ $285r^8 - 2735r^7 + 10078r^6 - 9479r^5 - 6400r^4 + 327253r^3 - 827377r^2 + 1378130r - 1624314$	2 / <b>X</b> 1 / <b>X</b>		$10_{11}^a$ $-4r^2 + 11t - 13$ $16r^3 - 52t^2 + 68t - 72$ $736r^8 - 4672r^7 + 9634r^6 + 11132r^5 - 125367r^4 + 413121r^3 - 873095r^2 + 1336974r - 1536906$	2 / <b>X</b> 2, 3 / <b>X</b>
	$10_{12}^a$ $2r^3 - 6r^2 + 10t - 11$ $-5r^5 + 20r^4 - 50r^3 + 72r^2 - 89t + 92$ $118r^{12} - 1080r^{11} + 4748r^{10} - 12624r^9 + 19414r^8 - 2072r^7 - 88507r^6 + 320836r^5 - 750453r^4 + 1366922r^3 - 2053481r^2 + 2604638r - 2816934$	3 / <b>X</b> 2 / <b>X</b>		$10_{13}^a$ $2r^2 - 13r + 23$ $t^3 - 12r^2 + 51t - 84$ $62r^8 - 1088r^7 + 7367r^6 - 20586r^5 - 13356r^4 + 286509r^3 - 1005098r^2 + 1954280r - 2416160$	2 / <b>X</b> 2 / <b>X</b>
	$10_{14}^a$ $-2r^3 + 8r^2 - 12t + 13$ $9r^5 - 52r^4 + 119r^3 - 180r^2 + 225t - 236$ $62r^{12} - 584r^{11} + 1720r^{10} + 2816r^9 - 42848r^8 + 195040r^7 - 594177r^6 + 1407688r^5 - 2753604r^4 + 4575154r^3 - 6545078r^2 + 8106820r - 8706026$	3 / <b>X</b> 2 / <b>X</b>		$10_{15}^a$ $2r^3 - 6r^2 + 9t - 9$ $-3r^5 + 12r^4 - 24r^3 + 24r^2 - 17t + 12$ $134r^{12} - 1272r^{11} + 5792r^{10} - 16520r^9 + 31765r^8 - 37636r^7 + 2396r^6 + 120176r^5 - 371368r^4 + 752873r^3 - 1195043r^2 + 1560190r - 1702986$	3 / <b>X</b> 2 / <b>X</b>
	$10_{16}^a$ $-4r^2 + 12t - 15$ $-16r^3 + 56r^2 - 76t + 80$ $736r^8 - 5248r^7 + 12944r^6 + 6528r^5 - 14416r^4 + 522200r^3 - 1155370r^2 + 1809228r - 2093696$	2 / <b>X</b> 2 / <b>X</b>		$10_{17}^a$ $t^4 - 3r^3 + 5t^2 - 7t + 9$ $0$ $16r^{16} - 165r^{15} + 861r^{14} - 3043r^{13} + 8173r^{12} - 17514r^{11} + 30162r^{10} - 39958r^9 + 32666r^8 + 13998r^7 - 125081r^6 + 317743r^5 - 588481r^4 + 904569r^3 - 1207020r^2 + 1426556r - 1506972$	4 / <b>X</b> 1 / <b>✓</b>
	$10_{18}^a$ $-4r^2 + 14t - 19$ $16r^3 - 68r^2 + 121t - 140$ $736r^8 - 6240r^7 + 17736r^6 + 11088r^5 - 245648r^4 + 930168r^3 - 2109201r^2 + 3338706r - 3874682$	2 / <b>X</b> 1 / <b>X</b>		$10_{19}^a$ $2r^3 - 7t^2 + 11t - 11$ $3r^5 - 16r^4 + 35r^3 - 40r^2 + 30t - 24$ $134r^{12} - 1480r^{11} + 7641r^{10} - 24194r^9 + 50855r^8 - 66007r^7 + 12323r^6 + 201357r^5 - 665287r^4 + 1397797r^3 - 2271085r^2 + 3006128r - 3296368$	3 / <b>X</b> 2 / <b>X</b>
	$10_{20}^a$ $-3r^2 + 9t - 11$ $14r^3 - 56r^2 + 88t - 104$ $114r^8 - 153r^7 - 4783r^6 + 34425r^5 - 128711r^4 + 327435r^3 - 618704r^2 + 899066r - 1017366$	2 / <b>X</b> 2 / <b>X</b>		$10_{21}^a$ $-2r^3 + 7t^2 - 9t + 9$ $9r^5 - 44r^4 + 80r^3 - 104r^2 + 121t - 124$ $62r^{12} - 496r^{11} + 1203r^{10} + 2078r^9 - 24456r^8 + 97163r^7 - 267878r^6 + 592041r^5 - 1106738r^4 + 1789591r^3 - 2525732r^2 + 3113752r - 3341184$	3 / <b>X</b> 2 / <b>X</b>
	$10_{22}^a$ $-2r^3 + 6r^2 - 10t + 13$ $-r^5 + 4r^4 - 10r^3 + 24r^2 - 37t + 44$ $142r^{12} - 1368r^{11} + 6524r^{10} - 20120r^9 + 42790r^8 - 57928r^7 + 16919r^6 + 158700r^5 - 540707r^4 + 1130294r^3 - 1809643r^2 + 2363114r - 2577418$	3 / <b>✓</b> 2 / <b>X</b>		$10_{23}^a$ $2r^3 - 7t^2 + 13t - 15$ $-5r^5 + 24r^4 - 67r^3 + 108r^2 - 137t + 144$ $118r^{12} - 1272r^{11} + 6541r^{10} - 20402r^9 + 38443r^8 - 21945r^7 - 132442r^6 + 594335r^5 - 1530420r^4 + 2960363r^3 - 4622193r^2 + 5992048r - 6526360$	3 / <b>X</b> 1 / <b>X</b>
	$10_{24}^a$ $-4r^2 + 14t - 19$ $24r^3 - 116r^2 + 221t - 268$ $416r^8 - 1568r^7 - 13224r^6 + 136928r^5 - 604124r^4 + 1701008r^3 - 3414673r^2 + 5118714r - 5846946$	2 / <b>X</b> 2 / <b>X</b>		$10_{25}^a$ $-2r^3 + 8r^2 - 14t + 17$ $9r^5 - 52r^4 + 131r^3 - 232r^2 + 314t - 344$ $62r^{12} - 584r^{11} + 1856r^{10} + 2264r^9 - 47052r^8 + 241288r^7 - 809541r^6 + 2068016r^5 - 4270010r^4 + 7347930r^3 - 10723331r^2 + 13406206r - 14434208$	3 / <b>X</b> 2 / <b>X</b>
	$10_{26}^a$ $-2r^3 + 7t^2 - 13t + 17$ $-r^5 + 4r^4 - 10r^3 + 28r^2 - 49t + 60$ $142r^{12} - 1600r^{11} + 8823r^{10} - 31058r^9 + 74964r^8 - 117897r^7 + 67064r^6 + 255997r^5 - 1047600r^4 + 2360395r^3 - 3947888r^2 + 5281288r - 5805248$	3 / <b>X</b> 1 / <b>X</b>		$10_{27}^a$ $2r^3 - 8r^2 + 16t - 19$ $5r^5 - 28r^4 + 87r^3 - 164r^2 + 229t - 252$ $118r^{12} - 1464r^{11} + 8536r^{10} - 29792r^9 + 62096r^8 - 39696r^7 - 242195r^6 + 1151848r^5 - 3078140r^4 + 6098910r^3 - 9661940r^2 + 12621240r - 13779050$	3 / <b>X</b> 1 / <b>X</b>
	$10_{28}^a$ $4r^2 - 13t + 19$ $-8r^3 + 36r^2 - 100t + 136$ $928r^8 - 7872r^7 + 26174r^6 - 22588r^5 - 142295r^4 + 689113r^3 - 1676391r^2 + 2728998r - 3192146$	2 / <b>X</b> 2 / <b>X</b>		$10_{29}^a$ $t^3 - 7t^2 + 15t - 17$ $t^5 - 12r^4 + 52r^3 - 104r^2 + 124t - 128$ $8r^{12} - 175r^{11} + 1659r^{10} - 8913r^9 + 29252r^8 - 54292r^7 + 10686r^6 + 290989r^5 - 1126663r^4 + 2673211r^3 - 4723498r^2 + 6566572r - 7317656$	3 / <b>X</b> 2 / <b>X</b>
	$10_{30}^a$ $-4r^2 + 17t - 25$ $24r^3 - 148r^2 + 345t - 440$ $416r^8 - 2048r^7 - 17490r^6 + 219996r^5 - 1101894r^4 + 3396907r^3 - 7245510r^2 + 11243734r - 12988226$	2 / <b>X</b> 1 / <b>X</b>		$10_{31}^a$ $4r^2 - 14t + 21$ $-4r^2 + 9t - 12$ $992r^8 - 9440r^7 + 36936r^6 - 59136r^5 - 72624r^4 + 623304r^3 - 1691899r^2 + 2867550r - 3391374$	2 / <b>X</b> 1 / <b>X</b>
	$10_{32}^a$ $-2r^3 + 8r^2 - 15t + 19$ $t^5 - 4r^4 + 13r^3 - 40r^2 + 78t - 96$ $142r^{12} - 1832r^{11} + 11204r^{10} - 42688r^9 + 109909r^8 - 184384r^7 + 124831r^6 + 360782r^5 - 1615391r^4 + 3759585r^3 - 6404890r^2 + 8655360r - 9545252$	3 / <b>X</b> 1 / <b>X</b>		$10_{33}^a$ $4r^2 - 16t + 25$ $0$ $992r^8 - 10816r^7 + 47856r^6 - 88336r^5 - 84402r^4 + 920320r^3 - 2655340r^2 + 4640912r - 5542372$	2 / <b>X</b> 1 / <b>✓</b>



knot diag	$n_k^+$ Alexander's $\omega^+$ ( $\rho_1^+$ ) <sup>+</sup>	genus / ribbon unknotting # / amphi?	knot diag	$n_k^+$ Alexander's $\omega^+$ ( $\rho_1^+$ ) <sup>+</sup>	genus / ribbon unknotting # / amphi?
	$10_{34}^a$ $3t^2 - 9t + 13$ $-5t^3 + 20t^2 - 52t + 68$ $285t^8 - 2205t^7 + 6601t^6 - 3429t^5 - 43369t^4 + 185703t^3 - 431857t^2 + 687874t - 799218$	2 / ✗ 2 / ✗		$10_{35}^a$ $2t^2 - 12t + 21$ $-t^3 + 12t^2 - 47t + 76$ $62t^8 - 1000t^7 + 6244t^6 - 15744t^5 - 15707t^4 + 232680t^3 - 775840t^2 + 1474372t - 1810118$	2 / ✓ 2 / ✗
	$10_{36}^a$ $-3t^2 + 13t - 19$ $14t^3 - 88t^2 + 208t - 264$ $114t^8 - 397t^7 - 7597t^6 + 81141t^5 - 393441t^4 + 1198967t^3 - 2544952t^2 + 3941362t - 4550398$	2 / ✗ 2 / ✗		$10_{37}^a$ $4t^2 - 13t + 19$ 0 $992t^8 - 8736t^7 + 31914t^6 - 47212t^5 - 64499t^4 + 497921t^3 - 1308755t^2 + 2181630t - 2566522$	2 / ✗ 2 / ✓
	$10_{38}^a$ $-4t^2 + 15t - 21$ $24t^3 - 128t^2 + 270t - 336$ $416t^8 - 1632t^7 - 16122t^6 + 172460t^5 - 788845t^4 + 2280037t^3 - 4653713t^2 + 7038342t - 8061882$	2 / ✗ 2 / ✗		$10_{39}^a$ $-2t^3 + 8t^2 - 13t + 15$ $9t^5 - 52t^4 + 125t^3 - 204t^2 + 263t - 280$ $62t^{12} - 584t^{11} + 1788t^{10} + 2480t^9 - 44191t^8 + 213488t^7 - 683173t^6 + 1684054t^5 - 3393468t^4 + 5753447t^3 - 8330571t^2 + 10379080t - 11164828$	3 / ✗ 2 / ✗
	$10_{40}^a$ $2t^3 - 8t^2 + 17t - 21$ $-5t^5 + 28t^4 - 89t^3 + 176t^2 - 258t + 288$ $118t^{12} - 1464t^{11} + 8692t^{10} - 31256t^9 + 67987t^8 - 496247t^7 - 257955t^6 + 1301482t^5 - 3582545t^4 + 7240253t^3 - 11620382t^2 + 15292356t - 16735336$	3 / ✗ 2 / ✗		$10_{41}^a$ $t^3 - 7t^2 + 17t - 21$ $t^5 - 12t^4 + 54t^3 - 120t^2 + 157t - 164$ $8t^{12} - 175t^{11} + 1697t^{10} - 9543t^9 + 33561t^8 - 69114t^7 + 29117t^6 + 354127t^5 - 1527139t^4 + 3836499t^3 - 7019042t^2 + 9942516t - 11145016$	3 / ✗ 2 / ✗
	$10_{42}^a$ $-t^3 + 7t^2 - 19t + 27$ $2t^3 - 8t^2 + 11t - 12$ $9t^{12} - 203t^{11} + 2093t^{10} - 12971t^9 + 52885t^8 - 142268t^7 + 214987t^6 + 60931t^5 - 1368859t^4 + 4365895t^3 - 8815357t^2 + 13058404t - 14831092$	3 / ✓ 1 / ✗		$10_{43}^a$ $-t^3 + 7t^2 - 17t + 23$ 0 $9t^{12} - 203t^{11} + 2051t^{10} - 12253t^9 + 47594t^8 - 120962t^7 + 170450t^6 + 61017t^5 - 1045911t^4 + 3175271t^3 - 6209661t^2 + 9025932t - 10186676$	3 / ✗ 2 / ✓
	$10_{44}^a$ $t^3 - 7t^2 + 19t - 25$ $t^5 - 12t^4 + 56t^3 - 140t^2 + 220t - 248$ $8t^{12} - 175t^{11} + 1735t^{10} - 10157t^9 + 37586t^8 - 81160t^7 + 29232t^6 + 500937t^5 - 2197451t^4 + 5635115t^3 - 10448058t^2 + 14900236t - 16735696$	3 / ✗ 1 / ✗		$10_{45}^a$ $-t^3 + 7t^2 - 21t + 31$ 0 $9t^{12} - 203t^{11} + 2135t^{10} - 13689t^9 + 58324t^8 - 165246t^7 + 266640t^6 + 52413t^5 - 1738539t^4 + 5821367t^3 - 12123077t^2 + 18290148t - 20900556$	3 / ✗ 2 / ✓
	$10_{46}^a$ $-t^4 + 3t^3 - 4t^2 + 5t - 5$ $-3t^7 + 12t^6 - 21t^5 + 34t^4 - 43t^3 + 52t^2 - 55t + 56$ $7t^{16} - 57t^{15} + 204t^{14} - 382t^{13} + 69t^{12} + 2247t^{11} - 9674t^{10} + 27287t^9 - 61957t^8 + 121378t^7 - 211961t^6 + 335438t^5 - 485235t^4 + 644818t^3 - 789365t^2 + 891215t - 928064$	4 / ✗ 3 / ✗		$10_{47}^a$ $t^4 - 3t^3 + 6t^2 - 7t + 7$ $-2t^7 + 8t^6 - 23t^5 + 38t^4 - 56t^3 + 60t^2 - 68t + 64$ $12t^{16} - 117t^{15} + 598t^{14} - 2030t^{13} + 4959t^{12} - 8715t^{11} + 9312t^{10} + 2921t^9 - 44823t^8 + 139602t^7 - 312112t^6 + 579182t^5 - 936546t^4 + 1347538t^3 - 1741633t^2 + 2029805t - 2135930$	4 / ✗ 2, 3 / ✗
	$10_{48}^a$ $t^4 - 3t^3 + 6t^2 - 9t + 11$ $t^5 - 2t^4 + 2t^3 - 3t + 4$ $16t^{16} - 165t^{15} + 906t^{14} - 3452t^{13} + 10069t^{12} - 23423t^{11} + 43765t^{10} - 63343t^9 + 59588t^8 + 8232t^7 - 192505t^6 + 537134t^5 - 1048176t^4 + 1669528t^3 - 2281994t^2 + 2735109t - 2902594$	4 / ✓ 2 / ✗		$10_{49}^a$ $3t^3 - 8t^2 + 12t - 13$ $30t^3 - 94t^4 + 196t^3 - 292t^2 + 372t - 392$ $-177t^{12} + 3028t^{11} - 22080t^{10} + 101361t^9 - 341354t^8 + 914348t^7 - 2044469t^6 + 3931812t^5 - 6622778t^4 + 9874270t^3 - 13105110t^2 + 15522532t - 16422794$	3 / ✗ 3 / ✗
	$10_{50}^a$ $-2t^3 + 7t^2 - 11t + 13$ $-9t^5 + 44t^4 - 94t^3 + 150t^2 - 186t + 200$ $62t^{12} - 496t^{11} + 1283t^{10} + 2094t^9 - 29732t^8 + 134301t^7 - 412809t^6 + 990903t^5 - 1959941t^4 + 3278621t^3 - 4702408t^2 + 5824956t - 6253664$	3 / ✗ 2 / ✗		$10_{51}^a$ $2t^3 - 7t^2 + 15t - 19$ $-5t^5 + 24t^4 - 73t^3 + 134t^2 - 194t + 212$ $118t^{12} - 1272t^{11} + 6813t^{10} - 22602t^9 + 45771t^8 - 28275t^7 - 180411t^6 + 857569t^5 - 2306697t^4 + 4602641t^3 - 7332665t^2 + 9612128t - 10506256$	3 / ✗ 2, 3 / ✗
	$10_{52}^a$ $2t^3 - 7t^2 + 13t - 15$ $-3t^5 + 16t^4 - 37t^3 + 50t^2 - 49t + 44$ $134t^{12} - 1480t^{11} + 7961t^{10} - 27058t^9 + 62159t^8 - 88993t^7 + 22042t^6 + 296843t^5 - 1040240t^4 + 2254967t^3 - 3720017t^2 + 4952400t - 5437448$	3 / ✗ 2 / ✗		$10_{53}^a$ $6t^2 - 18t + 25$ $93t^3 - 346t^2 + 680t - 828$ $-3642t^8 + 58248t^7 - 417976t^6 + 1846212t^5 - 5694639t^4 + 13084936t^3 - 23231163t^2 + 32545278t - 36374532$	2 / ✗ 2, 3 / ✗
	$10_{54}^a$ $2t^3 - 6t^2 + 10t - 11$ $-3t^5 + 12t^4 - 24t^3 + 26t^2 - 21t + 16$ $134t^{12} - 1272t^{11} + 5964t^{10} - 17880t^9 + 36606t^8 - 46740t^7 + 6565t^6 + 150576t^5 - 487825t^4 + 1010638t^3 - 1619593t^2 + 2120978t - 2316318$	3 / ✗ 2, 3 / ✗		$10_{55}^a$ $5t^2 - 15t + 21$ $66t^3 - 246t^2 + 488t - 596$ $-1966t^8 + 30491t^7 - 215627t^6 + 945597t^5 - 2905831t^4 + 6662951t^3 - 11814712t^2 + 16540014t - 18481854$	2 / ✗ 2 / ✗
	$10_{56}^a$ $-2t^3 + 8t^2 - 14t + 17$ $-9t^5 + 52t^4 - 133t^3 + 234t^2 - 312t + 340$ $62t^{12} - 584t^{11} + 1800t^{10} + 2840t^9 - 49588t^8 + 247616t^7 - 819257t^6 + 2077408t^5 - 4277830t^4 + 7364010t^3 - 10765639t^2 + 13481990t - 14525656$	3 / ✗ 2 / ✗		$10_{57}^a$ $2t^3 - 8t^2 + 18t - 23$ $-5t^5 + 28t^4 - 93t^3 + 194t^2 - 300t + 340$ $118t^{12} - 1464t^{11} + 8808t^{10} - 32264t^9 + 71276t^8 - 49320t^7 - 305843t^6 + 1537376t^5 - 4286854t^4 + 8774390t^3 - 14221383t^2 + 18829374t - 20648444$	3 / ✗ 2 / ✗
	$10_{58}^a$ $3t^2 - 16t + 27$ $3t^3 - 28t^2 + 94t - 140$ $309t^8 - 4384t^7 + 24039t^6 - 49896t^5 - 90763t^4 + 864784t^3 - 2647834t^2 + 4837480t - 5867454$	2 / ✗ 2 / ✗		$10_{59}^a$ $t^3 - 7t^2 + 18t - 23$ $-t^5 + 12t^4 - 55t^3 + 128t^2 - 181t + 196$ $8t^{12} - 175t^{11} + 1716t^{10} - 9858t^9 + 35706t^8 - 76124t^7 + 33704t^6 + 412653t^5 - 1824096t^4 + 4655939t^3 - 8596644t^2 + 12230816t - 13727286$	3 / ✗ 1 / ✗
	$10_{60}^a$ $-t^3 + 7t^2 - 20t + 29$ $5t^3 - 40t^2 + 122t - 176$ $9t^{12} - 203t^{11} + 2114t^{10} - 13338t^9 + 55732t^8 - 154496t^7 + 241898t^6 + 66137t^5 - 1621594t^4 + 5326603t^3 - 10989858t^2 + 16499428t - 18824860$	3 / ✗ 1 / ✗		$10_{61}^a$ $-2t^3 + 5t^2 - 6t + 7$ $-7t^5 + 20t^4 - 27t^3 + 36t^2 - 35t + 36$ $94t^{12} - 672t^{11} + 2231t^{10} - 4382t^9 + 4108t^8 + 6320t^7 - 40187t^6 + 113296t^5 - 235714t^4 + 400470t^3 - 576529t^2 + 714816t - 767686$	3 / ✗ 2, 3 / ✗
	$10_{62}^a$ $t^4 - 3t^3 + 6t^2 - 8t + 9$ $-2t^7 + 8t^6 - 23t^5 + 40t^4 - 63t^3 + 76t^2 - 89t + 88$ $12t^{16} - 117t^{15} + 598t^{14} - 2057t^{13} + 5172t^{12} - 9509t^{11} + 10856t^{10} + 2734t^9 - 54502t^8 + 178917t^7 - 414312t^6 + 786766t^5 - 1289208t^4 + 1865866t^3 - 2414454t^2 + 2812025t - 2957594$	4 / ✗ 2 / ✗		$10_{63}^a$ $5t^2 - 14t + 19$ $66t^3 - 220t^2 + 416t - 496$ $-1966t^8 + 28318t^7 - 188080t^6 + 783388t^5 - 2311570t^4 + 5141906t^3 - 8929148t^2 + 12349082t - 13743884$	2 / ✗ 2 / ✗
	$10_{64}^a$ $-t^4 + 3t^3 - 6t^2 + 10t - 11$ $-t^7 + 4t^6 - 11t^5 + 24t^4 - 37t^3 + 52t^2 - 60t + 64$ $15t^{16} - 153t^{15} + 830t^{14} - 3147t^{13} + 9133t^{12} - 20983t^{11} + 37963t^{10} - 50164t^9 + 30642t^8 + 68741t^7 - 310036t^6 + 745430t^5 - 1381735t^4 + 2150560t^3 - 2906317t^2 + 3464829t - 3671204$	4 / ✗ 2 / ✗		$10_{65}^a$ $2t^3 - 7t^2 + 14t - 17$ $-5t^5 + 24t^4 - 71t^3 + 124t^2 - 169t + 180$ $118t^{12} - 1272t^{11} + 6657t^{10} - 21282t^9 + 40874t^8 - 20768t^7 - 166691t^6 + 742216t^5 - 1933704t^4 + 3781794t^3 - 5950947t^2 + 7749120t - 8452246$	3 / ✗ 2 / ✗
	$10_{66}^a$ $3t^3 - 9t^2 + 16t - 19$ $30t^5 - 112t^4 + 279t^3 - 480t^2 + 662t - 724$ $-177t^{12} + 3321t^{11} - 27536t^{10} + 145346t^9 - 561614t^8 + 1706788t^7 - 4256134t^6 + 8946173t^5 - 16135424t^4 + 25271935t^3 - 34647456t^2 + 41790680t - 44471832$	3 / ✗ 3 / ✗		$10_{67}^a$ $-4t^2 + 16t - 23$ $24t^3 - 140t^2 + 312t - 392$ $416t^8 - 1696t^7 - 18592t^6 + 205384t^5 - 971474t^4 + 2884880t^3 - 6004484t^2 + 9188872t - 10566612$	2 / ✗ 2 / ✗

knot diag	$n_k^+$ Alexander's $\omega^+$ $(\rho_1^+)^+$	genus / ribbon unknotting # / amphi?	knot diag	$n_k^+$ Alexander's $\omega^+$ $(\rho_2^+)^+$	genus / ribbon unknotting # / amphi?
	$10_{68}^a$ $4t^2 - 14t + 21$ $8t^3 - 40t^2 + 117t - 164$ $928t^8 - 8448t^7 + 29784t^6 - 26736t^5 - 178984t^4 + 891736t^3 - 2217147t^2 + 3657390t - 4297054$	2 / ✗ 2 / ✗		$10_{69}^a$ $t^3 - 7t^2 + 21t - 29$ $-t^5 + 12t^4 - 68t^3 + 212t^2 - 397t + 476$ $8t^{12} - 175t^{11} + 1753t^{10} - 10339t^9 + 37435t^8 - 68174t^7 - 78997t^6 + 1015635t^5 - 3880779t^4 + 9697491t^3 - 17937826t^2 + 25646300t - 28844672$	3 / ✗ 2 / ✗
	$10_{70}^a$ $t^3 - 7t^2 + 16t - 19$ $-t^5 + 12t^4 - 53t^3 + 114t^2 - 146t + 152$ $8t^{12} - 175t^{11} + 1678t^{10} - 9220t^9 + 31251t^8 - 60450t^7 + 14335t^6 + 337593t^5 - 1351773t^4 + 3275803t^3 - 5864336t^2 + 8208654t - 9166724$	3 / ✗ 2 / ✗		$10_{71}^a$ $-t^3 + 7t^2 - 18t + 25$ $t^3 - 2t^2 - t + 4$ $9t^{12} - 203t^{11} + 2072t^{10} - 12608t^9 + 50167t^8 - 131082t^7 + 190655t^6 + 64937t^5 - 120691t^4 + 3745659t^3 - 7436102t^2 + 10906778t - 12346734$	3 / ✗ 1 / ✗
	$10_{72}^a$ $-2t^3 + 9t^2 - 16t + 19$ $-9t^5 + 60t^4 - 167t^3 + 298t^2 - 410t + 448$ $62t^{12} - 672t^{11} + 2407t^{10} + 2846t^9 - 67046t^8 + 358714t^7 - 1237440t^6 + 3225136t^5 - 6760702t^4 + 11767984t^3 - 17315777t^2 + 21757146t - 23465324$	3 / ✗ 2 / ✗		$10_{73}^a$ $t^3 - 7t^2 + 20t - 27$ $t^5 - 12t^4 + 65t^3 - 194t^2 + 350t - 416$ $8t^{12} - 175t^{11} + 1738t^{10} - 10112t^9 + 36117t^8 - 66038t^7 - 61235t^6 + 869449t^5 - 3296603t^4 + 8133803t^3 - 14880880t^2 + 21122890t - 23697928$	3 / ✗ 1 / ✗
	$10_{74}^a$ $-4t^2 + 16t - 23$ $24t^3 - 136t^2 + 290t - 360$ $416t^8 - 1984t^7 - 14448t^6 + 178832t^5 - 870542t^4 + 2626104t^3 - 5521764t^2 + 8500760t - 9794748$	2 / ✗ 2 / ✗		$10_{75}^a$ $-t^3 + 7t^2 - 19t + 27$ $-4t^3 + 36t^2 - 117t + 172$ $9t^{12} - 203t^{11} + 2093t^{10} - 12979t^9 + 53085t^8 - 144060t^7 + 222795t^6 + 45939t^5 - 1382507t^4 + 4528919t^3 - 9302365t^2 + 13926940t - 15875332$	3 / ✓ 2 / ✗
	$10_{76}^a$ $-2t^3 + 7t^2 - 12t + 15$ $-9t^5 + 44t^4 - 104t^3 + 184t^2 - 245t + 272$ $62t^{12} - 496t^{11} + 1263t^{10} + 2926t^9 - 37611t^8 + 174774t^7 - 553794t^6 + 1359740t^5 - 2727505t^4 + 4595668t^3 - 6610039t^2 + 8193314t - 8796596$	3 / ✗ 2, 3 / ✗		$10_{77}^a$ $2t^3 - 7t^2 + 14t - 17$ $-5t^5 + 24t^4 - 71t^3 + 132t^2 - 189t + 208$ $118t^{12} - 1272t^{11} + 6657t^{10} - 21170t^9 + 39602t^8 - 13480t^7 - 193563t^6 + 812568t^5 - 2072452t^4 + 3997538t^3 - 6227879t^2 + 8058912t - 8771174$	3 / ✗ 2, 3 / ✗
	$10_{78}^a$ $-t^3 + 7t^2 - 16t + 21$ $2t^5 - 24t^4 + 105t^3 - 244t^2 + 390t - 448$ $5t^{12} - 91t^{11} + 626t^{10} - 1310t^9 - 9682t^8 + 98268t^7 - 472808t^6 + 1558897t^5 - 3892200t^4 + 7699107t^3 - 12365278t^2 + 16351352t - 17933784$	3 / ✗ 2 / ✗		$10_{79}^a$ $t^4 - 3t^3 + 7t^2 - 12t + 15$ $0$ $16t^{16} - 165t^{15} + 951t^{14} - 3892t^{13} + 12327t^{12} - 31301t^{11} + 64047t^{10} - 102088t^9 + 108942t^8 - 5172t^7 - 328635t^6 + 1013644t^5 - 2099318t^4 + 3486798t^3 - 4904824t^2 + 5979109t - 6380898$	4 / ✗ 2, 3 / ✓
	$10_{80}^a$ $3t^3 - 9t^2 + 15t - 17$ $30t^5 - 112t^4 + 260t^3 - 426t^2 + 568t - 616$ $-177t^{12} + 3321t^{11} - 26919t^{10} + 137419t^9 - 511788t^8 + 1500906t^7 - 3625608t^6 + 7420093t^5 - 13101785t^4 + 20196767t^3 - 27388655t^2 + 32826444t - 34860060$	3 / ✗ 3 / ✗		$10_{81}^a$ $-t^3 + 8t^2 - 20t + 27$ $0$ $9t^{12} - 232t^{11} + 2632t^{10} - 17347t^9 + 73146t^8 - 199476t^7 + 303717t^6 + 63516t^5 - 1783222t^4 + 5636674t^3 - 11239918t^2 + 16501092t - 18681194$	3 / ✗ 2 / ✓
	$10_{82}^a$ $-t^4 + 4t^3 - 8t^2 + 12t - 13$ $t^7 - 6t^6 + 19t^5 - 42t^4 + 64t^3 - 78t^2 + 84t - 84$ $15t^{16} - 204t^{15} + 1362t^{14} - 5956t^{13} + 19067t^{12} - 46940t^{11} + 89646t^{10} - 125984t^9 + 94379t^8 + 118488t^7 - 663600t^6 + 1675944t^5 - 3187626t^4 + 5046508t^3 - 6899632t^2 + 8282752t - 8796438$	4 / ✗ 1 / ✗		$10_{83}^a$ $2t^3 - 9t^2 + 19t - 23$ $-5t^5 + 34t^4 - 110t^3 + 214t^2 - 301t + 332$ $118t^{12} - 1632t^{11} + 10501t^{10} - 40166t^9 + 92154t^8 - 74661t^7 - 344938t^6 + 1829049t^5 - 5155786t^4 + 10589003t^3 - 17184002t^2 + 22763416t - 24966116$	3 / ✗ 2 / ✗
	$10_{84}^a$ $2t^3 - 9t^2 + 20t - 25$ $-5t^5 + 34t^4 - 116t^3 + 246t^2 - 373t + 424$ $118t^{12} - 1632t^{11} + 10601t^{10} - 40970t^9 + 93361t^8 - 60130t^7 - 457712t^6 + 2276184t^5 - 6379977t^4 + 13131088t^3 - 21370125t^2 + 28363542t - 31128704$	3 / ✗ 1 / ✗		$10_{85}^a$ $t^4 - 4t^3 + 8t^2 - 10t + 11$ $2t^7 - 12t^6 + 36t^5 - 68t^4 + 101t^3 - 124t^2 + 138t - 140$ $12t^{16} - 156t^{15} + 986t^{14} - 3982t^{13} + 11319t^{12} - 23042t^{11} + 29987t^{10} - 3098t^9 - 116460t^8 + 418314t^7 - 1005425t^6 + 1953048t^5 - 3252398t^4 + 4764776t^3 - 6220611t^2 + 7285042t - 7676632$	4 / ✗ 2 / ✗
	$10_{86}^a$ $-2t^3 + 9t^2 - 19t + 25$ $-t^5 + 6t^4 - 21t^3 + 58t^2 - 105t + 128$ $142t^{12} - 2056t^{11} + 14135t^{10} - 60346t^9 + 173073t^8 - 322457t^7 + 256132t^6 + 640839t^5 - 3192178t^4 + 7806511t^3 - 13712731t^2 + 18852080t - 20906284$	3 / ✗ 2 / ✗		$10_{87}^a$ $-2t^3 + 9t^2 - 18t + 23$ $-t^5 + 6t^4 - 23t^3 + 66t^2 - 125t + 152$ $142t^{12} - 2056t^{11} + 13955t^{10} - 58318t^9 + 162798t^8 - 293228t^7 + 214867t^6 + 612960t^5 - 2882460t^4 + 6902570t^3 - 11979669t^2 + 16361444t - 18106010$	3 / ✓ 2 / ✗
	$10_{88}^a$ $0$ $9t^{12} - 232t^{11} + 2716t^{10} - 18955t^9 + 86300t^8 - 257664t^7 + 436281t^6 + 55760t^5 - 2823656t^4 + 9657962t^3 - 20306480t^2 + 30775472t - 35215022$	3 / ✗ 1 / ✓		$10_{89}^a$ $t^3 - 8t^2 + 24t - 33$ $t^5 - 14t^4 + 83t^3 - 264t^2 + 495t - 596$ $8t^{12} - 200t^{11} + 2236t^{10} - 14461t^9 + 56992t^8 - 117072t^7 - 76152t^6 + 1508604t^5 - 6093936t^4 + 15620030t^3 - 29286604t^2 + 42155400t - 47509694$	3 / ✗ 2 / ✗
	$10_{90}^a$ $-2t^3 + 8t^2 - 17t + 23$ $-t^5 + 6t^4 - 21t^3 + 54t^2 - 93t + 112$ $142t^{12} - 1824t^{11} + 11452t^{10} - 45568t^9 + 123153t^8 - 214976t^7 + 138515t^6 + 523918t^5 - 2309034t^4 + 5458443t^3 - 9432309t^2 + 12861496t - 14226804$	3 / ✗ 2 / ✗		$10_{91}^a$ $t^4 - 4t^3 + 9t^2 - 14t + 17$ $t^5 - 2t^4 + 2t^3 - 3t + 4$ $16t^{16} - 220t^{15} + 1535t^{14} - 7166t^{13} + 24885t^{12} - 67476t^{11} + 145070t^{10} - 242014t^9 + 278753t^8 - 78212t^7 - 624329t^6 + 2091910t^5 - 4424108t^4 + 7397630t^3 - 10425418t^2 + 12711814t - 13565348$	4 / ✗ 1 / ✗
	$10_{92}^a$ $-2t^3 + 10t^2 - 20t + 25$ $-9t^5 + 68t^4 - 216t^3 + 428t^2 - 622t + 696$ $62t^{12} - 760t^{11} + 3228t^{10} + 1776t^9 - 90686t^8 + 555772t^7 - 2114169t^6 + 5951964t^5 - 13251159t^4 + 24127850t^3 - 36624016t^2 + 46862460t - 50844652$	3 / ✗ 2 / ✗		$10_{93}^a$ $2t^3 - 8t^2 + 15t - 17$ $3t^5 - 18t^4 + 43t^3 - 58t^2 + 55t - 48$ $134t^{12} - 1696t^{11} + 10180t^{10} - 37880t^9 + 94183t^8 - 147272t^7 + 62729t^6 + 424866t^5 - 1618596t^4 + 3616743t^3 - 6059793t^2 + 8130868t - 8948936$	3 / ✗ 2 / ✗
	$10_{94}^a$ $-t^4 + 4t^3 - 9t^2 + 14t - 15$ $-t^7 + 6t^6 - 20t^5 + 46t^4 - 76t^3 + 102t^2 - 115t + 120$ $15t^{16} - 204t^{15} + 1405t^{14} - 6454t^{13} + 21907t^{12} - 57432t^{11} + 117080t^{10} - 176754t^9 + 150405t^8 + 135972t^7 - 928717t^6 + 2460642t^5 - 4804019t^4 + 7729462t^3 - 10672990t^2 + 12881566t - 13703760$	4 / ✗ 2 / ✗		$10_{95}^a$ $2t^3 - 9t^2 + 21t - 27$ $-5t^5 + 32t^4 - 114t^3 + 248t^2 - 384t + 436$ $118t^{12} - 1656t^{11} + 11045t^{10} - 44462t^9 + 109118t^8 - 104035t^7 - 391583t^6 + 2298083t^5 - 680471t^4 + 14456709t^3 - 24008082t^2 + 32236696t - 35514492$	3 / ✗ 1 / ✗
	$10_{96}^a$ $-t^3 + 7t^2 - 22t + 33$ $-7t^3 + 50t^2 - 147t + 212$ $9t^{12} - 203t^{11} + 2156t^{10} - 14060t^9 + 61189t^8 - 177034t^7 + 287437t^6 + 96689t^5 - 2149699t^4 + 7231587t^3 - 15228082t^2 + 23163354t - 26546674$	3 / ✗ 2 / ✗		$10_{97}^a$ $-5t^2 + 22t - 33$ $-37t^3 + 242t^2 - 603t + 788$ $106t^{18} - 5486t^{17} - 47090t^{16} + 615064t^{15} - 3157165t^{14} + 9904926t^{13} - 21376446t^{12} + 33395786t^{11} - 38661308t^{10}$	2 / ✗ 2 / ✗
	$10_{98}^a$ $-2t^3 + 9t^2 - 18t + 23$ $9t^5 - 60t^4 + 177t^3 - 348t^2 + 501t - 564$ $62t^{12} - 672t^{11} + 2575t^{10} + 1666t^9 - 67602t^8 + 398948t^7 - 1483813t^6 + 4115776t^5 - 9069800t^4 + 16396378t^3 - 24767965t^2 + 31602148t - 34255402$	3 / ✗ 2 / ✗		$10_{99}^a$ $t^4 - 4t^3 + 10t^2 - 16t + 19$ $0$ $16t^{16} - 220t^{15} + 1580t^{14} - 7688t^{13} + 27976t^{12} - 79612t^{11} + 179656t^{10} - 315060t^9 + 386272t^8 - 148160t^7 - 792172t^6 + 2854748t^5 - 6237824t^4 + 10649644t^3 - 15214156t^2 + 18696608t - 20003232$	4 / ✓ 2 / ✓
	$10_{100}^a$ $t^4 - 4t^3 + 9t^2 - 12t + 13$ $2t^7 - 12t^6 + 39t^5 - 80t^4 + 128t^3 - 164t^2 + 192t - 196$ $12t^{16} - 156t^{15} + 1019t^{14} - 4340t^{13} + 13189t^{12} - 29012t^{11} + 41715t^{10} - 11232t^9 - 153611t^8 + 603116t^7 - 1520513t^6 + 3049452t^5 - 5190414t^4 + 7715304t^3 - 10164234t^2 + 11961684t - 12623974$	4 / ✗ 2, 3 / ✗		$10_{101}^a$ $7t^2 - 21t + 29$ $-129t^3 + 480t^2 - 942t + 1148$ $-7453t^8 + 115979t^7 - 819947t^6 + 3586847t^5 - 10987573t^4 + 25120359t^3 - 44443695t^2 + 62133778t - 69396618$	2 / ✗ 2, 3 / ✗



knot diag	$n_k^+$ Alexander's $\omega^+$ ( $\rho_1^+$ ) <sup>+</sup>	genus / ribbon unknotting # / amphi?	knot diag	$n_k^+$ Alexander's $\omega^+$ ( $\rho_2^+$ ) <sup>+</sup>	genus / ribbon unknotting # / amphi?
	$10_{102}^a$ $-2t^3 + 8t^2 - 16t + 21$ $-t^5 + 6t^4 - 19t^3 + 50t^2 - 89t + 108$ $142t^{12} - 1824t^{11} + 11296t^{10} - 44000t^9 + 115984t^8 - 197200t^7 + 123203t^6 + 462512t^5 - 1996064t^4 + 4649298t^3 - 7951840t^2 + 10777160t - 11897326$	3 / ✗ 1 / ✗		$10_{103}^a$ $2t^3 - 8t^2 + 17t - 21$ $5t^5 - 30t^4 + 93t^3 - 178t^2 + 254t - 280$ $118t^{12} - 1440t^{11} + 8404t^{10} - 29584t^9 + 61863t^8 - 33736t^7 - 289763t^6 + 1355186t^5 - 3666373t^4 + 7367413t^3 - 11802974t^2 + 15525908t - 16990056$	3 / ✗ 3 / ✗
	$10_{104}^a$ $t^4 - 4t^3 + 9t^2 - 15t + 19$ $t^5 - 2t^4 + 2t^3 - 3t + 4$ $16t^{16} - 220t^{15} + 1535t^{14} - 7197t^{13} + 25227t^{12} - 69332t^{11} + 151513t^{10} - 257279t^9 + 301366t^8 - 83393t^7 - 710402t^6 + 2409469t^5 - 5162297t^4 + 8726478t^3 - 12397663t^2 + 15191203t - 16238052$	4 / ✗ 1 / ✗		$10_{105}^a$ $t^3 - 8t^2 + 22t - 29$ $-t^5 + 14t^4 - 71t^3 + 184t^2 - 292t + 332$ $8t^{12} - 200t^{11} + 2218t^{10} - 14261t^9 + 57123t^8 - 132986t^7 + 65302t^6 + 805306t^5 - 3722841t^4 + 9784430t^3 - 18400587t^2 + 26441286t - 29769592$	3 / ✗ 2 / ✗
	$10_{106}^a$ $-t^4 + 4t^3 - 9t^2 + 15t - 17$ $-t^7 + 6t^6 - 20t^5 + 48t^4 - 82t^3 + 114t^2 - 134t + 140$ $15t^{16} - 204t^{15} + 1405t^{14} - 6481t^{13} + 22197t^{12} - 58948t^{11} + 122017t^{10} - 186937t^9 + 159252t^8 + 161653t^7 - 1073190t^6 + 2872671t^5 - 5674479t^4 + 9221494t^3 - 12827310t^2 + 15551003t - 16568312$	4 / ✗ 2 / ✗		$10_{107}^a$ $-t^3 + 8t^2 - 22t + 31$ $2t^5 - 8t^2 + 13t - 16$ $9t^{12} - 232t^{11} + 2674t^{10} - 18155t^9 + 79705t^8 - 227986t^7 + 366663t^6 + 65430t^5 - 2285283t^4 + 7518398t^3 - 15408513t^2 + 22997470t - 26180364$	3 / ✗ 1 / ✗
	$10_{108}^a$ $2t^3 - 8t^2 + 14t - 15$ $-3t^5 + 18t^4 - 41t^3 + 50t^2 - 40t + 32$ $134t^{12} - 1696t^{11} + 10032t^{10} - 36416t^9 + 87916t^8 - 133860t^7 + 58617t^6 + 353392t^5 - 1337642t^4 + 2961006t^3 - 4930449t^2 + 6594854t - 7251776$	3 / ✗ 2 / ✗		$10_{109}^a$ $t^4 - 4t^3 + 10t^2 - 17t + 21$ 0 $16t^{16} - 220t^{15} + 1580t^{14} - 7719t^{13} + 28318t^{12} - 81525t^{11} + 186591t^{10} - 332351t^9 + 413696t^8 - 158284t^7 - 889129t^6 + 3239371t^5 - 7165411t^4 + 12361738t^3 - 17799197t^2 + 21979657t - 23554274$	4 / ✗ 2 / ✓
	$10_{110}^a$ $t^3 - 8t^2 + 20t - 25$ $t^5 - 14t^4 + 69t^3 - 160t^2 + 219t - 236$ $8t^{12} - 200t^{11} + 2180t^{10} - 13569t^9 + 52114t^8 - 116472t^7 + 61616t^6 + 604668t^5 - 2747906t^4 + 7072274t^3 - 13103918t^2 + 18672836t - 20967250$	3 / ✗ 2 / ✗		$10_{111}^a$ $-2t^3 + 9t^2 - 17t + 21$ $-9t^5 + 60t^4 - 171t^3 + 316t^2 - 436t + 480$ $62t^{12} - 672t^{11} + 2507t^{10} + 1894t^9 - 64067t^8 + 361705t^7 - 1299145t^6 + 3506889t^5 - 7575591t^4 + 13510069t^3 - 20234835t^2 + 25700228t - 27818092$	3 / ✗ 2 / ✗
	$10_{112}^a$ $-t^4 + 5t^3 - 11t^2 + 17t - 19$ $t^7 - 8t^6 + 29t^5 - 68t^4 + 115t^3 - 152t^2 + 175t - 180$ $15t^{16} - 255t^{15} + 2068t^{14} - 10699t^{13} + 39650t^{12} - 111160t^{11} + 239401t^{10} - 381338t^9 + 357595t^8 + 215240t^7 - 1900590t^6 + 5252099t^5 - 10470652t^4 + 17062683t^3 - 23747257t^2 + 28786648t - 30666904$	4 / ✗ 2 / ✗		$10_{113}^a$ $2t^3 - 11t^2 + 26t - 33$ $-5t^5 + 42t^4 - 167t^3 + 394t^2 - 623t + 720$ $118t^{12} - 2016t^{11} + 1568t^{10} - 71126t^9 + 190712t^8 - 187416t^7 - 827053t^6 + 4935892t^5 - 14986146t^4 + 32456282t^3 - 54606535t^2 + 73872380t - 81581546$	3 / ✗ 1 / ✗
	$10_{114}^a$ $-2t^3 + 10t^2 - 21t + 27$ $t^5 - 8t^4 + 30t^3 - 78t^2 + 140t - 168$ $142t^{12} - 2280t^{11} + 16976t^{10} - 76976t^9 + 230999t^8 - 445876t^7 + 369450t^6 + 890044t^5 - 4554487t^4 + 11256519t^3 - 19890736t^2 + 27431686t - 30450926$	3 / ✗ 1 / ✗		$10_{115}^a$ $-t^3 + 9t^2 - 26t + 37$ 0 $9t^{12} - 261t^{11} + 3345t^{10} - 24942t^9 + 118870t^8 - 365932t^7 + 636497t^6 + 31527t^5 - 3907730t^4 + 13472649t^3 - 28298039t^2 + 42798944t - 48929878$	3 / ✗ 2 / ✓
	$10_{116}^a$ $-t^4 + 5t^3 - 12t^2 + 19t - 21$ $t^7 - 8t^6 + 30t^5 - 74t^4 + 132t^3 - 184t^2 + 217t - 228$ $15t^{16} - 255t^{15} + 2111t^{14} - 11302t^{13} + 43668t^{12} - 128023t^{11} + 288575t^{10} - 482307t^9 + 485985t^8 + 215018t^7 - 2416711t^6 + 6942030t^5 - 14142246t^4 + 23374622t^3 - 32832655t^2 + 40008697t - 42694444$	4 / ✗ 2 / ✗		$10_{117}^a$ $2t^3 - 10t^2 + 24t - 31$ $-5t^5 + 38t^4 - 144t^3 + 330t^2 - 522t + 600$ $118t^{12} - 1824t^{11} + 13156t^{10} - 56312t^9 + 143746t^8 - 128212t^7 - 648731t^6 + 3701012t^5 - 11080717t^4 + 23844230t^3 - 39994730t^2 + 54033352t - 59650184$	3 / ✗ 2 / ✗
	$10_{118}^a$ $t^4 - 5t^3 + 12t^2 - 19t + 23$ 0 $16t^{16} - 275t^{15} + 2305t^{14} - 12526t^{13} + 49379t^{12} - 149077t^{11} + 352067t^{10} - 641987t^9 + 825146t^8 - 399494t^7 - 1458086t^6 + 5641784t^5 - 12589879t^4 + 21712756t^3 - 31187934t^2 + 38432195t - 41152780$	4 / ✗ 1 / ✓		$10_{119}^a$ $-2t^3 + 10t^2 - 23t + 31$ $-t^5 + 6t^4 - 26t^3 + 86t^2 - 175t + 220$ $142t^{12} - 2288t^{11} + 17392t^{10} - 81560t^9 + 255719t^8 - 521820t^7 + 483354t^6 + 990524t^5 - 5618050t^4 + 14499405t^3 - 26339835t^2 + 36916418t - 41198798$	3 / ✗ 1 / ✗
	$10_{120}^a$ $8t^2 - 26t + 37$ $166t^3 - 692t^2 + 1433t - 1788$ $-11768t^8 + 201320t^7 - 1541132t^6 + 7193960t^5 - 23193562t^4 + 55098408t^3 - 100101157t^2 + 142136186t - 159564534$	2 / ✗ 2, 3 / ✗		$10_{121}^a$ $2t^3 - 11t^2 + 27t - 35$ $5t^5 - 42t^4 + 167t^3 - 396t^2 + 634t - 732$ $118t^{12} - 2016t^{11} + 15853t^{10} - 73450t^9 + 204605t^8 - 232351t^7 - 764251t^6 + 5054205t^5 - 15890853t^4 + 35160633t^3 - 59996079t^2 + 81831748t - 90616328$	3 / ✗ 2 / ✗
	$10_{122}^a$ $-2t^3 + 11t^2 - 24t + 31$ $-t^5 + 8t^4 - 34t^3 + 104t^2 - 211t + 264$ $142t^{12} - 2512t^{11} + 20355t^{10} - 99362t^9 + 318535t^8 - 657014t^7 + 617040t^6 + 1199636t^5 - 6869579t^4 + 17663208t^3 - 31953091t^2 + 44656222t - 49787168$	3 / ✗ 2 / ✗		$10_{123}^a$ $t^4 - 6t^3 + 15t^2 - 24t + 29$ 0 $16t^{16} - 330t^{15} + 3216t^{14} - 19770t^{13} + 86170t^{12} - 282500t^{11} + 715162t^{10} - 1388790t^9 + 1917350t^8 - 1169720t^7 - 2832520t^6 + 12363784t^5 - 28689660t^4 + 50560110t^3 - 73579700t^2 + 91325158t - 98015944$	4 / ✓ 2 / ✓
	$10_{124}^a$ $t^4 - t^3 + t - 1$ $-4t^7 - 6t^4 - 4t^2 - 6t$ $9t^{15} - 25t^{14} + 10t^{13} + 75t^{12} - 177t^{11} + 155t^{10} + 113t^9 - 570t^8 + 850t^7 - 428t^6 - 824t^5 + 2167t^4 - 2340t^3 + 510t^2 + 2375t - 3832$	4 / ✗ 4 / ✗		$10_{125}^a$ $t^3 - 2t^2 + 2t - 1$ $-t^5 + 2t^4 - 2t^3 + 3t - 4$ $8t^{12} - 50t^{11} + 151t^{10} - 289t^9 + 417t^8 - 524t^7 + 536t^6 - 150t^5 - 1168t^4 + 3942t^3 - 8130t^2 + 12314t - 14126$	3 / ✗ 2 / ✗
	$10_{126}^a$ $t^3 - 2t^2 + 4t - 5$ $t^5 - 2t^4 + 10t^3 - 12t^2 + 22t - 20$ $8t^{12} - 50t^{11} + 185t^{10} - 457t^9 + 666t^8 - 187t^7 - 3074t^6 + 10724t^5 - 24495t^4 + 43738t^3 - 64631t^2 + 81072t - 87356$	3 / ✗ 2 / ✗		$10_{127}^a$ $-t^3 + 4t^2 - 6t + 7$ $2t^5 - 14t^4 + 32t^3 - 52t^2 + 67t - 72$ $5t^{12} - 48t^{11} + 128t^{10} + 289t^9 - 3551t^8 + 15554t^7 - 46589t^6 + 109206t^5 - 211625t^4 + 348370t^3 - 494107t^2 + 608154t - 651576$	3 / ✗ 2 / ✗
	$10_{128}^a$ $2t^3 - 3t^2 + t + 1$ $-13t^5 + 12t^4 - 3t^3 - 10t^2 - 9t + 12$ $-26t^{12} + 296t^{11} - 1071t^{10} + 1750t^9 - 1107t^8 + 287t^7 - 2938t^6 + 7959t^5 - 7820t^4 + 3175t^3 - 8727t^2 + 28392t - 40368$	3 / ✗ 3 / ✗		$10_{129}^a$ $2t^2 - 6t + 9$ $-t^3 - 2t^2 + 14t - 20$ $62t^8 - 568t^7 + 2280t^6 - 4308t^5 - 553t^4 + 25616t^3 - 76125t^2 + 132258t - 157332$	2 / ✓ 1 / ✗
	$10_{130}^a$ $2t^2 - 4t + 5$ $t^3 - 2t^2 + 19t - 24$ $62t^8 - 336t^7 + 924t^6 - 1568t^5 + 253t^4 + 8384t^3 - 28668t^2 + 53628t - 65374$	2 / ✗ 2 / ✗		$10_{131}^a$ $-2t^2 + 8t - 11$ $5t^3 - 38t^2 + 87t - 112$ $38t^8 - 272t^7 - 580t^6 + 12792t^5 - 66417t^4 + 202096t^3 - 422662t^2 + 646440t - 742870$	2 / ✗ 1 / ✗
	$10_{132}^a$ $t^2 - t + 1$ $2t^2 + 5t - 4$ $4t^8 - 7t^7 + 12t^6 - 145t^5 + 508t^4 - 631t^3 - 322t^2 + 2150t - 3150$	2 / ✗ 1 / ✗		$10_{133}^a$ $-t^2 + 5t - 7$ $t^3 - 14t^2 + 37t - 48$ $3t^8 - 43t^7 + 16t^6 + 1489t^5 - 9322t^4 + 30945t^3 - 68047t^2 + 106954t - 123994$	2 / ✗ 1 / ✗
	$10_{134}^a$ $2t^3 - 4t^2 + 4t - 3$ $-13t^5 + 24t^4 - 33t^3 + 30t^2 - 41t + 40$ $-26t^{12} + 376t^{11} - 2056t^{10} + 6760t^9 - 16248t^8 + 32568t^7 - 58951t^6 + 98316t^5 - 150194t^4 + 210738t^3 - 273246t^2 + 324124t - 344346$	3 / ✗ 3 / ✗		$10_{135}^a$ $3t^2 - 9t + 13$ $t^3 - 6t^2 + 18t - 24$ $321t^8 - 2613t^7 + 8905t^6 - 12033t^5 - 19329t^4 + 132451t^3 - 337025t^2 + 553002t - 647370$	2 / ✗ 2 / ✗
	$10_{136}^a$ $-t^2 + 4t - 5$ $-t^3 + 4t^2 - 2t - 4$ $3t^8 - 36t^7 + 189t^6 - 512t^5 + 347t^4 + 2660t^3 - 11142t^2 + 22668t - 28354$	2 / ✗ 1 / ✗		$10_{137}^a$ $t^2 - 6t + 11$ $-4t^2 + 24t - 44$ $4t^8 - 74t^7 + 512t^6 - 1420t^5 - 1160t^4 + 21074t^3 - 72904t^2 + 140922t - 173900$	2 / ✓ 1 / ✗

knot diag	$n_k^t$ Alexander's $\omega^+$ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?	knot diag	$n_k^t$ Alexander's $\omega^+$ $(\rho_2)^+$	genus / ribbon unknotting # / amphi?
	$10_{138}^n \quad t^3 - 5t^2 + 8t - 7$ $-t^5 + 8t^4 - 22t^3 + 24t^2 - 11t + 8$ $8t^{12} - 125t^{11} + 855t^{10} - 3374t^9 + 8458t^8 - 13328t^7 + 8173t^6 + 25863t^5 - 114602t^4 + 277037t^3 - 497313t^2 + 702260t - 787812$	3 / ✗ 2 / ✗		$10_{139}^n \quad t^4 - t^3 + 2t - 3$ $-4t^7 - 12t^4 + 5t^3 - 4t^2 - 16t + 12$ $9t^{15} - 25t^{14} - 3t^{13} + 172t^{12} - 425t^{11} + 290t^{10} + 924t^9 - 3099t^8 + 4327t^7 - 1756t^6 - 5200t^5 + 12117t^4 - 11846t^3 + 1547t^2 + 12451t - 19002$	4 / ✗ 4 / ✗
	$10_{140}^n \quad t^2 - 2t + 3$ $8t - 8$ $4t^8 - 22t^7 + 90t^6 - 292t^5 + 424t^4 + 430t^3 - 3056t^2 + 6470t - 8104$	2 / ✓ 2 / ✗		$10_{141}^n \quad -t^3 + 3t^2 - 4t + 5$ $t^3 - 8t^2 + 16t - 20$ $9t^{12} - 87t^{11} + 396t^{10} - 1150t^9 + 2382t^8 - 3516t^7 + 2746t^6 + 3397t^5 - 19148t^4 + 46359t^3 - 80476t^2 + 109936t - 121692$	3 / ✗ 1 / ✗
	$10_{142}^n \quad 2t^3 - 3t^2 + 2t - 1$ $-13t^5 + 12t^4 - 13t^3 + 4t^2 - 17t + 12$ $-26t^{12} + 296t^{11} - 1155t^{10} + 2582t^9 - 4276t^8 + 6812t^7 - 11749t^6 + 19392t^5 - 27878t^4 + 36798t^3 - 48891t^2 + 62932t - 69706$	3 / ✗ 3 / ✗		$10_{143}^n \quad t^3 - 3t^2 + 6t - 7$ $t^5 - 4t^4 + 15t^3 - 28t^2 + 45t - 48$ $8t^{12} - 75t^{11} + 362t^{10} - 1106t^9 + 2070t^8 - 1092t^7 - 7698t^6 + 33841t^5 - 86216t^4 + 164927t^3 - 254838t^2 + 327896t - 356170$	3 / ✗ 1 / ✗
	$10_{144}^n \quad -3t^2 + 10t - 13$ $10t^3 - 44t^2 + 80t - 96$ $222t^8 - 1642t^7 + 3140t^6 + 12252t^5 - 94326t^4 + 307146t^3 - 651636t^2 + 998418t - 1147140$	2 / ✗ 2 / ✗		$10_{145}^n \quad t^2 + t - 3$ $2t^3 + 8t^2 + 6t - 8$ $-5t^7 + 7t^6 + 113t^5 - 141t^4 - 465t^3 + 730t^2 + 850t - 2198$	2 / ✗ 2 / ✗
	$10_{146}^n \quad 2t^2 - 8t + 13$ $t^3 - 8t^2 + 21t - 28$ $62t^8 - 664t^7 + 2844t^6 - 4544t^5 - 9663t^4 + 71376t^3 - 197106t^2 + 340392t - 405394$	2 / ✗ 1 / ✗		$10_{147}^n \quad -2t^2 + 7t - 9$ $-3t^3 + 12t^2 - 15t + 12$ $54t^8 - 488t^7 + 1697t^6 - 1694t^5 - 8312t^4 + 42905t^3 - 107222t^2 + 177492t - 208860$	2 / ✗ 1 / ✗
	$10_{148}^n \quad t^3 - 3t^2 + 7t - 9$ $t^5 - 4t^4 + 18t^3 - 36t^2 + 62t - 68$ $8t^{12} - 75t^{11} + 377t^{10} - 1209t^9 + 2330t^8 - 864t^7 - 11900t^6 + 51677t^5 - 135261t^4 + 266207t^3 - 420746t^2 + 549160t - 599424$	3 / ✗ 2 / ✗		$10_{149}^n \quad t^3 + 5t^2 - 9t + 11$ $2t^5 - 18t^4 + 55t^3 - 104t^2 + 149t - 164$ $5t^{12} - 61t^{11} + 226t^{10} + 339t^9 - 7195t^8 + 38874t^7 - 135727t^6 + 357173t^5 - 753890t^4 + 1318245t^3 - 1945105t^2 + 2447584t - 2640944$	3 / ✗ 2 / ✗
	$10_{150}^n \quad -t^3 + 4t^2 - 6t + 7$ $-2t^5 + 12t^4 - 26t^3 + 38t^2 - 45t + 44$ $5t^{12} - 52t^{11} + 216t^{10} - 355t^9 - 719t^8 + 6578t^7 - 24361t^6 + 64526t^5 - 137117t^4 + 243126t^3 - 364723t^2 + 464942t - 504136$	3 / ✗ 2 / ✗		$10_{151}^n \quad t^3 - 4t^2 + 10t - 13$ $-t^5 + 6t^4 - 21t^3 + 42t^2 - 66t + 72$ $8t^{12} - 100t^{11} + 632t^{10} - 2529t^9 + 6645t^8 - 9606t^7 - 5854t^6 + 80466t^5 - 270269t^4 + 605378t^3 - 103389t^2 + 1408362t - 1558600$	3 / ✗ 2 / ✗
	$10_{152}^n \quad t^4 - t^3 - t^2 + 4t - 5$ $4t^7 - 7t^5 + 18t^4 - 7t^3 - 12t^2 + 45t - 52$ $9t^{15} - 14t^{14} - 92t^{13} + 396t^{12} - 419t^{11} - 1212t^{10} + 5444t^9 - 9692t^8 + 6412t^7 + 11488t^6 - 39344t^5 + 55244t^4 - 33234t^3 - 30168t^2 + 102115t - 133894$	4 / ✗ 4 / ✗		$10_{153}^n \quad t^3 - t^2 - t + 3$ $t^5 - 2t^4 + t^3 + 2t^2 - t$ $8t^{12} - 17t^{11} - 46t^{10} + 231t^9 - 381t^8 + 364t^7 - 367t^6 + 157t^5 + 1142t^4 - 2815t^3 + 1874t^2 + 2128t - 4572$	3 / ✓ 2 / ✗
	$10_{154}^n \quad t^3 - 4t + 7$ $-3t^5 - 6t^4 + 13t^3 - 47t + 68$ $48t^{10} - 93t^9 - 546t^8 + 2396t^7 - 1956t^6 - 8376t^5 + 25906t^4 - 23802t^3 - 25690t^2 + 102540t - 140874$	3 / ✗ 3 / ✗		$10_{155}^n \quad -t^3 + 3t^2 - 5t + 7$ $-2t^5 + 12t^2 - 22t + 28$ $9t^{12} - 87t^{11} + 417t^{10} - 1321t^9 + 3014t^8 - 4806t^7 + 3646t^6 + 6917t^5 - 34773t^4 + 82963t^3 - 142781t^2 + 193836t - 214060$	3 / ✓ 2 / ✗
	$10_{156}^n \quad t^3 - 4t^2 + 8t - 9$ $t^5 - 6t^4 + 19t^3 - 30t^2 + 33t - 32$ $8t^{12} - 100t^{11} + 594t^{10} - 2165t^9 + 5120t^8 - 6852t^7 - 2208t^6 + 41208t^5 - 134214t^4 + 293026t^3 - 493422t^2 + 668112t - 738218$	3 / ✗ 1 / ✗		$10_{157}^n \quad -t^3 + 6t^2 - 11t + 13$ $-2t^5 + 22t^4 - 78t^3 + 148t^2 - 218t + 240$ $5t^{12} - 74t^{11} + 340t^{10} + 321t^9 - 11314t^8 + 67637t^7 - 250977t^6 + 688036t^5 - 1493487t^4 + 2661131t^3 - 3974091t^2 + 5034465t - 5444000$	3 / ✗ 2 / ✗
	$10_{158}^n \quad -t^3 + 4t^2 - 10t + 15$ $2t^2 - 7t + 12$ $9t^{12} - 116t^{11} + 764t^{10} - 3275t^9 + 9743t^8 - 19422t^7 + 18439t^6 + 32898t^5 - 196271t^4 + 513374t^3 - 940025t^2 + 1323614t - 1479452$	3 / ✗ 2 / ✗		$10_{159}^n \quad t^3 - 4t^2 + 9t - 11$ $t^5 - 6t^4 + 26t^3 - 60t^2 + 98t - 112$ $8t^{12} - 100t^{11} + 609t^{10} - 2267t^9 + 5047t^8 - 3237t^7 - 23513t^6 + 115362t^5 - 318739t^4 + 648093t^3 - 1045247t^2 + 1379659t - 1511358$	3 / ✗ 1 / ✗
	$10_{160}^n \quad -t^3 + 4t^2 - 4t + 3$ $-2t^5 + 12t^4 - 20t^3 + 14t^2 - 16t + 12$ $5t^{12} - 52t^{11} + 198t^{10} - 255t^9 - 522t^8 + 3092t^7 - 8443t^6 + 18756t^5 - 37588t^4 + 67858t^3 - 108568t^2 + 148444t - 165862$	3 / ✗ 2 / ✗		$10_{161}^n \quad t^3 - 2t + 3$ $3t^5 + 6t^4 - 3t^3 + 4t^2 + 14t - 12$ $30t^{10} - 53t^9 - 145t^8 + 630t^7 - 674t^6 - 870t^5 + 3591t^4 - 4450t^3 + 581t^2 + 6166t - 9640$	3 / ✗ 3 / ✗
	$10_{162}^n \quad -3t^2 + 9t - 11$ $10t^3 - 38t^2 + 58t - 68$ $222t^8 - 1473t^7 + 2609t^6 + 8829t^5 - 65543t^4 + 206079t^3 - 427536t^2 + 647498t - 741358$	2 / ✗ 2 / ✗		$10_{163}^n \quad t^3 - 5t^2 + 12t - 15$ $-t^5 + 8t^4 - 30t^3 + 62t^2 - 89t + 96$ $8t^{12} - 125t^{11} + 923t^{10} - 4154t^9 + 12040t^8 - 19732t^7 - 4345t^6 + 14057t^5 - 506052t^4 + 1171653t^3 - 2040193t^2 + 2809224t - 3119648$	3 / ✗ 1, 2 / ✗
	$10_{164}^n \quad 3t^2 - 11t + 17$ $t^3 - 10t^2 + 29t - 40$ $321t^8 - 3179t^7 + 12782t^6 - 20103t^5 - 32876t^4 + 254013t^3 - 688337t^2 + 1170838t - 1386922$	2 / ✗ 1 / ✗		$10_{165}^n \quad -2t^2 + 10t - 15$ $-5t^3 + 50t^2 - 146t + 196$ $38t^8 - 344t^7 - 848t^6 + 23020t^5 - 137555t^4 + 465256t^3 - 1047705t^2 + 1673914t - 1951560$	2 / ✗ 2 / ✗

# Hidden, Scaffolding, Recycling

## Talk Plan.


1. Headers and abstract.
2. Ops grid.
3.  $sl_{2+}^{\epsilon}$  and 4D Lie algebras, then the details of  $CU$  and  $QU$ .
4. The **DoPeGDO** box, “one abstraction level up”.
5. A glance through the **DoPeGDO** footnotes.
6. Naive **DoPeGDO** compositions.
7. The “debts” box, and then go through the debts as follows.
8. A quantum algebra example.
9. A knot theory example, followed by the knot table noting affinities with topology.




## Variable Taxonomy

light

$t = \epsilon a - \gamma b$  is “central”



**Categories are overrated (1)!** • Tangles are artificially made to have a “top” and a “bottom”. • Tangles are accessed by their ends and not by their strands; crossings are named by their position and not by the strands involved:




Is this  $\sigma_1\sigma_2\sigma_1 = \sigma_2\sigma_1\sigma_2$   
or  $\sigma_{12}\sigma_{13}\sigma_{23} = \sigma_{23}\sigma_{13}\sigma_{12}$ ?

- Easier to talk about “skein theory”.
- Harder to talk about “universal quantum invariants”.



Series always converge!



**Representation theory is overrated!**