




Everything around sl_{2+}^ϵ is DoPeGDO. So what?

Abstract. I'll explain what "everything around" means: classical and quantum $m, \Delta, S, tr, R, C,$ and $\theta,$ as well as $P, \Phi, J, \mathbb{D},$ and more, and all of their compositions. What **DoPeGDO** means: the category of **Docile Perturbed Gaussian Differential Operators**. And what sl_{2+}^ϵ means: a solvable approximation of the semi-simple Lie algebra $sl_2.$

Knot theorists should rejoice because all this leads to very powerful and well-behaved poly-time-computable knot invariants. Quantum algebraists should rejoice because it's a realistic playground for testing complicated equations and theories.

Conventions. 1. For a set $A,$ let $z_A := \{z_i\}_{i \in A}$ and let $\zeta_A := \{z_i^* = \zeta_i\}_{i \in A}.$ †1. Everything converges!

Less Abstract



DoPeGDO := The category with objects finite sets^{†2} and $\text{mor}(A \rightarrow B):$

$$\{\mathcal{F} = \omega \exp(Q + P)\} \subset \mathbb{Q}[[\zeta_A, z_B]]$$

Where: • ω is a scalar.^{†3} • Q is a "small" quadratic in $\zeta_A \cup z_B.$ ^{†4} • P is a "docile perturbation": $P = \sum_{k \geq 1} \epsilon^k P^{(k)},$ where $\text{deg } P^{(k)} \leq 2k + 2.$ ^{†5} • Compositions:^{†6}

$$\mathcal{F} // \mathcal{G} = \mathcal{G} \circ \mathcal{F} := (\mathcal{G}|_{\zeta_i \rightarrow \partial_{z_i} \mathcal{F}})_{z_i=0} = (\mathcal{F}|_{z_i \rightarrow \partial_{\zeta_i} \mathcal{G}})_{\zeta_i=0}.$$

Cool! $(V^*)^{\otimes \infty} \otimes V^{\otimes \infty}$ explodes; the ranks of quadratics and bounded-degree polynomials grow slowly!^{†7} **Representation theory is over-rated!**

Cool! How often do you see a computational toolbox so successful?

Our Algebras. Let $sl_{2+}^\epsilon := L\langle y, b, a, x \rangle$ subject to $[a, x] = x, [b, y] = -\epsilon y, [a, b] = 0, [a, y] = -y, [b, x] = \epsilon x,$ and $[x, y] = \epsilon a + b.$ So $t := \epsilon a - b$ is central and if $\exists \epsilon^{-1}, sl_{2+}^\epsilon / \langle t \rangle \cong sl_2.$ U is either $CU = \mathcal{U}(sl_{2+}^\epsilon)[[\hbar]]$ or $QU = \mathcal{U}_\hbar(sl_{2+}^\epsilon) = A\langle y, b, a, x \rangle[[\hbar]]$ with $[a, x] = x, [b, y] = -\epsilon y, [a, b] = 0, [a, y] = -y, [b, x] = \epsilon x,$ and $xy - qyx = (1 - AB)/\hbar,$ where $q = e^{\hbar \epsilon}, A = e^{-\hbar \epsilon a},$ and $B = e^{-\hbar b}.$ Set also $T = A^{-1}B = e^{\hbar t}.$

The Quantum Leap. Also decree that in $QU,$

$$\Delta(y, b, a, x) = (y_1 + B_1 y_2, b_1 + b_2, a_1 + a_2, x_1 + A_1 x_2),$$
$$S(y, b, a, x) = (-B^{-1}y, -b, -a, -A^{-1}x),$$

and $R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q!$

Mid-Talk Debts. • What is this good for in quantum algebra?

- In knot theory?
- How does the "inclusion" $\mathcal{D}: \text{Hom}(U^{\otimes \infty} \rightarrow U^{\otimes S}) \rightsquigarrow$ **DoPeGDO** work?
- Proofs that everything around sl_{2+}^ϵ really is **DoPeGDO**.
- Relations with prior art.
- The rest of the "compositions" story.

Theorem ([BG], conjectured [MM], elucidated [Ro1]). Let $J_d(K)$ be the coloured Jones polynomial of $K,$ in the d -dimensional representation of $sl_2.$ Writing


$$\left. \frac{(q^{1/2} - q^{-1/2}) J_d(K)}{q^{d/2} - q^{-d/2}} \right|_{q=e^\hbar} = \sum_{j,m \geq 0} a_{jm}(K) d^j \hbar^m,$$

"below diagonal" coefficients vanish, $a_{jm}(K) = 0$ if $j > m,$ and "on diagonal" coefficients give the inverse of the Alexander polynomial: $(\sum_{m=0}^\infty a_{mm}(K) \hbar^m) \cdot \omega(K)(e^\hbar) = 1.$

"Above diagonal" we have **Rozansky's Theorem** [Ro3, (1.2)]:

$$J_d(K)(q) = \frac{q^d - q^{-d}}{(q - q^{-1}) \omega(K)(q^d)} \left(1 + \sum_{k=1}^\infty \frac{(q-1)^k \rho_k(K)(q^d)}{\omega^{2k}(K)(q^d)} \right).$$


Compositions (1). In $\text{mor}(A \rightarrow B), Q = \sum_{i \in A, j \in B} E_{ij} \zeta_i z_j + \frac{1}{2} \sum_{i, j \in A} F_{ij} \zeta_i \zeta_j + \frac{1}{2} \sum_{i, j \in B} G_{ij} z_i z_j$



Where • $E = E_1(I - F_2 G_1)^{-1} E_2.$
 • $F = F_1 + E_1 F_2 (I - G_1 F_2)^{-1} E_1^T.$
 • $G = G_2 + E_2^T G_1 (I - F_2 G_1)^{-1} E_2.$
 • $\omega = \omega_1 \omega_2 \det(I - F_2 G_1)^{-1}.$
 • P is computed using "connected Feynman diagrams" or as the solution of a messy PDE (yet we're still in algebra!).



One abstraction level up from tangles! {tangles} → {diagrams} with compositions:



DoPeGDO Footnotes. †1. Each variable has a "weight" $\in \{0, 1, 2\},$ and always $\text{wt } z_i + \text{wt } \zeta_i = 2.$

- †2. Really, "weight-graded finite sets" $A = A_0 \sqcup A_1 \sqcup A_2.$
- †3. Really, a power series in the weight-0 variables^{†9}.
- †4. The weight of Q must be 2, so it decomposes as $Q = Q_{20} + Q_{11}.$ The coefficients of Q_{20} are rational numbers while the coefficients of Q_{11} may be weight-0 power series^{†9}.
- †5. Setting $\text{wt } \epsilon = -2,$ the weight of P is ≤ 2 (so the powers of the weight-0 variables are not constrained^{†9}).
- †6. There's also an obvious product $\text{mor}(A_1 \rightarrow B_1) \times \text{mor}(A_2 \rightarrow B_2) \rightarrow \text{mor}(A_1 \sqcup A_2 \rightarrow B_1 \sqcup B_2).$
- †7. That is, if the weight-0 variables are ignored. Otherwise more care is needed yet the conclusion remains.
- †8. $\text{Hom}(U^{\otimes \infty} \rightarrow U^{\otimes S}) \rightsquigarrow \text{mor}(\{\eta_i, \beta_i, \tau_i, \alpha_i, \xi_i\}_{i \in S} \rightarrow \{y_i, b_i, t_i, a_i, x_i\}_{i \in S}),$ where $\text{wt}(\eta_i, \xi_i, y_i, x_i) = 1$ and $\text{wt}(\beta_i, \tau_i, \alpha_i; b_i, t_i, a_i) = (2, 2, 0; 0, 0, 2).$
- †9. For tangle invariants the wt-0 power series are always rational functions in the exponentials of the wt-0 variables (for knots: just one variable), with degrees bounded linearly by the crossing number.

$\mathcal{D}: \text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes \Sigma}) \rightarrow \mathbb{Q}[[\eta_\Sigma, \beta_\Sigma, \alpha_\Sigma, \xi_\Sigma, y_\Sigma, b_\Sigma, a_\Sigma, x_\Sigma]]$. The PBW theorem for CU (always in the $ybax$ order), or its quantum analog for QU , say that if $U = CU$ or QU then $U^{\otimes \Sigma}$ is isomorphic as a vector space to $\mathbb{Q}[y_i, b_i, a_i, x_i]_{i \in \Sigma}[[\hbar]]$; so it is enough to understand $\text{Hom}(\mathbb{Q}[z_A] \rightarrow \mathbb{Q}[z_B])$ for finite sets A and B .

Claim. $F \in \text{Hom}(\mathbb{Q}[z_A] \rightarrow \mathbb{Q}[z_B]) \xrightarrow{\sim} \mathbb{Q}[z_b][[\zeta_A]] \ni \mathcal{F}$ via

$$\mathcal{D}(F) := \sum_{n \in \mathbb{N}^A} \frac{\zeta_A^n}{n!} F(z_A^n) = F\left(\oplus_{\Sigma a \in A} \zeta_a z_a\right) = \mathcal{F},$$

$$\mathcal{D}^{-1}(\mathcal{F})(p) = \left(\mathcal{F}|_{z_a \rightarrow \partial_{z_a} p}\right)_{\zeta_a=0} \quad \text{for } p \in \mathbb{Q}[[z_A]].$$

Claim. Assuming convergence, if $F \in \text{Hom}(\mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]])$, $G \in \text{Hom}(\mathbb{Q}[[z_B]] \rightarrow \mathbb{Q}[[z_C]])$, $\mathcal{F} = \mathcal{D}(F)$, and $\mathcal{G} = \mathcal{D}(G)$, then

$$\mathcal{D}(F \circ G) = \left(\mathcal{F}|_{z_i \rightarrow \partial_{z_i} \mathcal{G}}\right)_{\zeta_i=0}.$$

And so the title of the talk finally makes sense!

Example. $\mathcal{D}(id: U \rightarrow U) = \oplus_{\Sigma y + \beta b + \alpha a + \xi x}$.

Example. Let $c\Delta_{jk}^i: CU^{\otimes \{i\}} \rightarrow CU^{\otimes \{j,k\}}$ be the standard co-product, given by $c\Delta_{jk}^i(y_i, b_i, a_i, x_i) = (y_j + y_k, b_j + b_k, a_j + a_k, x_j + x_k)$. Then

$$\begin{aligned} \mathcal{D}(c\Delta_{jk}^i) &= c\Delta_{jk}^i(\oplus^{\eta_i y_i + \beta_i b_i + \alpha_i a_i + \xi_i x_i}) \\ &= \oplus^{\eta_i(y_j + y_k) + \beta_i(b_j + b_k) + \alpha_i(a_j + a_k) + \xi_i(x_j + x_k)}. \end{aligned}$$

Example. The standard commutative product m_k^{ij} of polynomials is given by $z_i, z_j \rightarrow z_k$. Hence $\mathcal{D}(m_k^{ij}) =$

$$m_k^{ij}(\oplus^{\zeta_i z_i + \zeta_j z_j}) = \oplus^{(\zeta_i + \zeta_j) z_k} \quad \begin{array}{ccc} \mathbb{Q}[[z]]_i \otimes \mathbb{Q}[[z]]_j & \xrightarrow{m_k^{ij}} & \mathbb{Q}[[z]]_k \\ \parallel & & \parallel \\ \mathbb{Q}[[z_i, z_j]] & \xrightarrow{m_k^{ij}} & \mathbb{Q}[[z_k]] \end{array}$$

A real DoPeGDO Example. Let $cm_k^{ij}: CU_i \otimes CU_j \rightarrow CU_k$ be “classical multiplication” for $sl_{\mathbb{Z}_+}^2$, and let $\mathbb{O}_i: \mathbb{Q}[[y_i, b_i, a_i, x_i]] \rightarrow CU_i$ be the PBW ordering map.

$$\begin{array}{ccc} CU_i \otimes CU_j & \xrightarrow{cm_k^{ij}} & CU_k \\ \uparrow \mathbb{O}_{i,j} & & \uparrow \mathbb{O}_k \\ \mathbb{Q}[[y_i, b_i, a_i, x_i, y_j, b_j, a_j, x_j]] & & \mathbb{Q}[[y_k, b_k, a_k, x_k]] \end{array}$$

Claim. Let

$$\begin{aligned} \Lambda &= \left(\eta_i + \frac{e^{-\alpha_i - \epsilon \beta_i} \eta_j}{1 + \epsilon \eta_j \xi_i}\right) y_k + \left(\beta_i + \beta_j + \frac{\log(1 + \epsilon \eta_j \xi_i)}{\epsilon}\right) b_k + \\ &\quad \left(\alpha_i + \alpha_j + \log(1 + \epsilon \eta_j \xi_i)\right) a_k + \left(\frac{e^{-\alpha_j - \epsilon \beta_j} \xi_i}{1 + \epsilon \eta_j \xi_i} + \xi_j\right) x_k \end{aligned}$$

Then $\oplus^{\eta_i y_i + \beta_i b_i + \alpha_i a_i + \xi_i x_i + \eta_j y_j + \beta_j b_j + \alpha_j a_j + \xi_j x_j} // \mathbb{O}_{i,j} // cm_k^{ij} = \oplus^\Lambda // \mathbb{O}_k$, and hence $\mathcal{D}(cm_k^{ij}) = \oplus^\Lambda$ and cm_k^{ij} is DoPeGDO.

Proof. We compute in a faithful 2D representation ρ of CU :

($\omega\epsilon\beta/\text{cm}$)

$$\text{HL}[\mathcal{E}_-] := \text{Style}[\mathcal{E}, \text{Background} \rightarrow \text{If}[\text{TrueQ}@\mathcal{E}, \text{Green}, \text{Red}]];$$

$$\{\rho y = \begin{pmatrix} 0 & 0 \\ \epsilon & 0 \end{pmatrix}, \rho b = \begin{pmatrix} 0 & 0 \\ 0 & -\epsilon \end{pmatrix}, \rho a = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix}, \rho x = \begin{pmatrix} 0 & 1 \\ 0 & 0 \end{pmatrix}\};$$

$$\begin{aligned} \text{HL} / @ \{ \rho a . \rho x - \rho x . \rho a &= \rho x, \rho a . \rho y - \rho y . \rho a &= -\rho y, \\ \rho b . \rho y - \rho y . \rho b &= -\epsilon \rho y, \rho b . \rho x - \rho x . \rho b &= \epsilon \rho x, \\ \rho x . \rho y - \rho y . \rho x &= \rho b + \epsilon \rho a \end{aligned}$$

{True, True, True, True, True}

HL@Simplify@With[{E = MatrixExp},

$$\begin{aligned} &\text{E}[\eta_i \rho y] . \text{E}[\beta_i \rho b] . \text{E}[\alpha_i \rho a] . \text{E}[\xi_i \rho x] . \text{E}[\eta_j \rho y] . \text{E}[\beta_j \rho b] . \\ &\text{E}[\alpha_j \rho a] . \text{E}[\xi_j \rho x] == \\ &\text{E}[\partial_{y_k} \Lambda \rho y] . \text{E}[\partial_{b_k} \Lambda \rho b] . \text{E}[\partial_{a_k} \Lambda \rho a] . \text{E}[\partial_{x_k} \Lambda \rho x] \end{aligned}$$

True

Series[$\Lambda, \{\epsilon, \theta, 1\}$]

$$\begin{aligned} &(\mathbf{a}_k (\alpha_i + \alpha_j) + \mathbf{y}_k (\eta_i + e^{-\alpha_i} \eta_j) + \\ &\mathbf{b}_k (\beta_i + \beta_j + \eta_j \xi_i) + \mathbf{x}_k (e^{-\alpha_j} \xi_i + \xi_j) + \\ &(\mathbf{a}_k \eta_j \xi_i - \frac{1}{2} \mathbf{b}_k \eta_j^2 \xi_i^2 - e^{-\alpha_i} \mathbf{y}_k \eta_j (\beta_i + \eta_j \xi_i) - \\ &e^{-\alpha_j} \mathbf{x}_k \xi_i (\beta_j + \eta_j \xi_i)) \epsilon + \mathbf{O}[\epsilon]^2 \end{aligned}$$

(Shame, but this technique fails for QU).

Claim. In QU , R is DoPeGDO.

Proof. Recall that with $q = e^{\hbar\epsilon}$,

$$R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q! = \mathbb{O}\left(\oplus^{\hbar b_1 a_2} e_q^{\hbar y_1 x_2}\right).$$

Now expand $e_q^{\hbar y_1 x_2}$ in powers of ϵ using:

Faddeev's Formula (In as much as we can tell, first appeared without proof in Faddeev [Fa], rediscovered and proven in Quesne [Qu], and again with easier proof, in Zagier [Za]).

With $[n]_q := \frac{q^n - 1}{q - 1}$, with $[n]_q! := [1]_q [2]_q \cdots [n]_q$ and with $e_q^x := \sum_{n \geq 0} \frac{x^n}{[n]_q!}$, we have

$$\log e_q^x = \sum_{k \geq 1} \frac{(1 - q)^k x^k}{k(1 - q^k)} = x + \frac{(1 - q)^2 x^2}{2(1 - q^2)} + \dots$$

Proof. We have that $e_q^x = \frac{e^{qx} - e_q^x}{qx - x}$ (“the q -derivative of e_q^x is itself”), and hence $e_q^{qx} = (1 + (1 - q)x)e_q^x$, and

$$\log e_q^{qx} = \log(1 + (1 - q)x) + \log e_q^x.$$

Writing $\log e_q^x = \sum_{k \geq 1} a_k x^k$ and comparing powers of x , we get $q^k a_k = -(1 - q)^k / k + a_k$, or $a_k = \frac{(1 - q)^k}{k(1 - q^k)}$. \square

Compositions (2). Recall that with all indices i running in some set B ,

$$\mathcal{F} // \mathcal{G} = \left(\mathcal{F}|_{z_i \rightarrow \partial_{z_i} \mathcal{G}}\right)_{\zeta_i=0} \stackrel{(1)}{=} \oplus^{\sum \partial_{z_i} \partial_{z_i} (\mathcal{F} \mathcal{G})} \Big|_{z_i = \zeta_i = 0}, \quad \begin{array}{l} (1) \text{ Strictly speaking,} \\ \text{true only when} \\ B \cap (A \cup C) = \emptyset. \end{array}$$

so in general we wish to understand

$$[F: \mathcal{E}]_B := \oplus^{\frac{1}{2} \sum_{i,j \in B} F_{ij} \partial_{z_i} \partial_{z_j} \mathcal{E}} \quad \text{and} \quad \langle F: \mathcal{E} \rangle_B := [F: \mathcal{E}]_B|_{z_B \rightarrow 0},$$

where \mathcal{E} is a docile perturbed Gaussian. The following lemma allows us to restrict to the case where \mathcal{E} has no B - B quadratic part:

Lemma 1. With convergences left to the reader,

$$\left\langle F: \mathcal{E} \oplus^{\frac{1}{2} \sum_{i,j \in B} G_{ij} z_i z_j} \right\rangle_B = \det(1 - GF)^{-1} \left\langle F(1 - GF)^{-1}: \mathcal{E} \right\rangle_B.$$


The next lemma dispatches the case where \mathcal{E} has a B -linear part:

Lemma 2. $\left\langle F: \mathcal{E} \oplus^{\sum_{i \in B} y_i z_i} \right\rangle_B = \left\langle F: \mathcal{E}|_{z_B \rightarrow z_B + F y_B} \right\rangle_B$.

Finally, we deal with the docile perturbation case:

Lemma 3. With an extra variable λ , $Z_\lambda := \log[\lambda F: e^P]_B$ satisfies and is determined by the following PDE / IVP:

$$Z_0 = P \quad \text{and} \quad \partial_\lambda Z_\lambda = \sum_{i,j \in B} F_{ij} \left(\partial_{z_i} \partial_{z_j} Z_\lambda + (\partial_{z_i} Z_\lambda)(\partial_{z_j} Z_\lambda)\right).$$




A Partial To Do List.

- Understand tr and links.
- Implement Φ, J . Determine the appropriate wt-0 ground ring.
- Implement the “dequantizers”.
- Understand denominators and get rid of them.
- Implement zipping at the log-level.
- Clean the program and make it efficient.
- Run it for all small knots and links, at $k = 3, 4$.
- Understand the centre and figure out how to read the output.
- Extend to sl_3 and beyond.
- Describe a genus bound and a Seifert formula.
- Obtain “Gauss-Gassner formulas” ($\omega\epsilon\beta$ /NCSU).
- Relate with the representation theory dogma, with Melvin-Morton-Rozansky and with Rozansky-Overbay.

- Understand the braid group representations that arise.
- Relate with finite-type (Vassiliev) invariants.
- Find a topological interpretation / foundation. The Garoufalidis-Rozansky “loop expansion” [GR]? *Frank*
- Figure out the action of the Cartan automorphism.
- Understand “the subspace of classical knots / tangles”.
- **Disprove the ribbon-slice conjecture!**
- Figure out the action of the Weyl group.
- Use to study “Ševera quantization”.
- Do everything at the “arrow diagram” level of finite-type invariants of (rotational) virtual tangles.
- Find “internal” proofs of consistency.
- What else can you do with the “solvable approximations”?
- And with the “Gaussian compositions” technology?

Warning. Some implementation details match earlier versions of the theory.

The Zipping Theorem. If P has a finite ζ -degree and \tilde{q} is the inverse matrix of $1 - q$: $(\delta_j^i - q_j^i)\tilde{q}_k^j = \delta_k^i$, then



$$\left\langle P(z_i, \zeta^j) e^{c+\eta^i z_i + y_j \zeta^j + q_j^i z_i \zeta^j} \right\rangle$$

$$= |\tilde{q}| e^{c+\eta^i \tilde{q}_i^k y_k} \left\langle P(\tilde{q}_i^k (z_k + y_k), \zeta^j + \eta^i \tilde{q}_i^j) \right\rangle.$$

The “Speedy” Engine

$\omega\epsilon\beta$ /engine

Internal Utilities

Canonical Form:

```
CCF [ε_] :=
  PPCF@ExpandDenominator@
  ExpandNumerator@PPTogether@Together [PPExp [
    Expand [ε] /. e^x - e^y -> e^{x+y} /. e^x -> e^{CCF[x]}];
CF [ε_List] := CF /@ ε;
CF [sd_SeriesData] := MapAt [CF, sd, 3];
CF [ε_] := PPCF@Module [
  {vs = Cases [ε, (y | b | t | a | x | η | β | τ | α | ξ)_ , ∞] U
  {y, b, t, a, x, η, β, τ, α, ξ}},
  Total [CoefficientRules [Expand [ε], vs] /.
  (ps_ -> c_) => CCF [c] (Times @@ vs^{ps})
];
CF [ε_E] := CF /@ ε;
CF [IE_sp__ [εS_____]] := CF /@ IE_sp [εS];
```

The Kronecker δ :

```
Kδ /: Kδ_{i,j} := If [i == j, 1, 0];
```

Equality, multiplication, and degree-adjustment of perturbed Gaussians; $\mathbb{E}[L, Q, P]$ stands for $e^{L+Q} P$:

```
IE /: IE [L1_, Q1_, P1_] ≡ IE [L2_, Q2_, P2_] :=
  CF [L1 == L2] ∧ CF [Q1 == Q2] ∧ CF [Normal [P1 - P2] == 0];
IE /: IE [L1_, Q1_, P1_] × IE [L2_, Q2_, P2_] :=
  IE [L1 + L2, Q1 + Q2, P1 * P2];
IE [L_, Q_, P_]_{k} := IE [L, Q, Series [Normal@P, {ε, 0, $k}]];
```

Zip and Bind

Variables and their duals:

```
{t*, b*, y*, a*, x*, z*} = {τ, β, η, α, ξ, ζ};
{τ*, β*, η*, α*, ξ*, ζ*} = {t, b, y, a, x, z};
(u_{-i})^* := (u^*)_i;
```

Upper to lower and lower to Upper:

```
U21 = {B_{-i}^{p-} -> e^{-p h γ b_i}, B_{-i}^{p-} -> e^{-p h γ b}, T_{-i}^{p-} -> e^{p h t_i},
  T_{-i}^{p-} -> e^{p h t}, A_{-i}^{p-} -> e^{p γ α_i}, A_{-i}^{p-} -> e^{p γ α}};
12U = {e^{c- b_i + d-} -> B_i^{-c/(h γ)} e^d, e^{c- b + d-} -> B^{-c/(h γ)} e^d,
  e^{c- t_i + d-} -> T_i^{c/h} e^d, e^{c- t + d-} -> T^{c/h} e^d,
  e^{c- α_i + d-} -> A_i^{c/γ} e^d, e^{c- α + d-} -> A^{c/γ} e^d,
  e^{ε-} -> e^{Expand@ε}};
```

Derivatives in the presence of exponentiated variables:

```
D_b [f_] := ∂_b f - h γ B ∂_B f; D_{b_i} [f_] := ∂_{b_i} f - h γ B_i ∂_{B_i} f;
D_t [f_] := ∂_t f + h T ∂_T f; D_{t_i} [f_] := ∂_{t_i} f + h T_i ∂_{T_i} f;
D_α [f_] := ∂_α f + γ A ∂_A f; D_{α_i} [f_] := ∂_{α_i} f + γ A_i ∂_{A_i} f;
D_v [f_] := ∂_v f; D_{v_{,0}} [f_] := f; D_{{} } [f_] := f;
D_{v, n_Integer} [f_] := D_v [D_{v, n-1} [f]];
D_{L_List, Ls___} [f_] := D_{Ls} [D_L [f]];
```

Finite Zips:

```
collect [sd_SeriesData, ε_] :=
  MapAt [collect [# , ε] &, sd, 3];
collect [ε_, ε_] := PPCollect@Collect [ε, ε];
Zip_{{} } [P_] := P;
Zip_{εs} [Ps_List] := Zip_{εs} /@ Ps;
Zip_{εs, εs___} [P_] := PPZip [
  (collect [P // Zip_{εs}, ε] /. f_ . ε^{d-} -> (D_{ε*, d} [f])) /.
  ε* -> 0 /. ((ε* /. {b -> B, t -> T, α -> A}) -> 1)];
```

QZip implements the “Q-level zips” on $\mathbb{E}(L, Q, P) = e^{L+Q} P(\epsilon)$.

Such zips regard the L variables as scalars.

```
QZip_{εs_List} @E [L_, Q_, P_] :=
  PPQZip@Module [{ε, z, zs, c, ys, ηs, qt, zrule, grule, out},
  zs = Table [ε*, {ε, εs}];
  c = CF [Q /. Alternatives @@ (εs U zs) -> 0];
  ys = CF @Table [∂_ε (Q /. Alternatives @@ zs -> 0),
  {ε, εs}];
  ηs = CF @Table [∂_z (Q /. Alternatives @@ εs -> 0), {z, zs}];
  qt = CF @Inverse @Table [Kδ_{z, ε*} - ∂_{z, ε} Q, {ε, εs}, {z, zs}];
  zrule = Thread [zs -> CF [qt . (zs + ys)]];
  grule = Thread [εs -> εs + ηs . qt];
  CF /@ E [L, c + ηs . qt . ys,
  Det [qt] Zip_{εs} [P /. (zrule U grule)]];];
```

LZip implements the “ L -level zips” on $\mathbb{E}(L, Q, P) = P e^{L+Q}$. Such zips regard all of $P e^Q$ as a single “ P ”. Here the z ’s are b and α and the ζ ’s are β and a .

```
LZip $\zeta$ s_List@E[L_, Q_, P_] :=
  PPLZip@Module[{ $\zeta$ , z, zs, Zs, c, ys,  $\eta$ s, lt, zruler,
    Zruler,  $\zeta$ ruler, Q1, EEQ, EQ},
    zs = Table[ $\zeta$ *, { $\zeta$ ,  $\zeta$ s}];
    Zs = zs /. {b -> B, t -> T,  $\alpha$  -> A};
    c = L /. Alternatives @@ ( $\zeta$ s  $\cup$  zs) -> 0 /.
      Alternatives @@ Zs -> 1;
    ys = Table[ $\partial_{\zeta}$ (L /. Alternatives @@ zs -> 0), { $\zeta$ ,  $\zeta$ s}];
     $\eta$ s = Table[ $\partial_z$ (L /. Alternatives @@  $\zeta$ s -> 0), {z, zs}];
    lt = Inverse@Table[K $\delta_{z, \zeta}$ * -  $\partial_{z, \zeta}$ L, { $\zeta$ ,  $\zeta$ s}, {z, zs}];
    zruler = Thread[zs -> lt.(zs + ys)];
    Zruler = Join[zruler,
      zruler /.
        r_Rule -> ((U = r[[1]) /. {b -> B, t -> T,  $\alpha$  -> A}) ->
          (U /. U21 /. r /. 12U))];
     $\zeta$ ruler = Thread[ $\zeta$ s ->  $\zeta$ s +  $\eta$ s.lt];
    Q1 = Q /. (Zruler  $\cup$   $\zeta$ ruler);
    EEQ[ps___] :=
      EEQ[ps] =
        PPEEQ@(CF[e-Q1 DThread[{zs, {ps}}][eQ1]] /.
          {Alternatives @@ zs -> 0, Alternatives @@ Zs -> 1});
    CF@E[c +  $\eta$ s.lt.ys,
      Q1 /. {Alternatives @@ zs -> 0, Alternatives @@ Zs -> 1},
      Det[lt]
      (Zip $\zeta$ s[(EQ @@ zs) (P /. (Zruler  $\cup$   $\zeta$ ruler))] /.
        Derivative[ps___][EQ][___] -> EEQ[ps] /.
          _EQ -> 1) ]];
```

```
B_{i} [L_, R_] := LR;
B_{is_} [L_E, R_E] := PP_B@Module[{n},
  Times[
    L /. Table[(v : b | B | t | T | a | x | y)_i -> vnei,
      {i, {is}}],
    R /. Table[(v :  $\beta$  |  $\tau$  |  $\alpha$  | A |  $\xi$  |  $\eta$ )_i -> vnei, {i, {is}}]
  ] // LZipJoin@Table[{ $\beta$ nei,  $\tau$ nei,  $\alpha$ nei}, {i, {is}}] //
  QZipJoin@Table[{ $\xi$ nei,  $\eta$ nei}, {i, {is}}] ];
B_{is_} [L_, R_] := B_{is} [L, R];
```

E morphisms with domain and range.

```
B_{is_List} [Ed1 -> r1 [L1_, Q1_, P1_], Ed2 -> r2 [L2_, Q2_, P2_]] :=
  E(d1  $\cup$  Complement[d2, is]) -> (r2  $\cup$  Complement[r1, is]) @@
  B_{is} [E[L1, Q1, P1], E[L2, Q2, P2]];
Ed1 -> r1 [L1_, Q1_, P1_] // Ed2 -> r2 [L2_, Q2_, P2_] :=
  B_{r1  $\cap$  d2} [Ed1 -> r1 [L1, Q1, P1], Ed2 -> r2 [L2, Q2, P2]];
Ed1 -> r1 [L1_, Q1_, P1_]  $\equiv$  Ed2 -> r2 [L2_, Q2_, P2_] ^:=
  (d1 == d2)  $\wedge$  (r1 == r2)  $\wedge$  (E[L1, Q1, P1]  $\equiv$  E[L2, Q2, P2]);
Ed1 -> r1 [L1_, Q1_, P1_] Ed2 -> r2 [L2_, Q2_, P2_] ^:=
  E(d1  $\cup$  d2) -> (r1  $\cup$  r2) @@ (E[L1, Q1, P1]  $\times$  E[L2, Q2, P2]);
Edr [L_, Q_, P_] $k_ := Edr @@ E[L, Q, P] $k;
E_{ $\mathcal{E}$ ___} [i_] := { $\mathcal{E}$ } [i];
```

E[A]

```
Edr [A_] :=
  CF@Module[{L,  $\Delta$ 0 = Limit[A,  $\epsilon$  -> 0]},
    Edr [L =  $\Delta$ 0 /. ( $\eta$  | y |  $\xi$  | x) -> 0,  $\Delta$ 0 - L, eA -  $\Delta$ 0] $k /. 12U]
```

Exponentials as needed.

Task. Define $\text{Exp}_{m,i,k}[P]$ to compute $e^{\mathcal{O}(P)}$ to ϵ^k in the using the $m_{i,j \rightarrow i}$ multiplication, where P is an ϵ -dependent near-docile element, giving the answer in \mathbb{E} -form.

Methodology. If $P_0 := P_{\epsilon=0}$ and $e^{\lambda \mathcal{O}(P)} = \mathcal{O}(e^{\lambda P_0} F(\lambda))$, then

$F(\lambda=0) = 1$ and we have:

$$\mathcal{O}(e^{\lambda P_0} (P_0 F(\lambda) + \partial_\lambda F)) = \mathcal{O}(\partial_\lambda e^{\lambda P_0} F(\lambda)) =$$

$$\partial_\lambda \mathcal{O}(e^{\lambda P_0} F(\lambda)) = \partial_\lambda e^{\lambda \mathcal{O}(P)} = e^{\lambda \mathcal{O}(P)} \mathcal{O}(P) = \mathcal{O}(e^{\lambda P_0} F(\lambda)) \mathcal{O}(P)$$

This is a linear ODE for F . Setting inductively $F_k = F_{k-1} + \epsilon^k \varphi$ we find that $F_0 = 1$ and solve for φ .

```
(* Bug: The first line is valid only if  $\mathcal{O}(e^{P_0}) = e^{\mathcal{O}(P_0)}$  . *)
Exp_{m,i,0}[P_] := Module[{LQ = Normal@P /.  $\epsilon$  -> 0},
  E[LQ /. (x | y)_i -> 0, LQ /. (b | a | t)_i -> 0, 1] ];
```

```
Exp_{m,i,k}[P_] := Block[{$k = k},
  Module[{P0,  $\lambda$ ,  $\varphi$ ,  $\varphi$ s, F, j, rhs, eqn, pows, at0, at $\lambda$ },
    P0 = Normal@P /.  $\epsilon$  -> 0;
    F = Normal@Last@Exp_{m,i,k-1}[ $\lambda$  P];
    While[
      rhs =
        m_{i,j -> i} [
          E_{i -> {i}} [ $\lambda$  P0 /. (x | y)_i -> 0,  $\lambda$  P0 /. (b | a | t)_i -> 0,
            F]_k s $\sigma_{i \rightarrow j}$ @E_{i -> {i}} [0, 0, P]_k // Last // Normal;
          eqn = CF[( $\partial_\lambda$  F) + P0 F - rhs];
          eqn != 0, (*do*)
          pows = First@CoefficientRules[eqn, {y_i, b_i, a_i, x_i}];
          F += Sum[ $\epsilon^k$   $\varphi_{j_s}$  [ $\lambda$ ] Times @@ {y_i, b_i, a_i, x_i}^{j_s},
            {j_s, pows}];
          rhs =
            m_{i,j -> i} [
              E_{i -> {i}} [ $\lambda$  P0 /. (x | y)_i -> 0,  $\lambda$  P0 /. (b | a | t)_i -> 0,
                F]_k s $\sigma_{i \rightarrow j}$ @E_{i -> {i}} [0, 0, P]_k // Last // Normal;
              eqn = CF[( $\partial_\lambda$  F) + P0 F - rhs];
               $\varphi$ s = Table[ $\varphi_{j_s}$  [ $\lambda$ ], {j_s, pows}];
              at0 = Table[ $\varphi_{j_s}$  [0] == 0, {j_s, pows}];
              at $\lambda$  = (# == 0) & /@
                (pows /. CoefficientRules[eqn, {y_i, b_i, a_i, x_i}]);
              F = F /. DSolve[And @@ (at0  $\cup$  at $\lambda$ ),  $\varphi$ s,  $\lambda$ ] [[1]]
            ];
          E_{i -> {i}} [P0 /. (x | y)_i -> 0, P0 /. (b | a | t)_i -> 0,
            F + 0 [ $\epsilon$ ]^{k+1} /.  $\lambda$  -> 1] ] ]
```

“Define” Code

Define[lhs = rhs, ...] defines the lhs to be rhs, except that rhs is computed only once for each value of \$k. Fancy Mathematica not for the faint of heart. Most readers should ignore.

```

SetAttributes[Define, HoldAll];
Define[def_, defs_] := (Define[def]; Define[defs]);
Define[op_is_ = ε_] :=
Module[{SD, ii, jj, kk, isp, nis, nisp, sis},
Block[{i, j, k},
ReleaseHold[Hold[
SD[opnisp, $k Integer, PPBoot@Block[{i, j, k}, opisp, $k = ε;
opnis, $k];
SD[opisp, op{is}, $k]; SD[opsis_, op{sis}];
] /. {SD → SetDelayed,
isp → {is} /. {i → i_, j → j_, k → k_},
nis → {is} /. {i → ii, j → jj, k → kk},
nisp → {is} /. {i → ii_, j → jj_, k → kk_}
}]]]

```

```


Define[as_i = (aσ_{i→2} R_{1,i}) // P_{1,2},
as_bar_i = E_{i→{i}}[-a_i α_i, -x_i A_i ξ_i,
1 + If[$k == 0, 0, (as_bar_{i,$k-1}) $k [3] -
((as_bar_{i,0}) $k // as_i // (as_bar_{i,$k-1}) $k) [3]]]

```

```

Define[bs_i = bσ_{i→1} R_{1,2} // as_2 // P_{1,2},
bs_bar_i = bσ_{i→1} R_{1,2} // as_bar_2 // P_{1,2},
aΔ_{i→j,k} = (R_{1,j} R_{2,k}) // bm_{1,2→3} // P_{3,i},
bΔ_{i→j,k} = (R_{j,1} R_{k,2}) // am_{1,2→3} // P_{i,3}

```



The Drinfel'd double:

Highlight the Atoms \mathbb{Z}_6 The Objects

$\omega\epsilon\beta$ /objects

Symmetric Algebra Objects

```

sm_{i,j→k} :=
E_{i,j→{k}}[b_k (β_i + β_j) + t_k (τ_i + τ_j) + a_k (α_i + α_j) +
y_k (η_i + η_j) + x_k (ξ_i + ξ_j)];
sΔ_{i→j,k} :=
E_{i→{j,k}}[β_i (b_j + b_k) + τ_i (t_j + t_k) + α_i (a_j + a_k) +
η_i (y_j + y_k) + ξ_i (x_j + x_k)];
ss_{i_} := E_{i→{i}}[-β_i b_i - τ_i t_i - α_i a_i - η_i y_i - ξ_i x_i];
se_{i_} := E_{i→{i}}[0];
sn_{i_} := E_{i→{i}}[0];
so_{i→j_} := E_{i→{j}}[β_i b_j + τ_i t_j + α_i a_j + η_i y_j + ξ_i x_j];
sy_{i→j,k,l,m} := E_{i→{j,k,l,m}}[β_i b_k + τ_i t_k + α_i a_l + η_i y_j + ξ_i x_m];

```

The CU Definitions

```

cΔ = (η_i + (e^{-γ α_i - ε β_i} η_j) / (1 + γ ε η_j ξ_i)) y_k + (β_i + β_j + Log[1 + γ ε η_j ξ_i] / ε) b_k +
(α_i + α_j + Log[1 + γ ε η_j ξ_i] / γ) a_k + (e^{-γ α_j - ε β_j} ξ_i / (1 + γ ε η_j ξ_i) + ξ_j) x_k;

```

```

Define[cm_{i,j→k} = E_{i,j→{k}}[cΔ];
Define[cσ_{i→j} = sσ_{i,j} /. τ_i → 0, ce_i = se_i, cn_i = sn_i,
cΔ_{i→j,k} = sΔ_{i→j,k},
cs_i = ss_i // sy_{i→1,2,3,4} // cm_{4,3→i} // cm_{i,2→i} // cm_{i,1→i}];

```

Booting Up QU

```

Define[aσ_{i→j} = E_{i→{j}}[a_j α_i + x_j ξ_i],
bσ_{i→j} = E_{i→{j}}[b_j β_i + y_j η_i];
Define[am_{i,j→k} = E_{i,j→{k}}[(α_i + α_j) a_k + (A_j^{-1} ξ_i + ξ_j) x_k],
bm_{i,j→k} = E_{i,j→{k}}[(β_i + β_j) b_k + (η_i + e^{-ε β_i} η_j) y_k];
Define[R_{i,j} = E_{i→{i,j}}[ħ a_j b_i + Σ_{k=1}^{jk+1} (1 - e^{γ ε ħ})^k (ħ y_i x_j)^k / (k (1 - e^{k γ ε ħ})],
R_bar_{i,j} = CF@E_{i→{i,j}}[-ħ a_j b_i, -ħ x_j y_i / B_i,
1 + If[$k == 0, 0, (R_bar_{i,j,$k-1}) $k [3] -
((R_bar_{i,j,0}) $k R_{1,2} (R_bar_{3,4,$k-1}) $k) // (bm_{i,1→i} am_{j,2→j}) //
(bm_{i,3→i} am_{j,4→j}) [3]]],
P_{i,j} = E_{i,j→{} }[β_i α_j / ħ, η_i ξ_j / ħ,
1 + If[$k == 0, 0, (P_{i,j,$k-1}) $k [3] -
(R_{1,2} // ((P_{1,j,0}) $k (P_{i,2,$k-1}) $k)) [3]]]

```

```

Define[
dm_{i,j→k} =
((sY_{i→4,4,1,1} // aΔ_{1→1,2} // aΔ_{2→2,3} // as_3)
(sY_{j→-1,-1,-4,-4} // bΔ_{-1→-1,-2} // bΔ_{-2→-2,-3})) //
(P_{-1,3} P_{-3,1} am_{2,-4→k} bm_{4,-2→k})

```

```

Define[dσ_{i→j} = aσ_{i→j} bσ_{i→j},
de_i = se_i, dη_i = sn_i,
dS_i = sY_{i→1,1,2,2} // (bs_bar_1 as_2) // dm_{2,1→i},
dS_bar_i = sY_{i→1,1,2,2} // (bs_1 as_bar_2) // dm_{2,1→i},
dΔ_{i→j,k} = (bΔ_{i→3,1} aΔ_{i→2,4}) // (dm_{3,4→k} dm_{1,2→j})

```

```

Define[C_i = E_{i→{i}}[0, 0, B_i^{1/2} e^{-ħ ε a_i / 2}] $k,
C_bar_i = E_{i→{i}}[0, 0, B_i^{-1/2} e^{ħ ε a_i / 2}] $k,
Kink_i = (R_{1,3} C_2) // dm_{1,2→i} // dm_{1,3→i},
Kink_bar_i = (R_bar_{1,3} C_2) // dm_{1,2→i} // dm_{1,3→i}

```

Note. $t = \epsilon a - y b$ and $b = -t / \gamma + \epsilon a / \gamma$.

```

Define[b2t_i = E_{i→{i}}[α_i a_i + β_i (ε a_i - t_i) / γ + ξ_i x_i + η_i y_i],
t2b_i = E_{i→{i}}[α_i a_i + τ_i (ε a_i - γ b_i) + ξ_i x_i + η_i y_i]

```

The Knot Tensors

```

Define[kR_{i,j} = R_{i,j} // (b2t_i b2t_j) /. t_i | j → t,
kR_bar_{i,j} = R_bar_{i,j} // (b2t_i b2t_j) /. {t_i | j → t, T_i | j → T},
km_{i,j→k} = (t2b_i t2b_j) // dm_{i,j→k} //
b2t_k /. {t_k → t, T_k → T, τ_i | j → 0},
kC_i = C_i // b2t_i /. T_i → T,
kC_bar_i = C_bar_i // b2t_i /. T_i → T,
kKink_i = Kink_i // b2t_i /. {t_i → t, T_i → T},
kKink_bar_i = Kink_bar_i // b2t_i /. {t_i → t, T_i → T}

```

Some of the Atoms.

$\omega\epsilon\beta$ /atoms

With $A_i := e^{\alpha_i}$ and $B_i = e^{-b_i}$,

```

PP_ := Identity; $k = 1; ħ = γ = 1;
Column[
(# → (ε = ToExpression[#];
Normal@Simplify[ε[[1]] + ε[[2]] + Log@ε[[3]])) & /@
{"dm_{i,j→k}", "dΔ_{i→j,k}", "dS_i", "R_{i,j}", "P_{i,j}"}]

```

$$\begin{aligned}
dm_{i,j \rightarrow k} &\rightarrow a_k (\alpha_i + \alpha_j) + b_k (\beta_i + \beta_j) + y_k \eta_i + \frac{y_k \eta_j}{\mathcal{A}_i} + \frac{x_k \xi_i}{\mathcal{A}_j} + \eta_j \xi_i - \\
&B_k \eta_j \xi_i + \frac{1}{4 \mathcal{A}_i \mathcal{A}_j} \in (2 y_k \eta_j (2 x_k \xi_i + \mathcal{A}_j (-2 \beta_i + (1 - 3 B_k) \eta_j \xi_i)) + \\
&\mathcal{A}_i \xi_i (x_k (-4 \beta_j + 2 (1 - 3 B_k) \eta_j \xi_i) + \\
&\mathcal{A}_j \eta_j (4 a_k B_k + (1 - 4 B_k + 3 B_k^2) \eta_j \xi_i)) + x_k \xi_j \\
d\Delta_{i \rightarrow j, k} &\rightarrow a_j \alpha_i + a_k \alpha_i + b_j \beta_i + b_k \beta_i + y_j \eta_i + B_j y_k \eta_i + \\
&x_j \xi_i + x_k \xi_i + \frac{1}{2} \in (B_j y_j y_k \eta_i^2 + x_k \xi_i (-2 a_j + x_j \xi_i)) \\
dS_i &\rightarrow -a_i \alpha_i - b_i \beta_i - \frac{\mathcal{A}_i (y_i \eta_i + (-\eta_i + B_i (x_i + \eta_i)) \xi_i)}{B_i} - \frac{1}{4 B_i^2} \\
&\in \mathcal{A}_i (\mathcal{A}_i \eta_i^2 (2 y_i^2 - 6 y_i \xi_i + 3 \xi_i^2) + B_i^2 \xi_i (4 a_i x_i + 2 x_i^2 \mathcal{A}_i \xi_i + \\
&2 x_i (2 \beta_i + \mathcal{A}_i \eta_i \xi_i) + \eta_i (-4 + 4 \beta_i + \mathcal{A}_i \eta_i \xi_i)) + \\
&2 B_i \eta_i (y_i (-2 + 2 \beta_i + 2 x_i \mathcal{A}_i \xi_i + \mathcal{A}_i \eta_i \xi_i) - \\
&\xi_i (-2 + 2 a_i + 2 \beta_i + 3 x_i \mathcal{A}_i \xi_i + 2 \mathcal{A}_i \eta_i \xi_i)) \\
R_{i,j} &\rightarrow a_j b_i + x_j y_i - \frac{1}{4} \in x_j^2 y_i^2 \\
P_{i,j} &\rightarrow \alpha_j \beta_i + \eta_i \xi_j + \frac{1}{4} \in \eta_i^2 \xi_j^2
\end{aligned}$$

$$\begin{aligned}
\mathfrak{k} &= 2; \\
\text{Simplify} &[\\
&R_{1,5} R_{6,2} R_{3,7} \overline{C_4} \overline{\text{Kink}_8} \overline{\text{Kink}_9} \overline{\text{Kink}_{10}} // dm_{1,2 \rightarrow 1} // dm_{1,3 \rightarrow 1} // \\
&dm_{1,4 \rightarrow 1} // dm_{1,5 \rightarrow 1} // dm_{1,6 \rightarrow 1} // dm_{1,7 \rightarrow 1} // dm_{1,8 \rightarrow 1} // \\
&dm_{1,9 \rightarrow 1} // dm_{1,10 \rightarrow 1}] /. v_{-1} \mapsto v \\
E_{\{\} \rightarrow \{1\}} &\left[0, 0, \frac{B}{1 - B + B^2} + \right. \\
&\frac{B (-B + 2 B^2 + 2 B^4 + a (-1 + B - B^3 + B^4) - 2 x y - B^3 (3 + 2 x y)) \in}{(1 - B + B^2)^3} + \\
&\frac{1}{2 (1 - B + B^2)^5} \\
&B (4 B^8 + a^2 (1 - B + B^2)^2 (1 + B - 6 B^2 + B^3 + B^4) + 6 B^5 x^2 y^2 + \\
&2 x y (-2 + 3 x y) - B^7 (11 + 4 x y) - 2 B^2 (1 + 6 x^2 y^2) - \\
&2 B^4 (1 - 2 x y + 6 x^2 y^2) + B (1 + 8 x y + 6 x^2 y^2) + \\
&B^6 (6 + 8 x y + 6 x^2 y^2) + B^3 (4 + 4 x y + 30 x^2 y^2) + \\
&2 a (1 - B + B^2) (2 B^6 + 2 x y + 8 B^3 (1 + x y) - 5 B^2 (1 + 2 x y) - \\
&2 B^5 (1 + 2 x y) - B^4 (7 + 2 x y) + B (2 + 4 x y)) \left. \right) \in^2 + 0 [\in]^3
\end{aligned}$$

A Quantum Algebra Example.

$\omega\epsilon\beta/\text{qa}$

Proto-Proposition^{†0} (with Jesse Frohlich and Roland van der Veen, near [Ma, Proposition 1.7.3]). Let H be a finite dimensional Hopf algebra and let $U = H^{*cop} \otimes H$ be its Drinfel'd double, with R -matrix $R \in H^* \otimes H \subset U \otimes U$. Write $R^{\dagger 1} = \sum \rho_a \otimes r_a$, and let $\langle \cdot | \cdot \rangle: H^* \otimes H \rightarrow \mathbb{F}$ be the duality pairing. Then the functional $\int \in U^*$ defined by

$$\int \phi \otimes x := \sum \langle \phi \rho_a^{\dagger 2} | x r_a^{\dagger 3} \rangle$$

is a right^{†4} integral in U^* . (Meaning $\Delta_{jk}^i // \int_j = \int_i // \epsilon_k$ in $\text{Hom}(U^{\otimes \{i\}} \rightarrow U^{\otimes \{k\}})$).

†0 A "proto-proposition" is something that will become a proposition once you figure out the correct statement. †1 Or did we want it to be $R // S_1^2$? Or $R // S_2^2$? †2 Or is it $\rho_a \phi$? †3 Or is it $r_a x$? †4 Or maybe "left"?

inp = $\mathbb{E}_{\{\} \rightarrow \{1\}} [3 a_1 b_1, 5 x_1 y_1, 1] // dm_{1,1 \rightarrow 1}$;

```

Table[
  HL@TrueQ[
    (inp // (SYi→1,1,2,2 RR) // BM // AM // P1,2) dej ≡
    (inp // ΔΔ // (SYi→1,1,2,2 RR) // BM // AM // P1,2),
    {ΔΔ, {dΔi→i,j, dΔi→j,i}}, {AM, {dm2,4→2, dm4,2→2}},
    {BM, {dm1,3→1, dm3,1→1}},
    {RR, {R3,4, R3,4 // dS3 // dS3, R3,4 // dS4 // dS4}}
  ] // MatrixForm

```

```

( (False False False) (False False True) )
( (False False False) (False False False) )
( (False False False) (False False False) )
( (False False True) (False False False) )

```

A Knot Theory Example.

$\omega\epsilon\beta/\text{kt}$



References.

[BG] D. Bar-Natan and S. Garoufalidis, *On the Melvin-Morton-Rozansky conjecture*, *Invent. Math.* **125** (1996) 103–133.

[BV] D. Bar-Natan and R. van der Veen, *A Polynomial Time Knot Polynomial*, [arXiv:1708.04853](https://arxiv.org/abs/1708.04853).

[Fa] L. Faddeev, *Modular Double of a Quantum Group*, [arXiv:math/9912078](https://arxiv.org/abs/math/9912078).

[GR] S. Garoufalidis and L. Rozansky, *The Loop Expansion of the Kontsevich Integral, the Null-Move, and S-Equivalence*, [arXiv:math.GT/0003187](https://arxiv.org/abs/math.GT/0003187).

[Ma] S. Majid, *Foundations of Quantum Group Theory*, Cambridge University Press, 1995.

[MM] P. M. Melvin and H. R. Morton, *The coloured Jones function*, *Commun. Math. Phys.* **169** (1995) 501–520.

[Ov] A. Overbay, *Perturbative Expansion of the Colored Jones Polynomial*, University of North Carolina PhD thesis, $\omega\epsilon\beta/\text{Ov}$.

[Qu] C. Quesne, *Jackson's q-Exponential as the Exponential of a Series*, [arXiv:math-ph/0305003](https://arxiv.org/abs/math-ph/0305003).

[Ro1] L. Rozansky, *A contribution of the trivial flat connection to the Jones polynomial and Witten's invariant of 3d manifolds, I*, *Comm. Math. Phys.* **175-2** (1996) 275–296, [arXiv:hep-th/9401061](https://arxiv.org/abs/hep-th/9401061).

[Ro2] L. Rozansky, *The Universal R-Matrix, Burau Representation and the Melvin-Morton Expansion of the Colored Jones Polynomial*, *Adv. Math.* **134-1** (1998) 1–31, [arXiv:q-alg/9604005](https://arxiv.org/abs/q-alg/9604005).

[Ro3] L. Rozansky, *A Universal U(1)-RCC Invariant of Links and Rationality Conjecture*, [arXiv:math/0201139](https://arxiv.org/abs/math/0201139).

[Za] D. Zagier, *The Dilogarithm Function*, in Cartier, Moussa, Julia, and Vanhove (eds) *Frontiers in Number Theory, Physics, and Geometry II*. Springer, Berlin, Heidelberg, and $\omega\epsilon\beta/\text{Za}$.

include the "Dogma" abstract? Move to front?





































KiW 43 Abstract ($\omega\epsilon\beta/\text{kiw}$). Whether or not you like the formulas on this page, they describe the strongest truly computable knot invariant we know.

Observations. • Separates the Rolfsen table; does better than

Khovanov plus HOMFLY-PT on knots with up to 12 crossings (not tested beyond). • The degrees are bounded by the genus! • ρ_1 vanishes for amphichiral knots. • Has a chance of detecting non-ribbonness ($\omega\epsilon\beta/\text{ind}$)!

knot diag	n_k^f $(\rho_1^f)^+$	Alexander's ω^+ $(\rho_2^f)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^f $(\rho_1^f)^+$	Alexander's ω^+ $(\rho_2^f)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^f $(\rho_1^f)^+$	Alexander's ω^+ $(\rho_2^f)^+$	genus / ribbon unknotting # / amphi?
	0_1^a	1	0 / ✓ 0 / ✓		3_1^a	$T-1$	1 / ✗ 1 / ✗		4_1^a	$3-T$	1 / ✗ 1 / ✓
	5_1^a	T^2-T+1	2 / ✗ 2 / ✗		5_2^a	$2T-3$	1 / ✗ 1 / ✗		6_1^a	$5-2T$	1 / ✓ 1 / ✗
	6_2^a	$-T^2+3T-3$	2 / ✗ 1 / ✗		6_3^a	T^2-3T+5	2 / ✗ 1 / ✓		7_1^a	T^3-T^2+T-1	3 / ✗ 3 / ✗
	7_2^a	$3T-5$	1 / ✗ 1 / ✗		7_3^a	$2T^2-3T+3$	2 / ✗ 2 / ✗		7_4^a	$4T-7$	1 / ✗ 2 / ✗
	7_5^a	$2T^2-4T+5$	2 / ✗ 2 / ✗		7_6^a	$-T^2+5T-7$	2 / ✗ 1 / ✗		7_7^a	T^2-5T+9	2 / ✗ 1 / ✗
	8_1^a	$7-3T$	1 / ✗ 1 / ✗		8_2^a	$-T^3+3T^2-3T+3$	3 / ✗ 2 / ✗		8_3^a	$9-4T$	1 / ✗ 2 / ✓
	8_4^a	$-2T^2+5T-5$	2 / ✗ 2 / ✗		8_5^a	$-T^3+3T^2-4T+5$	3 / ✗ 2 / ✗		8_6^a	$-2T^2+6T-7$	2 / ✗ 2 / ✗
	8_7^a	T^3-3T^2+5T-5	3 / ✗ 1 / ✗		8_8^a	$2T^2-6T+9$	2 / ✓ 2 / ✗		8_9^a	$-T^3+3T^2-5T+7$	3 / ✓ 1 / ✓
	8_{10}^a	T^3-3T^2+6T-7	3 / ✗ 2 / ✗		8_{11}^a	$-2T^2+7T-9$	2 / ✗ 1 / ✗		8_{12}^a	$T^2-7T+13$	2 / ✗ 2 / ✓
	8_{13}^a	$2T^2-7T+11$	2 / ✗ 1 / ✗		8_{14}^a	$-2T^2+8T-11$	2 / ✗ 1 / ✗		8_{15}^a	$3T^2-8T+11$	2 / ✗ 2 / ✗
	8_{16}^a	T^3-4T^2+8T-9	3 / ✗ 2 / ✗		8_{17}^a	$-T^3+4T^2-8T+11$	3 / ✗ 1 / ✓		8_{18}^a	$-T^3+5T^2-10T+13$	3 / ✗ 2 / ✓
	8_{19}^a	T^3-T^2+1	3 / ✗ 3 / ✗		8_{20}^a	T^2-2T+3	2 / ✓ 1 / ✗		8_{21}^a	$-T^2+4T-5$	2 / ✗ 1 / ✗

knot diag	n_k^f $(\rho_1^f)^+$	Alexander's ω^+ $(\rho_2^f)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^f $(\rho_1^f)^+$	Alexander's ω^+ $(\rho_2^f)^+$	genus / ribbon unknotting # / amphi?
	9_1^a	$T^4-T^3+T^2-T+1$	4 / ✗ 4 / ✗		9_2^a	$4T-7$	1 / ✗ 1 / ✗
	9_3^a	$2T^3-3T^2+3T-3$	3 / ✗ 3 / ✗		9_4^a	$3T^2-5T+5$	2 / ✗ 2 / ✗
	9_5^a	$6T-11$	1 / ✗ 2 / ✗		9_6^a	$2T^3-4T^2+5T-5$	3 / ✗ 3 / ✗
	9_7^a	$3T^2-7T+9$	2 / ✗ 2 / ✗		9_8^a	$-2T^2+8T-11$	2 / ✗ 2 / ✗
	9_9^a	$2T^3-4T^2+6T-7$	3 / ✗ 3 / ✗		9_{10}^a	$4T^2-8T+9$	2 / ✗ 2, 3 / ✗

knot diag	n_k^l $(\rho_1)^+$	Alexander's ω^+	genus / ribbon unknotting # / amphi?	knot diag	n_k^l $(\rho_1)^+$	Alexander's ω^+	genus / ribbon unknotting # / amphi?
	9_{11}^a	$-T^3+5T^2-7T+7$ $-2T^5+16T^4-41T^3+52T^2-66T+64$ $57^{12}-65T^{11}+312T^{10}-463T^9-2042T^8+14588T^7-50444T^6+126967T^5-258750T^4+444545T^3-654213T^2+827220T-895336$	3 / X 2 / X		9_{12}^a	$-2T^2+9T-13$ $5T^3-36T^2+84T-100$ $38T^8-312T^7+45T^6+9790T^5-60473T^4+202775T^3-453255T^2+722176T-841572$	2 / X 1 / X
	9_{13}^a	$4T^2-9T+11$ $-40T^3+92T^2-154T+168$ $-608T^8+7680T^7-43650T^6+158004T^5-417129T^4+856533T^3-1412461T^2+1899222T-2095210$	2 / X 2, 3 / X		9_{14}^a	$2T^2-9T+15$ $-T^3+8T^2-35T+60$ $62T^8-752T^7+3655T^6-7178T^5-9502T^4+97737T^3-294656T^2+531720T-642168$	2 / X 1 / X
	9_{15}^a	$-2T^2+10T-15$ $-5T^3+40T^2-108T+136$ $38T^8-360T^7+208T^6+12328T^5-84103T^4+298764T^3-691161T^2+1121034T-1313504$	2 / X 2 / X		9_{16}^a	$2T^3-5T^2+8T-9$ $-13T^5+36T^4-80T^3+120T^2-161T+168$ $-26T^{12}+456T^{11}-3331T^{10}+15554T^9-53941T^8+149494T^7-345106T^6+680900T^5-1167591T^4+1759576T^3-2347749T^2+2786466T-2949428$	3 / X 3 / X
	9_{17}^a	T^3-5T^2+9T-9 $T^5-8T^4+23T^3-32T^2+28T-24$ $8T^{12}-125T^{11}+874T^{10}-3595T^9+9462T^8-15166T^7+6162T^6+47027T^5-181220T^4+415509T^3-716070T^2+982036T-1089796$	3 / X 2 / X		9_{18}^a	$4T^2-10T+13$ $40T^3-108T^2+193T-220$ $-608T^8+8224T^7-51208T^6+201904T^5-570516T^4+1228920T^3-2087725T^2+2850858T-3159722$	2 / X 2 / X
	9_{19}^a	$2T^2-10T+17$ $T^3-8T^2+20T-24$ $62T^8-840T^7+4536T^6-10352T^5-7041T^4+116428T^3-372683T^2+688198T-836608$	2 / X 1 / X		9_{20}^a	$-T^3+5T^2-9T+11$ $2T^5-16T^4+47T^3-84T^2+117T-124$ $57^{12}-65T^{11}+330T^{10}-577T^9-2439T^8+21482T^7-86959T^6+247237T^5-548658T^4+993841T^3-1502637T^2+1918532T-2080192$	3 / X 2 / X
	9_{21}^a	$-2T^2+11T-17$ $-5T^3+44T^2-127T+164$ $38T^8-408T^7+493T^6+13802T^5-105014T^4+396685T^3-954552T^2+1583140T-1868380$	2 / X 1 / X		9_{22}^a	$T^3-5T^2+10T-11$ $-T^5+8T^4-24T^3+38T^2-40T+36$ $8T^{12}-125T^{11}+893T^{10}-3824T^9+10605T^8-17902T^7+69906T^6+64299T^5-251573T^4+584313T^3-1012133T^2+1388650T-1540398$	3 / X 1 / X
	9_{23}^a	$4T^2-11T+15$ $40T^3-128T^2+243T-288$ $-608T^8+9184T^7-62698T^6+265980T^5-794496T^4+1781117T^3-3107204T^2+4307350T-4797258$	2 / X 2 / X		9_{24}^a	$-T^3+5T^2-10T+13$ $-4T^2+16T-20$ $9T^{12}-145T^{11}+1075T^{10}-4850T^9+14600T^8-29112T^7+29921T^6+30667T^5-218916T^4+570933T^3-1029833T^2+1433476T-1595654$	3 / X 1 / X
	9_{25}^a	$-3T^2+12T-17$ $12T^3-70T^2+153T-188$ $174T^8-1200T^7-1027T^6+42696T^5-235512T^4+740956T^3-1585864T^2+2460360T-2841166$	2 / X 2 / X		9_{26}^a	$T^3-5T^2+11T-13$ $-T^5+8T^4-31T^3+64T^2-85T+92$ $8T^{12}-125T^{11}+900T^{10}-3861T^9+10351T^8-14356T^7-12391T^6+132473T^5-427732T^4+939309T^3-1588046T^2+2154028T-2381116$	3 / X 1 / X
	9_{27}^a	$-T^3+5T^2-11T+15$ $T^3-8T^2+24T-32$ $9T^{12}-145T^{11}+1096T^{10}-5115T^9+16088T^8-33784T^7+37362T^6+34075T^5-273854T^4+743153T^3-1374545T^2+1941332T-2171344$	3 / <input checked="" type="checkbox"/> 1 / X		9_{28}^a	$T^3-5T^2+12T-15$ $T^5-8T^4+30T^3-68T^2+105T-120$ $8T^{12}-125T^{11}+923T^{10}-4138T^9+11800T^8-18092T^7-11101T^6+159415T^5-543916T^4+1228781T^3-2107809T^2+2877256T-3186008$	3 / X 1 / X
	9_{29}^a	$T^3-5T^2+12T-15$ $T^5-8T^4+26T^3-48T^2+59T-56$ $8T^{12}-125T^{11}+931T^{10}-4290T^9+13096T^8-24848T^7+13335T^6+94047T^5-409576T^4+1010237T^3-1816557T^2+2543836T-2840192$	3 / X 2 / X		9_{30}^a	$-T^3+5T^2-12T+17$ $2T^3-10T^2+25T-32$ $9T^{12}-145T^{11}+1117T^{10}-5376T^9+17533T^8-38170T^7+43292T^6+43619T^5-347397T^4+957881T^3-1794189T^2+2553442T-2863228$	3 / X 1 / X
	9_{31}^a	$T^3-5T^2+13T-17$ $T^5-8T^4+33T^3-80T^2+132T-152$ $8T^{12}-125T^{11}+938T^{10}-4303T^9+12544T^8-19138T^7-17200T^6+204143T^5-703180T^4+1617365T^3-2818190T^2+3886636T-4319004$	3 / X 2 / X		9_{32}^a	$T^3-6T^2+14T-17$ $-T^5+10T^4-42T^3+94T^2-133T+148$ $8T^{12}-150T^{11}+1269T^{10}-6297T^9+19455T^8-32720T^7-11156T^6+260282T^5-930836T^4+2153618T^3-3750358T^2+5165114T-5736454$	3 / X 2 / X
	9_{33}^a	$-T^3+6T^2-14T+19$ $T^3-10T^2+30T-40$ $9T^{12}-174T^{11}+1539T^{10}-8207T^9+28913T^8-67184T^7+84077T^6+55866T^5-581640T^4+1664798T^3-3166838T^2+4539202T-5100726$	3 / X 1 / X		9_{34}^a	$-T^3+6T^2-16T+23$ $3T^3-18T^2+43T-56$ $9T^{12}-174T^{11}+1581T^{10}-8831T^9+32988T^8-81774T^7+109631T^6+73248T^5-82934T^4+2480938T^3-4869197T^2+7112552T-8043256$	3 / X 1 / X
	9_{35}^a	$7T-13$ $90T-144$ $-6355T^4+58861T^3-224539T^2+470386T-596734$	1 / X 2, 3 / X		9_{36}^a	$-T^3+5T^2-8T+9$ $-2T^5+16T^4-44T^3+66T^2-87T+88$ $5T^{12}-65T^{11}+321T^{10}-532T^9-2081T^8+17066T^7-64846T^6+175611T^5-376739T^4+668001T^3-998037T^2+1267342T-1372104$	3 / X 2 / X
	9_{37}^a	$2T^2-11T+19$ $T^3-8T^2+22T-28$ $62T^8-928T^7+5487T^6-13814T^5-6681T^4+154867T^3-520239T^2+983348T-1204192$	2 / X 2 / X		9_{38}^a	$5T^2-14T+19$ $62T^3-204T^2+382T-452$ $-1414T^8+22122T^7-153560T^6+657340T^5-1976110T^4+4454362T^3-7806448T^2+10855582T-12103772$	2 / X 2, 3 / X
	9_{39}^a	$-3T^2+14T-21$ $-12T^3+84T^2-210T+268$ $174T^8-1442T^7-690T^6+59068T^5-366222T^4+1247214T^3-2815796T^2+4505578T-5255776$	2 / X 1 / X		9_{40}^a	$T^3-7T^2+18T-23$ $T^5-12T^4+57T^3-144T^2+229T-264$ $8T^{12}-175T^{11}+1712T^{10}-9738T^9+34250T^8-66108T^7-11148T^6+553509T^5-2149560T^4+5230963T^3-9406248T^2+13187800T-14730526$	3 / X 2 / X
	9_{41}^a	$3T^2-12T+19$ $3T^3-20T^2+70T-108$ $309T^8-3288T^7+13885T^6-20928T^5-55179T^4+378100T^3-1035810T^2+1787808T-2129794$	2 / <input checked="" type="checkbox"/> 2 / X		9_{42}^a	$-T^2+2T-1$ $-T^3+2T^2+T-4$ $3T^8-14T^7+32T^6-96T^5+265T^4-294T^3-498T^2+2170T-3128$	2 / X 1 / X
	9_{43}^a	$-T^3+3T^2-2T+1$ $-2T^5+8T^4-7T^3+2T^2-5T+4$ $5T^{12}-39T^{11}+110T^{10}-108T^9-115T^8+570T^7-1477T^6+3453T^5-6651T^4+10951T^3-17188T^2+24718T-28462$	3 / X 2 / X		9_{44}^a	T^2-4T+7 $-2T^2+9T-12$ $47^8-48T^7+237T^6-496T^5-346T^4+4988T^3-15044T^2+26768T-32126$	2 / X 1 / X
	9_{45}^a	$-T^2+6T-9$ $T^3-14T^2+47T-60$ $37^8-42T^7+78T^6+1376T^5-11135T^4+42574T^3-102522T^2+169806T-200284$	2 / X 1 / X		9_{46}^a	$5-2T$ $3T-12$ $-2T^4+160T^3-1125T^2+3082T-4222$	1 / <input checked="" type="checkbox"/> 2 / X

knot diag	n_k^l $(\rho_1)^+$	Alexander's ω^+ $(\rho_2)^+$	genus / ribbon unknotting # / amphi ?	knot diag	n_k^l $(\rho_1)^+$	Alexander's ω^+ $(\rho_2)^+$	genus / ribbon unknotting # / amphi ?
	9_{47}^a	T^3-4T^2+6T-5 $-T^5+6T^4-15T^3+16T^2-10T+12$ $87^{12}-1007^{11}+5607^{10}-18417^9+38477^8-47107^7-4276^6+174947^5-554477^4+170587^3-1937497^2+2613867-288924$	3 / X 2 / X		9_{48}^a	$-T^2+7T-11$ $-T^3+12T^2-42T+52$ $37^8-497^7+2437^6+2677^5-80517^4+404997^3-1121677^2+1998507-241202$	2 / X 2 / X
	9_{49}^a	$3T^2-6T+7$ $-21T^3+38T^2-61T+60$ $-1237^8+16147^7-87447^6+299287^5-758737^4+1527147^3-2507947^2+3382387-373944$	2 / X 3 / X		10_1^a	$9-4T$ $14T-40$ $-247^4+21367^3-134307^2+348607-47068$	1 / X 1 / X
	10_2^a	$-T^4+3T^3-3T^2+3T-3$ $3T^7-12T^6+16T^5-20T^4+24T^3-24T^2+27T-24$ $77^{16}-577^{15}+1897^{14}-2937^{13}-557^{12}+16287^{11}-55437^{10}+132667^9-265897^8+474687^7-774157^6+$ $1165497^5-1629117^4+2123257^3-2584137^2+2925807-305480$	4 / X 3 / X		10_3^a	$13-6T$ $11T-28$ $8707^4+12887^3-277957^2+857187-120138$	1 / X 2 / X
	10_4^a	$-3T^2+7T-7$ $4T^3-8T^2+T+8$ $2947^8-18077^7+45707^6-43057^5-95507^4+495817^3-1174567^2+1893307-221294$	2 / X 2 / X		10_5^a	$T^4-3T^3+5T^2-5T+5$ $-2T^7+8T^6-20T^5+28T^4-36T^3+36T^2-39T+36$ $127^{16}-1177^{15}+5657^{14}-17577^{13}+38477^{12}-59607^{11}+53817^{10}+29687^9-266257^8+750087^7-1574157^6+$ $2791737^5-4369997^4+6152977^3-7853287^2+9099167-955948$	4 / X 2 / X
	10_6^a	$-2T^3+6T^2-7T+7$ $9T^5-36T^4+56T^3-72T^2+81T-84$ $627^{12}-4087^{11}+7127^{10}+22807^9-174937^8+606527^7-1534927^6+3190487^5-5695847^4+8903977^3-$ $12286577^2+14961507-1599330$	3 / X 3 / X		10_7^a	$-3T^2+11T-15$ $14T^3-72T^2+135T-160$ $1147^8-2757^7-58407^6+517397^5-2224927^4+6264257^3-12673487^2+19144107-2193462$	2 / X 1 / X
	10_8^a	$-2T^3+5T^2-5T+5$ $7T^5-20T^4+23T^3-28T^2+26T-24$ $947^{12}-6727^{11}+21157^{10}-36787^9+25357^8+64537^7-306457^6+783857^5-1548957^4+2566017^3-3675257^2+$ $4585007-494524$	3 / X 2 / X		10_9^a	$-T^4+3T^3-5T^2+7T-7$ $-T^7+4T^6-10T^5+20T^4-25T^3+28T^2-28T+28$ $157^{16}-1537^{15}+7877^{14}-27277^{13}+70847^{12}-144047^{11}+228867^{10}-261347^9+115407^8+393327^7-$ $1468667^6+3251157^5-5710777^4+856947^3-11310137^2+13306687-1403980$	4 / X 1 / X
	10_{10}^a	$3T^2-11T+17$ $-5T^3+24T^2-71T+100$ $2857^8-27357^7+100787^6-94797^5-640007^4+3272537^3-8273777^2+13781307-1624314$	2 / X 1 / X		10_{11}^a	$-4T^2+11T-13$ $16T^3-52T^2+68T-72$ $7367^8-46727^7+96347^6+111327^5-1253677^4+4131217^3-8730957^2+13369747-1536906$	2 / X 2, 3 / X
	10_{12}^a	$2T^3-6T^2+10T-11$ $-5T^5+20T^4-50T^3+72T^2-89T+92$ $1187^{12}-10807^{11}+47487^{10}-126247^9+194147^8-20727^7-885077^6+3208367^5-7504537^4+13669227^3-$ $20534817^2+26046387-2816934$	3 / X 2 / X		10_{13}^a	$2T^2-13T+23$ $T^3-12T^2+51T-84$ $627^8-10887^7+73677^6-205867^5-133567^4+2865097^3-10050987^2+19542807-2416160$	2 / X 2 / X
	10_{14}^a	$-2T^3+8T^2-12T+13$ $9T^5-52T^4+119T^3-180T^2+225T-236$ $627^{12}-5847^{11}+17207^{10}+28167^9-428487^8+1954007^7-5941777^6+14076887^5-27536047^4+45751547^3-$ $65450787^2+81068207-8706026$	3 / X 2 / X		10_{15}^a	$2T^3-6T^2+9T-9$ $-3T^5+12T^4-24T^3+24T^2-17T+12$ $1347^{12}-12727^{11}+57927^{10}-165207^9+317657^8-376367^7+23967^6+1201767^5-3713687^4+7528737^3-$ $11950437^2+15601907-1702986$	3 / X 2 / X
	10_{16}^a	$-4T^2+12T-15$ $-16T^3+56T^2-76T+80$ $7367^8-52487^7+129447^6+65287^5-1441627^4+5222007^3-11553707^2+18092287-2093696$	2 / X 2 / X		10_{17}^a	$T^4-3T^3+5T^2-7T+9$ 0 $167^{16}-1657^{15}+8617^{14}-30437^{13}+81737^{12}-175147^{11}+301627^{10}-399587^9+326667^8+139987^7-$ $1250817^6+3177437^5-5884817^4+9045697^3-12070207^2+14265567-1506972$	4 / X 1 / X
	10_{18}^a	$-4T^2+14T-19$ $16T^3-68T^2+121T-140$ $7367^8-62407^7+177367^6+110887^5-2456487^4+9301687^3-21092017^2+33387067-3874682$	2 / X 1 / X		10_{19}^a	$2T^3-7T^2+11T-11$ $3T^5-16T^4+35T^3-40T^2+30T-24$ $1347^{12}-14807^{11}+76417^{10}-241947^9+508557^8-660077^7+123237^6+2013577^5-6652877^4+13977977^3-$ $22710857^2+30061287-3296368$	3 / X 2 / X
	10_{20}^a	$-3T^2+9T-11$ $14T^3-56T^2+88T-104$ $1147^8-1537^7-47837^6+344257^5-1287117^4+3274357^3-6187047^2+8990667-1017366$	2 / X 2 / X		10_{21}^a	$-2T^3+7T^2-9T+9$ $9T^5-44T^4+80T^3-104T^2+121T-124$ $627^{12}-4967^{11}+12037^{10}+20787^9-244567^8+971637^7-2678787^6+5920417^5-11067387^4+17895917^3-$ $25257327^2+31137527-3341184$	3 / X 2 / X
	10_{22}^a	$-2T^3+6T^2-10T+13$ $-T^5+4T^4-10T^3+24T^2-37T+44$ $1427^{12}-13687^{11}+65247^{10}-201207^9+427907^8-579287^7+169197^6+1587007^5-5407077^4+11302947^3-$ $18096437^2+23631147-2577418$	3 / X 2 / X		10_{23}^a	$2T^3-7T^2+13T-15$ $-5T^5+24T^4-67T^3+108T^2-137T+144$ $1187^{12}-12727^{11}+65417^{10}-204027^9+384437^8-219457^7-1324427^6+5943357^5-15304207^4+29603637^3-$ $46221937^2+59920487-6526360$	3 / X 1 / X
	10_{24}^a	$-4T^2+14T-19$ $24T^3-116T^2+221T-268$ $4167^8-15687^7-132247^6+1369287^5-6041247^4+17010087^3-34146737^2+51187147-5846946$	2 / X 2 / X		10_{25}^a	$-2T^3+8T^2-14T+17$ $9T^5-52T^4+131T^3-232T^2+314T-344$ $627^{12}-5847^{11}+18567^{10}+22647^9-470527^8+2412887^7-8095417^6+20680167^5-42700107^4+73479307^3-$ $107233317^2+134062067-14434208$	3 / X 2 / X
	10_{26}^a	$-2T^3+7T^2-13T+17$ $-T^5+4T^4-10T^3+28T^2-49T+60$ $1427^{12}-16007^{11}+88237^{10}-310587^9+749647^8-1178977^7+670647^6+2559977^5-10476007^4+23603957^3-$ $39478887^2+52812887-5805248$	3 / X 1 / X		10_{27}^a	$2T^3-8T^2+16T-19$ $5T^5-28T^4+87T^3-164T^2+229T-252$ $1187^{12}-14647^{11}+85367^{10}-297927^9+620967^8-396967^7-2421957^6+11518487^5-30781407^4+$ $60989107^3-96619407^2+126212407-13779050$	3 / X 1 / X
	10_{28}^a	$4T^2-13T+19$ $-8T^3+36T^2-100T+136$ $9287^8-78727^7+261747^6-225887^5-1422957^4+6891137^3-16763917^2+27289987-3192146$	2 / X 2 / X		10_{29}^a	$T^3-7T^2+15T-17$ $T^5-12T^4+52T^3-104T^2+124T-128$ $87^{12}-1757^{11}+16597^{10}-89137^9+292527^8-542927^7+106867^6+2909897^5-11266637^4+26732117^3-$ $47234987^2+65665727-7317656$	3 / X 2 / X
	10_{30}^a	$-4T^2+17T-25$ $24T^3-148T^2+345T-440$ $4167^8-20487^7-174907^6+2199967^5-11018947^4+3396907^3-72455107^2+112437347-12988226$	2 / X 1 / X		10_{31}^a	$4T^2-14T+21$ $-4T^2+9T-12$ $9927^8-94407^7+369367^6-591367^5-726247^4+6233047^3-16918997^2+28675507-3391374$	2 / X 1 / X
	10_{32}^a	$-2T^3+8T^2-15T+19$ $T^5-4T^4+13T^3-40T^2+78T-96$ $1427^{12}-18327^{11}+112047^{10}-426887^9+1099097^8-1843847^7+1248317^6+3607827^5-16153917^4+$ $37595857^3-64048907^2+86553607-9545252$	3 / X 1 / X		10_{33}^a	$4T^2-16T+25$ 0 $9927^8-108167^7+478567^6-883367^5-844027^4+9203207^3-26553407^2+46409127-5542372$	2 / X 1 / X

knot diag	n_k^+ Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?
	10_{34}^a $3T^2 - 9T + 13$ $-5T^3 + 20T^2 - 52T + 68$ $285T^8 - 2205T^7 + 6601T^6 - 3429T^5 - 43369T^4 + 185703T^3 - 431857T^2 + 687874T - 799218$	2 / ✗ 2 / ✗		10_{35}^a $2T^2 - 12T + 21$ $-T^3 + 12T^2 - 47T + 76$ $62T^8 - 10007T^7 + 62447T^6 - 157447T^5 - 157077T^4 + 232680T^3 - 775840T^2 + 1474372T - 1810118$	2 / ✓ 2 / ✗
	10_{36}^a $-3T^2 + 13T - 19$ $14T^3 - 88T^2 + 208T - 264$ $1147T^8 - 3977T^7 - 7597T^6 + 811417T^5 - 393441T^4 + 1198967T^3 - 2544952T^2 + 3941362T - 4550398$	2 / ✗ 2 / ✗		10_{37}^a $4T^2 - 13T + 19$ 0 $992T^8 - 87367T^7 + 319147T^6 - 472127T^5 - 644997T^4 + 497921T^3 - 1308755T^2 + 2181630T - 2566522$	2 / ✗ 2 / ✓
	10_{38}^a $-4T^2 + 15T - 21$ $24T^3 - 128T^2 + 270T - 336$ $4167T^8 - 16327T^7 - 16122T^6 + 172460T^5 - 788845T^4 + 2280037T^3 - 4653713T^2 + 7038342T - 8061882$	2 / ✗ 2 / ✗		10_{39}^a $-2T^3 + 8T^2 - 13T + 15$ $9T^5 - 52T^4 + 125T^3 - 204T^2 + 263T - 280$ $62T^{12} - 584T^{11} + 1788T^{10} + 2480T^9 - 44191T^8 + 213488T^7 - 683173T^6 + 1684054T^5 - 3393468T^4 + 5753447T^3 - 8330571T^2 + 10379080T - 11164828$	3 / ✗ 2 / ✗
	10_{40}^a $2T^3 - 8T^2 + 17T - 21$ $-5T^5 + 28T^4 - 89T^3 + 176T^2 - 258T + 288$ $1187T^{12} - 14647T^{11} + 86927T^{10} - 312567T^9 + 679877T^8 - 496247T^7 - 257955T^6 + 1301482T^5 - 3582545T^4 + 7240253T^3 - 11620382T^2 + 15292356T - 16735336$	3 / ✗ 2 / ✗		10_{41}^a $T^3 - 7T^2 + 17T - 21$ $T^5 - 12T^4 + 54T^3 - 120T^2 + 157T - 164$ $8T^{12} - 175T^{11} + 1697T^{10} - 9543T^9 + 33561T^8 - 691147T^7 + 291177T^6 + 354127T^5 - 1527139T^4 + 3836499T^3 - 7019042T^2 + 9942516T - 11145016$	3 / ✗ 2 / ✗
	10_{42}^a $-T^3 + 7T^2 - 19T + 27$ $2T^3 - 8T^2 + 11T - 12$ $9T^{12} - 203T^{11} + 2093T^{10} - 12971T^9 + 52885T^8 - 142268T^7 + 214987T^6 + 60931T^5 - 1368859T^4 + 4365895T^3 - 8815357T^2 + 13058404T - 14831092$	3 / ✓ 1 / ✗		10_{43}^a $-T^3 + 7T^2 - 17T + 23$ 0 $9T^{12} - 203T^{11} + 2051T^{10} - 12253T^9 + 47594T^8 - 120962T^7 + 170450T^6 + 61017T^5 - 1045911T^4 + 3175271T^3 - 6209661T^2 + 9025932T - 10186676$	3 / ✗ 2 / ✓
	10_{44}^a $T^3 - 7T^2 + 19T - 25$ $T^5 - 12T^4 + 56T^3 - 140T^2 + 220T - 248$ $8T^{12} - 175T^{11} + 1735T^{10} - 10157T^9 + 37586T^8 - 81160T^7 + 29232T^6 + 500937T^5 - 2197451T^4 + 5635115T^3 - 10448058T^2 + 14900236T - 16735696$	3 / ✗ 1 / ✗		10_{45}^a $-T^3 + 7T^2 - 21T + 31$ 0 $9T^{12} - 203T^{11} + 2135T^{10} - 13689T^9 + 58324T^8 - 165246T^7 + 266640T^6 + 52413T^5 - 1738539T^4 + 5821367T^3 - 12123077T^2 + 18290148T - 20900556$	3 / ✗ 2 / ✓
	10_{46}^a $-T^4 + 3T^3 - 4T^2 + 5T - 5$ $-3T^7 + 12T^6 - 21T^5 + 34T^4 - 43T^3 + 52T^2 - 55T + 56$ $7T^{16} - 57T^{15} + 204T^{14} - 382T^{13} + 69T^{12} + 2247T^{11} - 9674T^{10} + 27287T^9 - 61957T^8 + 121378T^7 - 211961T^6 + 335438T^5 - 485235T^4 + 644818T^3 - 789365T^2 + 891215T - 928064$	4 / ✗ 3 / ✗		10_{47}^a $T^4 - 3T^3 + 6T^2 - 7T + 7$ $-2T^7 + 8T^6 - 23T^5 + 38T^4 - 56T^3 + 60T^2 - 68T + 64$ $12T^{16} - 117T^{15} + 598T^{14} - 20307T^{13} + 4959T^{12} - 8715T^{11} + 9312T^{10} + 2921T^9 - 44823T^8 + 139602T^7 - 312112T^6 + 579182T^5 - 93656T^4 + 1347538T^3 - 1741633T^2 + 2029805T - 2135930$	4 / ✗ 2, 3 / ✗
	10_{48}^a $T^4 - 3T^3 + 6T^2 - 9T + 11$ $T^5 - 2T^4 + 2T^3 - 3T + 4$ $16T^{16} - 165T^{15} + 906T^{14} - 3452T^{13} + 10069T^{12} - 23423T^{11} + 43765T^{10} - 63343T^9 + 59588T^8 + 82327T^7 - 192505T^6 + 537134T^5 - 1048176T^4 + 1669528T^3 - 2281994T^2 + 2735109T - 2902594$	4 / ✓ 2 / ✗		10_{49}^a $3T^3 - 8T^2 + 12T - 13$ $30T^5 - 94T^4 + 196T^3 - 292T^2 + 372T - 392$ $-177T^{12} + 3028T^{11} - 22080T^{10} + 101361T^9 - 341354T^8 + 914348T^7 - 2044469T^6 + 3931812T^5 - 6622778T^4 + 9874270T^3 - 13105110T^2 + 15522532T - 16422794$	3 / ✗ 3 / ✗
	10_{50}^a $-2T^3 + 7T^2 - 11T + 13$ $-9T^5 + 44T^4 - 94T^3 + 150T^2 - 186T + 200$ $62T^{12} - 496T^{11} + 1283T^{10} + 2094T^9 - 29732T^8 + 134301T^7 - 412809T^6 + 990903T^5 - 1959941T^4 + 3278621T^3 - 4702408T^2 + 5824956T - 6253664$	3 / ✗ 2 / ✗		10_{51}^a $2T^3 - 7T^2 + 15T - 19$ $-5T^5 + 24T^4 - 73T^3 + 134T^2 - 194T + 212$ $1187T^{12} - 1272T^{11} + 6813T^{10} - 22602T^9 + 45771T^8 - 28275T^7 - 180411T^6 + 857569T^5 - 2306697T^4 + 4602641T^3 - 7332665T^2 + 9612128T - 10506256$	3 / ✗ 2, 3 / ✗
	10_{52}^a $2T^3 - 7T^2 + 13T - 15$ $-3T^5 + 16T^4 - 37T^3 + 50T^2 - 49T + 44$ $1347T^{12} - 1480T^{11} + 7961T^{10} - 27058T^9 + 62159T^8 - 88993T^7 + 22042T^6 + 296843T^5 - 1040240T^4 + 2254967T^3 - 3720017T^2 + 4952400T - 5437448$	3 / ✗ 2 / ✗		10_{53}^a $6T^2 - 18T + 25$ $93T^3 - 346T^2 + 680T - 828$ $-3642T^8 + 58248T^7 - 417976T^6 + 1846212T^5 - 5694639T^4 + 13084936T^3 - 23231163T^2 + 32545278T - 36374532$	2 / ✗ 2, 3 / ✗
	10_{54}^a $2T^3 - 6T^2 + 10T - 11$ $-3T^5 + 12T^4 - 24T^3 + 26T^2 - 21T + 16$ $134T^{12} - 1272T^{11} + 5964T^{10} - 17880T^9 + 36606T^8 - 46740T^7 + 6565T^6 + 150576T^5 - 487825T^4 + 1010638T^3 - 1619593T^2 + 2120978T - 2316318$	3 / ✗ 2, 3 / ✗		10_{55}^a $5T^2 - 15T + 21$ $66T^3 - 246T^2 + 488T - 596$ $-1966T^8 + 30491T^7 - 215627T^6 + 945597T^5 - 2905831T^4 + 6662951T^3 - 11814712T^2 + 16540014T - 18481854$	2 / ✗ 2 / ✗
	10_{56}^a $-2T^3 + 8T^2 - 14T + 17$ $-9T^5 + 52T^4 - 133T^3 + 234T^2 - 312T + 340$ $62T^{12} - 584T^{11} + 1800T^{10} + 2840T^9 - 49588T^8 + 247616T^7 - 819257T^6 + 2077408T^5 - 4277830T^4 + 7364010T^3 - 10765639T^2 + 13481990T - 14525656$	3 / ✗ 2 / ✗		10_{57}^a $2T^3 - 8T^2 + 18T - 23$ $-5T^5 + 28T^4 - 93T^3 + 194T^2 - 300T + 340$ $1187T^{12} - 1464T^{11} + 8808T^{10} - 32264T^9 + 71276T^8 - 49320T^7 - 305843T^6 + 1537376T^5 - 4286854T^4 + 8774390T^3 - 14221383T^2 + 18829374T - 20648444$	3 / ✗ 2 / ✗
	10_{58}^a $3T^2 - 16T + 27$ $3T^3 - 28T^2 + 94T - 140$ $309T^8 - 4384T^7 + 24039T^6 - 49896T^5 - 90763T^4 + 864784T^3 - 2647834T^2 + 4837480T - 5867454$	2 / ✗ 2 / ✗		10_{59}^a $T^3 - 7T^2 + 18T - 23$ $-T^5 + 12T^4 - 55T^3 + 128T^2 - 181T + 196$ $8T^{12} - 175T^{11} + 1716T^{10} - 9858T^9 + 35706T^8 - 76124T^7 + 33704T^6 + 412653T^5 - 1824096T^4 + 4655939T^3 - 8596644T^2 + 12230816T - 13727286$	3 / ✗ 1 / ✗
	10_{60}^a $-T^3 + 7T^2 - 20T + 29$ $5T^3 - 40T^2 + 122T - 176$ $9T^{12} - 203T^{11} + 21147T^{10} - 13338T^9 + 55732T^8 - 154496T^7 + 241898T^6 + 66137T^5 - 1621594T^4 + 5326603T^3 - 10989858T^2 + 16499428T - 18824860$	3 / ✗ 1 / ✗		10_{61}^a $-2T^3 + 5T^2 - 6T + 7$ $-7T^5 + 20T^4 - 27T^3 + 36T^2 - 35T + 36$ $94T^{12} - 672T^{11} + 2231T^{10} - 4382T^9 + 4108T^8 + 6320T^7 - 40187T^6 + 113296T^5 - 2357147T^4 + 4004707T^3 - 576529T^2 + 714816T - 767686$	3 / ✗ 2, 3 / ✗
	10_{62}^a $T^4 - 3T^3 + 6T^2 - 8T + 9$ $-2T^7 + 8T^6 - 23T^5 + 40T^4 - 63T^3 + 76T^2 - 89T + 88$ $12T^{16} - 117T^{15} + 598T^{14} - 2057T^{13} + 5172T^{12} - 9509T^{11} + 10856T^{10} + 2734T^9 - 54502T^8 + 178917T^7 - 414312T^6 + 786767T^5 - 1289208T^4 + 1865866T^3 - 2414454T^2 + 2812025T - 2957594$	4 / ✗ 2 / ✗		10_{63}^a $5T^2 - 14T + 19$ $66T^3 - 220T^2 + 416T - 496$ $-1966T^8 + 28318T^7 - 188080T^6 + 783388T^5 - 2311570T^4 + 5141906T^3 - 8929148T^2 + 12349082T - 13743884$	2 / ✗ 2 / ✗
	10_{64}^a $-T^4 + 3T^3 - 6T^2 + 10T - 11$ $-T^7 + 4T^6 - 11T^5 + 24T^4 - 37T^3 + 52T^2 - 60T + 64$ $15T^{16} - 153T^{15} + 8307T^{14} - 31477T^{13} + 91337T^{12} - 209837T^{11} + 379637T^{10} - 501647T^9 + 306427T^8 + 687417T^7 - 3100367T^6 + 7454307T^5 - 1381735T^4 + 2150560T^3 - 2906317T^2 + 3464829T - 3671204$	4 / ✗ 2 / ✗		10_{65}^a $2T^3 - 7T^2 + 14T - 17$ $-5T^5 + 24T^4 - 71T^3 + 124T^2 - 169T + 180$ $1187T^{12} - 1272T^{11} + 6657T^{10} - 21282T^9 + 40874T^8 - 20768T^7 - 166691T^6 + 742216T^5 - 1933704T^4 + 3781794T^3 - 5950947T^2 + 7749120T - 8452246$	3 / ✗ 2 / ✗
	10_{66}^a $3T^3 - 9T^2 + 16T - 19$ $30T^5 - 112T^4 + 279T^3 - 480T^2 + 662T - 724$ $-177T^{12} + 3321T^{11} - 27536T^{10} + 145346T^9 - 561614T^8 + 1706788T^7 - 4256134T^6 + 8946173T^5 - 16135424T^4 + 25271935T^3 - 34647456T^2 + 41790680T - 44471832$	3 / ✗ 3 / ✗		10_{67}^a $-4T^2 + 16T - 23$ $24T^3 - 140T^2 + 312T - 392$ $416T^8 - 1696T^7 - 18592T^6 + 205384T^5 - 971474T^4 + 2884880T^3 - 6004484T^2 + 9188872T - 10566612$	2 / ✗ 2 / ✗

knot diag	n_k^+ Alexander's ω^+ $(\rho_1^+)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ $(\rho_1^+)^+$	genus / ribbon unknotting # / amphi?
	10_{68}^a $4T^2 - 14T + 21$ $8T^3 - 40T^2 + 117T - 164$ 9287 ⁸ - 84487 ⁷ + 297847 ⁶ - 267367 ⁵ - 1789847 ⁴ + 8917367 ³ - 22171477 ² + 36573907 - 4297054	2 / ✘ 2 / ✘		10_{69}^a $T^3 - 7T^2 + 21T - 29$ $-T^5 + 12T^4 - 68T^3 + 212T^2 - 397T + 476$ 87 ¹² - 1757 ¹¹ + 17537 ¹⁰ - 103397 ⁹ + 374357 ⁸ - 681747 ⁷ - 789977 ⁶ + 10156357 ⁵ - 38807797 ⁴ + 96974917 ³ - 179378267 ² + 256463007 - 28844672	3 / ✘ 2 / ✘
	10_{70}^a $T^3 - 7T^2 + 16T - 19$ $-T^5 + 12T^4 - 53T^3 + 114T^2 - 146T + 152$ 87 ¹² - 1757 ¹¹ + 16787 ¹⁰ - 92207 ⁹ + 312517 ⁸ - 604507 ⁷ + 143357 ⁶ + 3375937 ⁵ - 13517737 ⁴ + 32758037 ³ - 58643367 ² + 82086547 - 9166724	3 / ✘ 2 / ✘		10_{71}^a $-T^3 + 7T^2 - 18T + 25$ $T^3 - 2T^2 - T + 4$ 97 ¹² - 2037 ¹¹ + 20727 ¹⁰ - 126087 ⁹ + 501677 ⁸ - 1310827 ⁷ + 1906557 ⁶ + 649375 ⁵ - 12069177 ⁴ + 37456597 ³ - 74361027 ² + 109067787 - 12346734	3 / ✘ 1 / ✘
	10_{72}^a $-2T^3 + 9T^2 - 16T + 19$ $-9T^5 + 60T^4 - 167T^3 + 298T^2 - 410T + 448$ 627 ¹² - 6727 ¹¹ + 24077 ¹⁰ + 28467 ⁹ - 670467 ⁸ + 3587147 ⁷ - 12374407 ⁶ + 32251367 ⁵ - 67607027 ⁴ + 117679847 ³ - 173157777 ² + 217571467 - 23465324	3 / ✘ 2 / ✘		10_{73}^a $T^3 - 7T^2 + 20T - 27$ $T^5 - 12T^4 + 65T^3 - 194T^2 + 350T - 416$ 87 ¹² - 1757 ¹¹ + 17387 ¹⁰ - 101127 ⁹ + 361177 ⁸ - 660387 ⁷ - 612357 ⁶ + 8694497 ⁵ - 32966037 ⁴ + 81338037 ³ - 148808807 ² + 211228907 - 23697928	3 / ✘ 1 / ✘
	10_{74}^a $-4T^2 + 16T - 23$ $24T^3 - 136T^2 + 290T - 360$ 4167 ⁸ - 19847 ⁷ - 144487 ⁶ + 1788327 ⁵ - 8705427 ⁴ + 26261047 ³ - 55217647 ² + 85007607 - 9794748	2 / ✘ 2 / ✘		10_{75}^a $-T^3 + 7T^2 - 19T + 27$ $-4T^3 + 36T^2 - 117T + 172$ 97 ¹² - 2037 ¹¹ + 20937 ¹⁰ - 129797 ⁹ + 530857 ⁸ - 1440607 ⁷ + 2227957 ⁶ + 459397 ⁵ - 13825077 ⁴ + 45289197 ³ - 93023657 ² + 139269407 - 15875332	3 / ✓ 2 / ✘
	10_{76}^a $-2T^3 + 7T^2 - 12T + 15$ $-9T^5 + 44T^4 - 104T^3 + 184T^2 - 245T + 272$ 627 ¹² - 4967 ¹¹ + 12637 ¹⁰ + 29267 ⁹ - 376117 ⁸ + 1747747 ⁷ - 5537947 ⁶ + 13597407 ⁵ - 27275057 ⁴ + 45956687 ³ - 66100397 ² + 81933147 - 8796596	3 / ✘ 2, 3 / ✘		10_{77}^a $2T^3 - 7T^2 + 14T - 17$ $-5T^5 + 24T^4 - 71T^3 + 132T^2 - 189T + 208$ 1187 ¹² - 12727 ¹¹ + 66577 ¹⁰ - 211707 ⁹ + 396027 ⁸ - 134807 ⁷ - 1935637 ⁶ + 8125687 ⁵ - 20724527 ⁴ + 39975387 ³ - 62278797 ² + 80589127 - 8771174	3 / ✘ 2, 3 / ✘
	10_{78}^a $-T^3 + 7T^2 - 16T + 21$ $2T^5 - 24T^4 + 105T^3 - 244T^2 + 390T - 448$ 57 ¹² - 917 ¹¹ + 6267 ¹⁰ - 13107 ⁹ - 96827 ⁸ + 982687 ⁷ - 4728087 ⁶ + 15588977 ⁵ - 38922007 ⁴ + 76991077 ³ - 123652787 ² + 163513527 - 17933784	3 / ✘ 2 / ✘		10_{79}^a $T^4 - 3T^3 + 7T^2 - 12T + 15$ 0 167 ¹⁶ - 1657 ¹⁵ + 9517 ¹⁴ - 38927 ¹³ + 123277 ¹² - 313017 ¹¹ + 640477 ¹⁰ - 1020887 ⁹ + 1089427 ⁸ - 517277 ⁷ - 3286357 ⁶ + 10136447 ⁵ - 20993187 ⁴ + 34867987 ³ - 49048247 ² + 59791097 - 6380898	4 / ✘ 2, 3 / ✓
	10_{80}^a $3T^3 - 9T^2 + 15T - 17$ $30T^5 - 112T^4 + 260T^3 - 426T^2 + 568T - 616$ -1777 ¹² + 33217 ¹¹ - 269197 ¹⁰ + 1374197 ⁹ - 5117887 ⁸ + 15009067 ⁷ - 36256087 ⁶ + 74200937 ⁵ - 131017857 ⁴ + 201967677 ³ - 273886557 ² + 328264447 - 34860060	3 / ✘ 3 / ✘		10_{81}^a $-T^3 + 8T^2 - 20T + 27$ 0 97 ¹² - 2327 ¹¹ + 26327 ¹⁰ - 173477 ⁹ + 731467 ⁸ - 1994767 ⁷ + 3037177 ⁶ + 635167 ⁵ - 17832227 ⁴ + 56366747 ³ - 112399187 ² + 165010927 - 18681194	3 / ✘ 2 / ✓
	10_{82}^a $-T^4 + 4T^3 - 8T^2 + 12T - 13$ $T^7 - 6T^6 + 19T^5 - 42T^4 + 64T^3 - 78T^2 + 84T - 84$ 157 ¹⁶ - 2047 ¹⁵ + 13627 ¹⁴ - 59567 ¹³ + 190677 ¹² - 469407 ¹¹ + 896467 ¹⁰ - 1259847 ⁹ + 943797 ⁸ + 1184887 ⁷ - 6636007 ⁶ + 16759447 ⁵ - 31876267 ⁴ + 50465087 ³ - 68996327 ² + 82827527 - 8796438	4 / ✘ 1 / ✘		10_{83}^a $2T^3 - 9T^2 + 19T - 23$ $-5T^5 + 34T^4 - 110T^3 + 214T^2 - 301T + 332$ 1187 ¹² - 16327 ¹¹ + 105017 ¹⁰ - 401667 ⁹ + 921547 ⁸ - 746617 ⁷ - 3449387 ⁶ + 18290497 ⁵ - 51557867 ⁴ + 105890037 ³ - 171840027 ² + 227634167 - 24966116	3 / ✘ 2 / ✘
	10_{84}^a $2T^3 - 9T^2 + 20T - 25$ $-5T^5 + 34T^4 - 116T^3 + 246T^2 - 373T + 424$ 1187 ¹² - 16327 ¹¹ + 106017 ¹⁰ - 409707 ⁹ + 933617 ⁸ - 601307 ⁷ - 4577127 ⁶ + 22761847 ⁵ - 63799777 ⁴ + 131310887 ³ - 213701257 ² + 283635427 - 31128704	3 / ✘ 1 / ✘		10_{85}^a $T^4 - 4T^3 + 8T^2 - 10T + 11$ $2T^7 - 12T^6 + 36T^5 - 68T^4 + 101T^3 - 124T^2 + 138T - 140$ 127 ¹⁶ - 1567 ¹⁵ + 9867 ¹⁴ - 39827 ¹³ + 113197 ¹² - 230427 ¹¹ + 299877 ¹⁰ - 30987 ⁹ - 1164607 ⁸ + 4183147 ⁷ - 10054257 ⁶ + 19530487 ⁵ - 32523987 ⁴ + 47647767 ³ - 62206117 ² + 72850427 - 7676632	4 / ✘ 2 / ✘
	10_{86}^a $-2T^3 + 9T^2 - 19T + 25$ $-T^5 + 6T^4 - 21T^3 + 58T^2 - 105T + 128$ 1427 ¹² - 20567 ¹¹ + 141357 ¹⁰ - 603467 ⁹ + 1730737 ⁸ - 3224577 ⁷ + 2561327 ⁶ + 6408397 ⁵ - 31921787 ⁴ + 78065117 ³ - 137127317 ² + 188520807 - 20906284	3 / ✘ 2 / ✘		10_{87}^a $-2T^3 + 9T^2 - 18T + 23$ $-T^5 + 6T^4 - 23T^3 + 66T^2 - 125T + 152$ 1427 ¹² - 20567 ¹¹ + 139557 ¹⁰ - 583187 ⁹ + 1627987 ⁸ - 2932287 ⁷ + 2148677 ⁶ + 6129607 ⁵ - 28824607 ⁴ + 69025707 ³ - 119796977 ² + 163614447 - 18106010	3 / ✓ 2 / ✘
	10_{88}^a $-T^3 + 8T^2 - 24T + 35$ 0 97 ¹² - 2327 ¹¹ + 27167 ¹⁰ - 189557 ⁹ + 863007 ⁸ - 2576647 ⁷ + 4362817 ⁶ + 557607 ⁵ - 28236567 ⁴ + 96579627 ³ - 203064807 ² + 307754727 - 35215022	3 / ✘ 1 / ✓		10_{89}^a $T^3 - 8T^2 + 24T - 33$ $T^5 - 14T^4 + 83T^3 - 264T^2 + 495T - 596$ 87 ¹² - 2007 ¹¹ + 22367 ¹⁰ - 144617 ⁹ + 569927 ⁸ - 1170727 ⁷ - 761527 ⁶ + 15086047 ⁵ - 60939367 ⁴ + 156200307 ³ - 292866047 ² + 421554007 - 47509694	3 / ✘ 2 / ✘
	10_{90}^a $-2T^3 + 8T^2 - 17T + 23$ $-T^5 + 6T^4 - 21T^3 + 54T^2 - 93T + 112$ 1427 ¹² - 18247 ¹¹ + 114527 ¹⁰ - 455687 ⁹ + 1231537 ⁸ - 2149767 ⁷ + 1385157 ⁶ + 5239187 ⁵ - 23090347 ⁴ + 54584437 ³ - 94323097 ² + 128614967 - 14226804	3 / ✘ 2 / ✘		10_{91}^a $T^4 - 4T^3 + 9T^2 - 14T + 17$ $T^5 - 2T^4 + 2T^3 - 3T + 4$ 167 ¹⁶ - 2207 ¹⁵ + 15357 ¹⁴ - 71667 ¹³ + 248857 ¹² - 674767 ¹¹ + 1450707 ¹⁰ - 2420147 ⁹ + 2787537 ⁸ - 782127 ⁷ - 6243297 ⁶ + 20919107 ⁵ - 44241087 ⁴ + 73976307 ³ - 104254187 ² + 127118147 - 13565348	4 / ✘ 1 / ✘
	10_{92}^a $-2T^3 + 10T^2 - 20T + 25$ $-9T^5 + 68T^4 - 216T^3 + 428T^2 - 622T + 696$ 627 ¹² - 7607 ¹¹ + 32287 ¹⁰ + 17767 ⁹ - 906867 ⁸ + 5557727 ⁷ - 21141697 ⁶ + 59519647 ⁵ - 132511597 ⁴ + 241278507 ³ - 366240167 ² + 468624607 - 50844652	3 / ✘ 2 / ✘		10_{93}^a $2T^3 - 8T^2 + 15T - 17$ $3T^5 - 18T^4 + 43T^3 - 58T^2 + 55T - 48$ 1347 ¹² - 16967 ¹¹ + 101807 ¹⁰ - 378807 ⁹ + 941837 ⁸ - 1472727 ⁷ + 627297 ⁶ + 4248667 ⁵ - 16185967 ⁴ + 36167437 ³ - 60597937 ² + 81308687 - 8948936	3 / ✘ 2 / ✘
	10_{94}^a $-T^4 + 4T^3 - 9T^2 + 14T - 15$ $-T^7 + 6T^6 - 20T^5 + 46T^4 - 76T^3 + 102T^2 - 115T + 120$ 157 ¹⁶ - 2047 ¹⁵ + 14057 ¹⁴ - 64547 ¹³ + 219077 ¹² - 574327 ¹¹ + 1170807 ¹⁰ - 1767547 ⁹ + 1504057 ⁸ + 1359727 ⁷ - 9287177 ⁶ + 24606427 ⁵ - 48040197 ⁴ + 77294627 ³ - 106729907 ² + 128815667 - 13703760	4 / ✘ 2 / ✘		10_{95}^a $2T^3 - 9T^2 + 21T - 27$ $-5T^5 + 32T^4 - 114T^3 + 248T^2 - 384T + 436$ 1187 ¹² - 16567 ¹¹ + 110457 ¹⁰ - 444627 ⁹ + 1091187 ⁸ - 1040357 ⁷ - 3915837 ⁶ + 22980837 ⁵ - 68047117 ⁴ + 144567097 ³ - 240080827 ² + 322366967 - 35514492	3 / ✘ 1 / ✘
	10_{96}^a $-T^3 + 7T^2 - 22T + 33$ $-7T^3 + 50T^2 - 147T + 212$ 97 ¹² - 2037 ¹¹ + 21567 ¹⁰ - 140607 ⁹ + 611897 ⁸ - 1770347 ⁷ + 2874377 ⁶ + 966897 ⁵ - 21496997 ⁴ + 72315877 ³ - 152280827 ² + 231633547 - 26546674	3 / ✘ 2 / ✘		10_{97}^a $-5T^2 + 22T - 33$ $-37T^3 + 242T^2 - 603T + 788$ 10617 ⁸ - 54867 ⁷ - 470907 ⁶ + 6150647 ⁵ - 31571657 ⁴ + 99049267 ³ - 213764467 ² + 333957867 - 38661308	2 / ✘ 2 / ✘
	10_{98}^a $-2T^3 + 9T^2 - 18T + 23$ $9T^5 - 60T^4 + 177T^3 - 348T^2 + 501T - 564$ 627 ¹² - 6727 ¹¹ + 25757 ¹⁰ + 16667 ⁹ - 676027 ⁸ + 3989487 ⁷ - 14838137 ⁶ + 41157767 ⁵ - 90698007 ⁴ + 163963787 ³ - 247679657 ² + 316021487 - 34255402	3 / ✘ 2 / ✘		10_{99}^a $T^4 - 4T^3 + 10T^2 - 16T + 19$ 0 167 ¹⁶ - 2207 ¹⁵ + 15807 ¹⁴ - 76887 ¹³ + 279767 ¹² - 796127 ¹¹ + 1796567 ¹⁰ - 3150607 ⁹ + 3862727 ⁸ - 1481607 ⁷ - 7921727 ⁶ + 28547487 ⁵ - 62378247 ⁴ + 106496447 ³ - 152141567 ² + 186966087 - 20003232	4 / ✓ 2 / ✓
	10_{100}^a $T^4 - 4T^3 + 9T^2 - 12T + 13$ $2T^7 - 12T^6 + 39T^5 - 80T^4 + 128T^3 - 164T^2 + 192T - 196$ 127 ¹⁶ - 1567 ¹⁵ + 10197 ¹⁴ - 43407 ¹³ + 131897 ¹² - 290127 ¹¹ + 417157 ¹⁰ - 112327 ⁹ - 1536117 ⁸ + 6031167 ⁷ - 15205137 ⁶ + 30494527 ⁵ - 51904147 ⁴ + 77153047 ³ - 101642347 ² + 119616847 - 12623974	4 / ✘ 2, 3 / ✘		10_{101}^a $7T^2 + 21T + 29$ $-129T^3 + 480T^2 - 942T + 1148$ -74537 ⁸ + 1159797 ⁷ - 8199477 ⁶ + 35868477 ⁵ - 109875737 ⁴ + 251203597 ³ - 444436957 ² + 621337787 - 69396618	2 / ✘ 2, 3 / ✘

knot diag	n'_k Alexander's ω^+ (ρ'_i) ⁺	genus / ribbon unknotting # / amphi?	knot diag	n'_k Alexander's ω^+ (ρ'_i) ⁺	genus / ribbon unknotting # / amphi?
	10^a_{102} $-2T^3+8T^2-16T+21$ $-T^5+6T^4-19T^3+50T^2-89T+108$ $1427^{12}-18247^{11}+112967^{10}-440007^9+1159847^8-1972007^7+1232037^6+4625127^5-19960647^4+$ $46492987^3-79518407^2+107771607-11897326$	3 / ✗ 1 / ✗		10^a_{103} $2T^3-8T^2+17T-21$ $5T^5-30T^4+93T^3-178T^2+254T-280$ $1187^{12}-14407^{11}+84047^{10}-295847^9+618637^8-337367^7-2897637^6+13551867^5-3666737^4+$ $73674137^3-118029747^2+155259087-16990056$	3 / ✗ 3 / ✗
	10^a_{104} $T^4-4T^3+9T^2-15T+19$ $T^5-2T^4+2T^3-3T+4$ $167^{16}-2207^{15}+15357^{14}-71977^{13}+252277^{12}-693327^{11}+1515137^{10}-2572797^9+3013667^8-833937^7-$ $7104027^6+24094697^5-51622977^4+87264787^3-123976637^2+151912037-16238052$	4 / ✗ 1 / ✗		10^a_{105} $T^3-8T^2+22T-29$ $-T^5+14T^4-71T^3+184T^2-292T+332$ $87^{12}-2007^{11}+22187^{10}-142617^9+571237^8-1329867^7+653027^6+8053067^5-37228417^4+97844307^3-$ $184005877^2+264412867-29769592$	3 / ✗ 2 / ✗
	10^a_{106} $-T^4+4T^3-9T^2+15T-17$ $-T^7+6T^6-20T^5+48T^4-82T^3+114T^2-134T+140$ $157^{16}-2047^{15}+14057^{14}-64817^{13}+221977^{12}-589487^{11}+1220177^{10}-1869377^9+1592527^8+1616537^7-$ $10731907^6+28726717^5-56744797^4+92214947^3-128273107^2+155510037-16568312$	4 / ✗ 2 / ✗		10^a_{107} $-T^3+8T^2-22T+31$ $2T^3-8T^2+13T-16$ $97^{12}-2327^{11}+26747^{10}-181557^9+797057^8-2279867^7+3666637^6+654307^5-22852837^4+75183987^3-$ $154085137^2+229974707-26180364$	3 / ✗ 1 / ✗
	10^a_{108} $2T^3-8T^2+14T-15$ $-3T^5+18T^4-41T^3+50T^2-40T+32$ $1347^{12}-16967^{11}+100327^{10}-364167^9+879167^8-1338607^7+586177^6+3533927^5-13376427^4+$ $29610067^3-49304497^2+65948547-7251776$	3 / ✗ 2 / ✗		10^a_{109} $T^4-4T^3+10T^2-17T+21$ 0 $167^{16}-2207^{15}+15807^{14}-77197^{13}+283187^{12}-815257^{11}+1865917^{10}-3323517^9+4136967^8-1582847^7-$ $8891297^6+32393717^5-71654117^4+123617387^3-177991977^2+219796577-23554274$	4 / ✗ 2 / ✓
	10^a_{110} $T^3-8T^2+20T-25$ $T^5-14T^4+69T^3-160T^2+219T-236$ $87^{12}-2007^{11}+21807^{10}-135697^9+521147^8-1164727^7+616167^6+6046687^5-27479067^4+70722747^3-$ $131039187^2+186728367-20967250$	3 / ✗ 2 / ✗		10^a_{111} $-2T^3+9T^2-17T+21$ $-9T^5+60T^4-171T^3+316T^2-436T+480$ $627^{12}-6727^{11}+25077^{10}+18947^9-640677^8+3617057^7-12991457^6+35068897^5-75755917^4+$ $135100697^3-202348357^2+257002287-27818092$	3 / ✗ 2 / ✗
	10^a_{112} $-T^4+5T^3-11T^2+17T-19$ $T^7-8T^6+29T^5-68T^4+115T^3-152T^2+175T-180$ $157^{16}-2557^{15}+20687^{14}-106997^{13}+396507^{12}-1111607^{11}+2394017^{10}-3813387^9+3575957^8+2152407^7-$ $19005907^6+52520997^5-104706527^4+170626837^3-237472577^2+287866487-30666904$	4 / ✗ 2 / ✗		10^a_{113} $2T^3-11T^2+26T-33$ $-5T^5+42T^4-167T^3+394T^2-623T+720$ $1187^{12}-20167^{11}+156817^{10}-711267^9+1907127^8-1874167^7-8270537^6+49358927^5-149861467^4+$ $324562827^3-546065357^2+738723807-81581546$	3 / ✗ 1 / ✗
	10^a_{114} $-2T^3+10T^2-21T+27$ $T^5-8T^4+30T^3-78T^2+140T-168$ $1427^{12}-22807^{11}+169767^{10}-769767^9+2309997^8-4458767^7+3694507^6+8900447^5-45544877^4+$ $112565197^3-198907367^2+274316867-30450926$	3 / ✗ 1 / ✗		10^a_{115} $-T^3+9T^2-26T+37$ 0 $97^{12}-2617^{11}+33457^{10}-249427^9+1188707^8-3659327^7+6364977^6+315277^5-39077307^4+134726497^3-$ $282980397^2+427989447-48929878$	3 / ✗ 2 / ✓
	10^a_{116} $-T^4+5T^3-12T^2+19T-21$ $T^7-8T^6+30T^5-74T^4+132T^3-184T^2+217T-228$ $157^{16}-2557^{15}+21117^{14}-113027^{13}+436687^{12}-1280237^{11}+2885757^{10}-4823077^9+4859857^8+2150187^7-$ $24167117^6+69420307^5-141422467^4+233746227^3-328326557^2+400086977-42694444$	4 / ✗ 2 / ✗		10^a_{117} $2T^3-10T^2+24T-31$ $-5T^5+38T^4-144T^3+330T^2-522T+600$ $1187^{12}-18247^{11}+131567^{10}-563127^9+1437467^8-1282127^7-6487317^6+37010127^5-110807177^4+$ $238442307^3-399947307^2+540333527-59650184$	3 / ✗ 2 / ✗
	10^a_{118} $T^4-5T^3+12T^2-19T+23$ 0 $167^{16}-2757^{15}+23057^{14}-125267^{13}+493797^{12}-1490777^{11}+3520677^{10}-6419877^9+8251467^8-3994947^7-$ $14580867^6+56417847^5-125898797^4+217127567^3-311879347^2+384321957-41152780$	4 / ✗ 1 / ✓		10^a_{119} $-2T^3+10T^2-23T+31$ $-T^5+6T^4-26T^3+86T^2-175T+220$ $1427^{12}-22887^{11}+173927^{10}-815607^9+2557197^8-5218207^7+4833547^6+9905247^5-56180507^4+$ $144994057^3-263398357^2+369164187-41198798$	3 / ✗ 1 / ✗
	10^a_{120} $8T^2-26T+37$ $166T^3-692T^2+1433T-1788$ $-117687^8+2013207^7-15411327^6+71939607^5-231935627^4+550984087^3-1001011577^2+1421361867-159564534$	2 / ✗ 2, 3 / ✗		10^a_{121} $2T^3-11T^2+27T-35$ $5T^5-42T^4+167T^3-396T^2+634T-732$ $1187^{12}-20167^{11}+158537^{10}-734507^9+2046057^8-2323517^7-7642517^6+50542057^5-158908537^4+$ $351606337^3-599960797^2+818317487-90616328$	3 / ✗ 2 / ✗
	10^a_{122} $-2T^3+11T^2-24T+31$ $-T^5+8T^4-34T^3+104T^2-211T+264$ $1427^{12}-25127^{11}+203557^{10}-993627^9+3185357^8-6570147^7+6170407^6+11996367^5-68695797^4+$ $176632087^3-319530917^2+446562227-49787168$	3 / ✗ 2 / ✗		10^a_{123} $T^4-6T^3+15T^2-24T+29$ 0 $167^{16}-3307^{15}+32167^{14}-197707^{13}+861707^{12}-2825007^{11}+7151627^{10}-13887907^9+19173507^8-$ $11697207^7-28325207^6+123637847^5-286896607^4+505601107^3-735797007^2+913251587-98015944$	4 / ✓ 2 / ✓
	10^a_{124} T^4-T^3+T-1 $-4T^7-6T^4-4T^2-6T$ $97^{15}-257^{14}+107^{13}+757^{12}-1777^{11}+1557^{10}+1137^9-5707^8+8507^7-4287^6-8247^5+21677^4-23407^3+$ $5107^2+23757-3832$	4 / ✗ 4 / ✗		10^n_{125} T^3-2T^2+2T-1 $-T^5+2T^4-2T^3+3T-4$ $87^{12}-507^{11}+1517^{10}-2897^9+4177^8-5247^7+5367^6-1507^5-11687^4+39427^3-81307^2+123147-14126$	3 / ✗ 2 / ✗
	10^n_{126} T^3-2T^2+4T-5 $T^5-2T^4+10T^3-12T^2+22T-20$ $87^{12}-507^{11}+1857^{10}-4577^9+6667^8-1877-30747^6+107247^5-244957^4+437387^3-646317^2+810727-87356$	3 / ✗ 2 / ✗		10^n_{127} $-T^3+4T^2-6T+7$ $2T^5-14T^4+32T^3-52T^2+67T-72$ $57^{12}-487^{11}+1287^{10}+2897^9-35517^8+155547^7-465897^6+1092067^5-2116257^4+3483707^3-4941077^2+$ $6081547-651576$	3 / ✗ 2 / ✗
	10^n_{128} $2T^3-3T^2+T+1$ $-13T^5+12T^4-3T^3-10T^2-9T+12$ $-267^{12}+2967^{11}-10717^{10}+417507^9-11077^8+2877^7-29387^6+79597^5-78207^4+31757^3-87227^2+283927-40368$	3 / ✗ 3 / ✗		10^n_{129} $2T^2-6T+9$ $-T^3-2T^2+14T-20$ $627^8-5687^7+22807^6-43087^5-5537^4+256167^3-761257^2+1322587-157332$	2 / ✓ 1 / ✗
	10^n_{130} $2T^2-4T+5$ $T^3-2T^2+19T-24$ $627^8-3367^7+9247^6-15687^5+2537^4+83847^3-286687^2+536287-65374$	2 / ✗ 2 / ✗		10^n_{131} $-2T^2+8T-11$ $5T^3-38T^2+87T-112$ $387^8-2727^7-5807^6+127927^5-664177^4+2020967^3-4226627^2+6464407-742870$	2 / ✗ 1 / ✗
	10^n_{132} T^2-T+1 $2T^2+5T-4$ $47^8-77^7+127^6-1457^5+5087^4-6317^3-3227^2+21507-3150$	2 / ✗ 1 / ✗		10^n_{133} $-T^2+5T-7$ $T^3-14T^2+37T-48$ $37^8-437^7+167^6+14897^5-93227^4+309457^3-680477^2+1069547-123994$	2 / ✗ 1 / ✗
	10^n_{134} $2T^3-4T^2+4T-3$ $-13T^5+24T^4-33T^3+30T^2-41T+40$ $-267^{12}+3767^{11}-20567^{10}+67607^9-162487^8+325687^7-589517^6+983167^5-1501947^4+2107387^3-$ $2732467^2+3241247-344346$	3 / ✗ 3 / ✗		10^n_{135} $3T^2-9T+13$ $T^3-6T^2+18T-24$ $3217^8-26137^7+89057^6-120337^5-193297^4+1324517^3-3370257^2+5530027-647370$	2 / ✗ 2 / ✗
	10^n_{136} $-T^2+4T-5$ $-T^3+4T^2-2T-4$ $37^8-367^7+1897^6-5127^5+3477^4+26607^3-111427^2+226687-28354$	2 / ✗ 1 / ✗		10^n_{137} $T^2-6T+11$ $-4T^2+24T-44$ $47^8-747^7+5127^6-14207^5-11607^4+210747^3-729047^2+1409227-173900$	2 / ✓ 1 / ✗

knot diag	n_k^l Alexander's ω^+ $(\rho_1^l)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^l Alexander's ω^+ $(\rho_1^l)^+$	genus / ribbon unknotting # / amphi?
	10_{138}^n $T^3 - 5T^2 + 8T - 7$ $-T^5 + 8T^4 - 22T^3 + 24T^2 - 11T + 8$ $8T^{12} - 125T^{11} + 855T^{10} - 3374T^9 + 8458T^8 - 13328T^7 + 8173T^6 + 25863T^5 - 114602T^4 + 277037T^3 - 497313T^2 + 702260T - 787812$	3 / ✗ 2 / ✗		10_{139}^n $T^4 - T^3 + 2T - 3$ $-4T^7 - 12T^4 + 5T^3 - 4T^2 - 16T + 12$ $9T^{15} - 25T^{14} - 37T^{13} + 172T^{12} - 425T^{11} + 290T^{10} + 924T^9 - 3099T^8 + 4327T^7 - 1756T^6 - 5200T^5 + 12117T^4 - 11846T^3 + 1547T^2 + 12451T - 19002$	4 / ✗ 4 / ✗
	10_{140}^n $T^2 - 2T + 3$ $8T - 8$ $4T^8 - 22T^7 + 90T^6 - 292T^5 + 424T^4 + 430T^3 - 3056T^2 + 6470T - 8104$	2 / ✓ 2 / ✗		10_{141}^n $-T^3 + 3T^2 - 4T + 5$ $T^3 - 8T^2 + 16T - 20$ $9T^{12} - 87T^{11} + 396T^{10} - 1150T^9 + 2382T^8 - 3516T^7 + 2746T^6 + 3397T^5 - 19148T^4 + 46359T^3 - 80476T^2 + 109936T - 121692$	3 / ✗ 1 / ✗
	10_{142}^n $2T^3 - 3T^2 + 2T - 1$ $-13T^5 + 12T^4 - 13T^3 + 4T^2 - 17T + 12$ $-26T^{12} + 296T^{11} - 1155T^{10} + 2582T^9 - 4276T^8 + 6812T^7 - 11749T^6 + 19392T^5 - 27878T^4 + 36798T^3 - 48891T^2 + 62932T - 69706$	3 / ✗ 3 / ✗		10_{143}^n $T^3 - 3T^2 + 6T - 7$ $T^5 - 4T^4 + 15T^3 - 28T^2 + 45T - 48$ $8T^{12} - 75T^{11} + 362T^{10} - 1106T^9 + 2070T^8 - 1092T^7 - 7698T^6 + 33841T^5 - 86216T^4 + 164927T^3 - 254838T^2 + 327896T - 356170$	3 / ✗ 1 / ✗
	10_{144}^n $-3T^2 + 10T - 13$ $10T^3 - 44T^2 + 80T - 96$ $222T^8 - 1642T^7 + 3140T^6 + 12252T^5 - 94326T^4 + 307146T^3 - 651636T^2 + 998418T - 1147140$	2 / ✗ 2 / ✗		10_{145}^n $T^2 + T - 3$ $2T^3 + 8T^2 + 6T - 8$ $-5T^7 + 7T^6 + 113T^5 - 141T^4 - 465T^3 + 730T^2 + 850T - 2198$	2 / ✗ 2 / ✗
	10_{146}^n $2T^2 - 8T + 13$ $T^3 - 8T^2 + 21T - 28$ $62T^8 - 664T^7 + 2844T^6 - 4544T^5 - 9663T^4 + 71376T^3 - 197106T^2 + 340392T - 405394$	2 / ✗ 1 / ✗		10_{147}^n $-2T^2 + 7T - 9$ $-3T^3 + 12T^2 - 15T + 12$ $54T^8 - 488T^7 + 1697T^6 - 1694T^5 - 8312T^4 + 42905T^3 - 107222T^2 + 177492T - 208860$	2 / ✗ 1 / ✗
	10_{148}^n $T^3 - 3T^2 + 7T - 9$ $T^5 - 4T^4 + 18T^3 - 36T^2 + 62T - 68$ $8T^{12} - 75T^{11} + 377T^{10} - 1209T^9 + 2330T^8 - 864T^7 - 11900T^6 + 51677T^5 - 135261T^4 + 266207T^3 - 420746T^2 + 549160T - 599424$	3 / ✗ 2 / ✗		10_{149}^n $T^3 - 3T^2 - 9T + 11$ $2T^5 - 18T^4 + 55T^3 - 104T^2 + 149T - 164$ $5T^{12} - 61T^{11} + 226T^{10} + 339T^9 - 7195T^8 + 38874T^7 - 135727T^6 + 357173T^5 - 753890T^4 + 1318245T^3 - 1945105T^2 + 2447584T - 2640944$	3 / ✗ 2 / ✗
	10_{150}^n $-T^3 + 4T^2 - 6T + 7$ $-2T^5 + 12T^4 - 26T^3 + 38T^2 - 45T + 44$ $5T^{12} - 52T^{11} + 216T^{10} - 355T^9 - 719T^8 + 6578T^7 - 24361T^6 + 64526T^5 - 137117T^4 + 243126T^3 - 364723T^2 + 464942T - 504136$	3 / ✗ 2 / ✗		10_{151}^n $T^3 - 4T^2 + 10T - 13$ $-T^5 + 6T^4 - 21T^3 + 42T^2 - 66T + 72$ $8T^{12} - 100T^{11} + 632T^{10} - 2529T^9 + 6645T^8 - 9606T^7 - 5854T^6 + 80466T^5 - 270269T^4 + 605378T^3 - 103389T^2 + 1408362T - 1558600$	3 / ✗ 2 / ✗
	10_{152}^n $T^4 - T^3 - T^2 + 4T - 5$ $4T^7 - 7T^5 + 18T^4 - 7T^3 - 12T^2 + 45T - 52$ $9T^{15} - 14T^{14} - 92T^{13} + 396T^{12} - 4197T^{11} - 1212T^{10} + 5444T^9 - 9692T^8 + 6412T^7 + 11488T^6 - 39344T^5 + 55244T^4 - 33234T^3 - 30168T^2 + 102115T - 133894$	4 / ✗ 4 / ✗		10_{153}^n $T^3 - T^2 - T + 3$ $T^5 - 2T^4 + T^3 + 2T^2 - T$ $8T^{12} - 17T^{11} - 46T^{10} + 231T^9 - 381T^8 + 364T^7 - 367T^6 + 157T^5 + 1142T^4 - 2815T^3 + 1874T^2 + 2128T - 4572$	3 / ✓ 2 / ✗
	10_{154}^n $T^3 - 4T + 7$ $-3T^5 - 6T^4 + 13T^3 - 47T + 68$ $48T^{10} - 93T^9 - 546T^8 + 2396T^7 - 1956T^6 - 8376T^5 + 25906T^4 - 23802T^3 - 25690T^2 + 102540T - 140874$	3 / ✗ 3 / ✗		10_{155}^n $-T^3 + 3T^2 - 5T + 7$ $-2T^3 + 12T^2 - 22T + 28$ $9T^{12} - 87T^{11} + 417T^{10} - 1321T^9 + 3014T^8 - 4806T^7 + 3646T^6 + 46917T^5 - 34773T^4 + 82963T^3 - 142781T^2 + 193836T - 214060$	3 / ✓ 2 / ✗
	10_{156}^n $T^3 - 4T^2 + 8T - 9$ $T^5 - 6T^4 + 19T^3 - 30T^2 + 33T - 32$ $8T^{12} - 100T^{11} + 594T^{10} - 2165T^9 + 5120T^8 - 6852T^7 - 2208T^6 + 41208T^5 - 134214T^4 + 293026T^3 - 493422T^2 + 668112T - 738218$	3 / ✗ 1 / ✗		10_{157}^n $-T^3 + 5T^2 - 11T + 13$ $-2T^5 + 22T^4 - 78T^3 + 148T^2 - 218T + 240$ $5T^{12} - 74T^{11} + 340T^{10} + 321T^9 - 11314T^8 + 67637T^7 - 250977T^6 + 688036T^5 - 1493487T^4 + 2661131T^3 - 3974091T^2 + 5034465T - 5444000$	3 / ✗ 2 / ✗
	10_{158}^n $-T^3 + 4T^2 - 10T + 15$ $2T^2 - 7T + 12$ $9T^{12} - 116T^{11} + 764T^{10} - 3275T^9 + 9743T^8 - 19422T^7 + 18439T^6 + 32898T^5 - 196271T^4 + 513374T^3 - 940025T^2 + 1323614T - 1479452$	3 / ✗ 2 / ✗		10_{159}^n $T^3 - 4T^2 + 9T - 11$ $T^5 - 6T^4 + 26T^3 - 60T^2 + 98T - 112$ $8T^{12} - 100T^{11} + 609T^{10} - 2267T^9 + 5047T^8 - 3237T^7 - 23513T^6 + 115362T^5 - 318739T^4 + 648093T^3 - 1045247T^2 + 1379659T - 1511358$	3 / ✗ 1 / ✗
	10_{160}^n $-T^3 + 4T^2 - 4T + 3$ $-2T^5 + 12T^4 - 20T^3 + 14T^2 - 16T + 12$ $57T^{12} - 52T^{11} + 198T^{10} - 255T^9 - 522T^8 + 3092T^7 - 8443T^6 + 18756T^5 - 37588T^4 + 67858T^3 - 108568T^2 + 148444T - 165862$	3 / ✗ 2 / ✗		10_{161}^n $T^3 - 2T + 3$ $3T^5 + 6T^4 - 3T^3 + 4T^2 + 14T - 12$ $30T^{10} - 53T^9 - 145T^8 + 630T^7 - 674T^6 - 870T^5 + 3591T^4 - 4450T^3 + 581T^2 + 6166T - 9640$	3 / ✗ 3 / ✗
	10_{162}^n $-3T^2 + 9T - 11$ $10T^3 - 38T^2 + 58T - 68$ $222T^8 - 1473T^7 + 2609T^6 + 8829T^5 - 65543T^4 + 206079T^3 - 427536T^2 + 647498T - 741358$	2 / ✗ 2 / ✗		10_{163}^n $T^3 - 5T^2 + 12T - 15$ $-T^5 + 8T^4 - 30T^3 + 62T^2 - 89T + 96$ $8T^{12} - 125T^{11} + 923T^{10} - 4154T^9 + 12040T^8 - 19732T^7 - 4345T^6 + 140575T^5 - 506052T^4 + 1171653T^3 - 2040193T^2 + 2809224T - 3119648$	3 / ✗ 1, 2 / ✗
	10_{164}^n $3T^2 - 11T + 17$ $T^3 - 10T^2 + 29T - 40$ $321T^8 - 3179T^7 + 12782T^6 - 20103T^5 - 32876T^4 + 254013T^3 - 688337T^2 + 1170838T - 1386922$	2 / ✗ 1 / ✗		10_{165}^n $-2T^2 + 10T - 15$ $-5T^3 + 50T^2 - 146T + 196$ $38T^8 - 344T^7 - 848T^6 + 23020T^5 - 137555T^4 + 465256T^3 - 1047705T^2 + 1673914T - 1951560$	2 / ✗ 2 / ✗