

```
In[*]:= Length[DeleteFile /@ FileNames["index.html", "C:\\drorbn\\AcademicPensieve\\Album", 2]]
```

```
Out[*]=
```


```
228
```

```
In[*]:= folder = "C:\\drorbn\\AcademicPensieve\\Album\\2023.09.30_Ride_Around_Lake_Scugog";
SetDirectory[folder];
fs = Echo@Take[FileNames["*.gpx"], All];
data = Union@Table["Geometry" /. Import[f, "Data"], {f, fs}];
path = Echo@GeoGraphics[{Red, data},
  GeoGridRangePadding → Scaled[0.1],
  GeoScaleBar → "Kilometers"
];
(*Export["path.png", path] *)
PathLocation = Module[{R = 3000, r = 40, n = 6, res = 600},
  ImageAssemble[
    Partition[#, 3] &@Table[
      Rasterize[
        GeoGraphics[{Red, Thick, data},
          GeoCenter → Mean@Cases[data, GeoPosition[l_List] :> Mean[l], ∞],
          GeoRange → Quantity[R (r / R)(k-1) / (n-1), "Kilometers"],
          GeoScaleBar → "Kilometers",
          ImageSize → res
        ],
      RasterSize → res
    ],
    {k, n}],
  "Fit", Background → White]
]
Export["PathLocation.png", PathLocation]
```

» {2023-09-30_06-32_Sat.gpx}



Out[] =



Out[*n*]=

PathLocation.png

```
folder = "C:\\drorbn\\AcademicPensieve\\Album\\2023.09.30_Ride_Around_Lake_Scugog";  
SetDirectory[folder];  
(Interpretation[ImageResize[Import@#, 400], #] → "") & /@  
FileNames["*.jpg" | "*.jpeg" | "*.png" | "*.mp4"]
```

About 95km.

```
{  
  "TitleNotes" → "About 95km.",  
  "ImageComments" → {}  
}
```