

```
In[*]:= Length[DeleteFile /@ FileNames["index.html", "C:\\drorbn\\AcademicPensieve\\Album", 2]]
```


```
Out[*]=
```

```
228
```

```
In[*]:= folder = "C:\\drorbn\\AcademicPensieve\\Album\\2023.11.18_Budapest_to_Dunafoldvar_Ride";
SetDirectory[folder];
fs = Echo@Take[FileNames["*.gpx"], All];
data = Union@Table["Geometry" /. Import[f, "Data"], {f, fs}];
path = Echo@GeoGraphics[{Red, data},
  GeoGridRangePadding → Scaled[0.1],
  GeoScaleBar → "Kilometers"
];
Export["Path%.png", path]
PathLocation = Module[{R = 3000, r = 120, n = 6, res = 600},
  ImageAssemble[
    Partition[#, 3] &@Table[
      Rasterize[
        GeoGraphics[{Red, Thick, data},
          GeoCenter → Mean@Cases[data, GeoPosition[l_List] :> Mean[l], ∞],
          GeoRange → Quantity[R (r / R)(k-1) / (n-1), "Kilometers"],
          GeoScaleBar → "Kilometers",
          ImageSize → res
        ],
      RasterSize → res
    ],
    {k, n}],
  "Fit", Background → White]
]
```

```
Export["PathLocation.png", PathLocation]
```


» {2023-11-18_07-03_Sat.gpx}



Out[] =

Path%.png

Out[] =



Out[*n*]=

PathLocation.png

```
folder = "C:\\drorbn\\AcademicPensieve\\Album\\2023.11.18_Budapest_to_Dunafoldvar_Ride";
SetDirectory[folder];
(Interpretation[ImageResize[Import@#, 400], #] → "") & /@
  FileNames["*.jpg" | "*.jpeg" | "*.png" | "*.mp4"]
```

I was meaning to ride to Esztergom, up the Danube and probably a more scenic ride, but right before leaving I checked the wind conditions and decided to make a 180 and head down the Danube to Dunaföldvár. About 101km, mostly with strong back wind (plus 4.5km from the return bus stop back home).

```
{
  "TitleNotes" →
  "I was meaning to ride to Esztergom, up the Danube and probably a more scenic ride,
  but right before leaving I checked the wind conditions and decided to make a
  180 and head down the Danube to Dunaföldvár. About 101km, mostly
  with strong back wind (plus 4.5km from the return bus stop back home).",
  "ImageComments" → {}
}
```