

Dror Bar-Natan: Classes: 2014-15: Math 240 Algebra I: Wednesday December 3:

$$\left\{ \begin{pmatrix} 4 & 3 \\ -6 & -5 \end{pmatrix} \cdot \begin{pmatrix} 4 & 3 \\ -6 & -5 \end{pmatrix} \cdot \begin{pmatrix} 4 & 3 \\ -6 & -5 \end{pmatrix} \cdot \begin{pmatrix} 4 & 3 \\ -6 & -5 \end{pmatrix} \cdot \begin{pmatrix} 4 & 3 \\ -6 & -5 \end{pmatrix} // \text{MatrixForm}, \right. \\ \left. \begin{pmatrix} 1 & -1 \\ -1 & 2 \end{pmatrix} \cdot \begin{pmatrix} 1 & 0 \\ 0 & -32 \end{pmatrix} \cdot \begin{pmatrix} 2 & 1 \\ 1 & 1 \end{pmatrix} // \text{MatrixForm} \right\}$$

$$\left\{ \begin{pmatrix} 34 & 33 \\ -66 & -65 \end{pmatrix}, \begin{pmatrix} 34 & 33 \\ -66 & -65 \end{pmatrix} \right\}$$

$$\mathbf{F}[0] = \mathbf{F}[1] = 1;$$

$$\mathbf{F}[n_] /; n > 1 := \mathbf{F}[n] = \mathbf{F}[n-1] + \mathbf{F}[n-2];$$

$$\mathbf{F} /@ \text{Range}[0, 10]$$

$$\{1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89\}$$

$$\mathbf{A} = \begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix};$$

$$\text{MatrixPower}[\mathbf{A}, 10] // \text{MatrixForm}$$

$$\begin{pmatrix} 34 & 55 \\ 55 & 89 \end{pmatrix}$$

$$\{\text{MatrixPower}[\mathbf{A}, 50][[2, 2]], \mathbf{F}[50]\}$$

$$\{20\,365\,011\,074, 20\,365\,011\,074\}$$

$$(\mathbf{B} = \mathbf{A} - \lambda \text{IdentityMatrix}[2]) // \text{MatrixForm}$$

$$\begin{pmatrix} -\lambda & 1 \\ 1 & 1-\lambda \end{pmatrix}$$

$$\chi = \text{Det}[\mathbf{B}]$$

$$-1 - \lambda + \lambda^2$$

$$\{\lambda_1, \lambda_2\} = \lambda /. \text{Solve}[\chi == 0, \lambda]$$

$$\left\{ \frac{1}{2} (1 - \sqrt{5}), \frac{1}{2} (1 + \sqrt{5}) \right\}$$

$$(\mathbf{DD} = \text{DiagonalMatrix}[\{\lambda_1, \lambda_2\}]) // \text{MatrixForm}$$

$$\begin{pmatrix} \frac{1}{2} (1 - \sqrt{5}) & 0 \\ 0 & \frac{1}{2} (1 + \sqrt{5}) \end{pmatrix}$$

$$\{\mathbf{v}_1\} = \text{NullSpace}[\mathbf{B} /. \lambda \rightarrow \lambda_1]$$

$$\left\{ \left\{ \frac{1}{2} (-1 - \sqrt{5}), 1 \right\} \right\}$$

$$\{\mathbf{v}_2\} = \text{NullSpace}[\mathbf{B} /. \lambda \rightarrow \lambda_2]$$

$$\left\{ \left\{ \frac{1}{2} (-1 + \sqrt{5}), 1 \right\} \right\}$$

**(CC = Transpose[{v1, v2}]) // MatrixForm**

$$\begin{pmatrix} \frac{1}{2}(-1 - \sqrt{5}) & \frac{1}{2}(-1 + \sqrt{5}) \\ 1 & 1 \end{pmatrix}$$

**(CCinv = Inverse[CC]) // MatrixForm**

$$\begin{pmatrix} -\frac{1}{\sqrt{5}} & -\frac{1-\sqrt{5}}{2\sqrt{5}} \\ \frac{1}{\sqrt{5}} & -\frac{-1-\sqrt{5}}{2\sqrt{5}} \end{pmatrix}$$

**CCinv.CC // Simplify // MatrixForm**

$$\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

**CC.DD.CCinv // Simplify // MatrixForm**

$$\begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix}$$

**(DDn = DiagonalMatrix[{λ1^n, λ2^n}]) // MatrixForm**

$$\begin{pmatrix} \left(\frac{1}{2}(1 - \sqrt{5})\right)^n & 0 \\ 0 & \left(\frac{1}{2}(1 + \sqrt{5})\right)^n \end{pmatrix}$$

**CC.DDn.CCinv // Simplify // MatrixForm**

$$\begin{pmatrix} \frac{2^{-1-n} \left( (1-\sqrt{5})^n (1+\sqrt{5}) + (-1+\sqrt{5}) (1+\sqrt{5})^n \right)}{\sqrt{5}} & \frac{2^{-n} \left( -(1-\sqrt{5})^n + (1+\sqrt{5})^n \right)}{\sqrt{5}} \\ \frac{-\left(\frac{1}{2}(1-\sqrt{5})\right)^n + \left(\frac{1}{2}(1+\sqrt{5})\right)^n}{\sqrt{5}} & \frac{2^{-1-n} \left( -(1-\sqrt{5})^{1+n} + (1+\sqrt{5})^{1+n} \right)}{\sqrt{5}} \end{pmatrix}$$

**Formula = (CC.DDn.CCinv)[[2, 2]] // Simplify**

$$\frac{2^{-1-n} \left( -(1 - \sqrt{5})^{1+n} + (1 + \sqrt{5})^{1+n} \right)}{\sqrt{5}}$$

**Formula /. n -> 50**

$$\frac{-(1 - \sqrt{5})^{51} + (1 + \sqrt{5})^{51}}{2251799813685248\sqrt{5}}$$

**Formula /. n -> 50 // Expand**

$$20365011074$$