

The full sl_3 invariant using the Drinfel'd double. For compatibility reasons, we use XX instead of the generator X. This program continues sl2invariant.nb by Dror Bar-Natan and Roland van der Veen.

Profiling

```
In[*]:= PP_ = Identity;
(*BeginProfile[];*)
```

External Utilities

```
In[*]:= HL[_] := Style[_ , Background -> Yellow];
```

Program

Program

Internal Utilities

```
In[*]:= MaxBy[list_, fun_, n_] := list[[Ordering[fun /@ list, -n]]];
```

Canonical Form:

Program

```
In[*]:= CCF[_] := PP_CCF@ExpandDenominator@ExpandNumerator@PP_Together@Together[PP_Exp[
    Expand[_] /. e^x_ e^y_ -> e^(x+y) /. e^x_ -> e^CCF[x]];
CF[_List] := CF /@ _;
CF[sd_SeriesData] := MapAt[CF, sd, 3];
CF[_] := PP_Cf@Module[
    {vs = Cases[_ , (XX | Y | Z | A | B | b | s | t | a | x |
        y | z | XX* | Y* | Z* | A* | B* | s* | t* | b* | a* | x* | y* | z*)_ , ∞] ∪
        {XX, Y, Z, A, B, b, s, t, a, x, y, z, XX*, Y*, Z*, A*, B*, s*, t*, b*, a*, x*, y*, z*}},
    Total[CoefficientRules[Expand[_], vs] /. (ps_ -> c_) -> CCF[c] (Times @@ vs^ps)]
];
```

Program

The Kronecker δ :

Program

```
In[*]:= Kδ /: Kδ[i_, j_] := If[i === j, 1, 0];
```

Program

Equality, multiplication, and degree-adjustment of perturbed Gaussians; $\mathbb{E}[L, Q, P]$ stands for $e^{L+Q} P$:

Program

```
In[*]:= E /: E[L1_, Q1_, P1_] == E[L2_, Q2_, P2_] :=
  CF[L1 == L2] ^ CF[Q1 == Q2] ^ CF[Normal[P1 - P2] == 0];
E /: E[L1_, Q1_, P1_] E[L2_, Q2_, P2_] := E[L1 + L2, Q1 + Q2, P1 * P2];
E[L_, Q_, P_]$_k := E[L, Q, Series[Normal@P, {ε, 0, $k}]]];
```

Program

```
In[*]:= E3@E_sp___[ω_, L_, Q_, P_] := Module[
  {NP = Normal[P]},
  E_sp[L, ω-1 Q, (ω-1 NP /. ε → ω-4 ε) + O[ε]$_k+1] // CF
];
E4@E_sp___[L_, Q_, P_] := Module[
  {NP = Normal[P], ω},
  ω = (NP /. ε → 0)-1;
  E_sp[ω, L, ω Q, (ω NP /. ε → ω4 ε) + O[ε]$_k+1] // CF
];
```

Program

Zip and Bind

Program

Variables and their duals:

Program

```
In[*]:= (u_i_)^* := (u^*)_i;
((u_i_)^*)^* := u_i;
(((u_)^*)_i_)^* := u_i;
((u_)^*)^* := u;
```

Program

Finite Zips:

Program

```
In[*]:= collect[sd_SeriesData, $_] := MapAt[collect[#, $] &, sd, 3];
collect[$_, $_] := PPCollect@Collect[$, $];
Zip[_][P_] := P; Zip[_,$_,$_][P_] := PPZip[
  (collect[P // Zip[_,$_,$_], $] /. f_ . $^d_ -> ∂[_,$,d] f) /. $^* -> 0]
```

Program

QZip implements the “Q-level zips” on $E(L, Q, P) = P e^{L+Q}$. Such zips regard the L variables as scalars. $E[L, Q, P]$ means $e^{\hbar(L+Q)} P$, where L is linear in the a, b ’s, Q is a combination of $x_i X_j$ (possibly starred and/or mixed with other variables), and P is a perturbation polynomial. It should be interpreted via $\mathcal{O}[E[\dots], \{X_1, Y_1, Z_1, A_1, B_1, b_1, a_1, z_1, y_1, x_1\}_i, \dots]$, with an assumed standard ordering on the generators for an interpretation of the tensor as an expression in $U_q(\mathfrak{sl}_3^\epsilon)$.

Program

```

In[*]:= QZip $\zeta$ List@E[L_, Q_, P_] := PPQZip@Module[{ $\zeta$ , z, zs, c, ys,  $\eta$ s, qt, zrule,  $\zeta$ rule},
  zs = Table[ $\zeta^*$ , { $\zeta$ ,  $\zeta$ s}];
  c = CF[Q /. Alternatives @@ ( $\zeta$ s  $\cup$  zs)  $\rightarrow$  0];
  ys = CF@Table[ $\partial_{\zeta}$ (Q /. Alternatives @@ zs  $\rightarrow$  0), { $\zeta$ ,  $\zeta$ s}];
   $\eta$ s = CF@Table[ $\partial_z$ (Q /. Alternatives @@  $\zeta$ s  $\rightarrow$  0), {z, zs}];
  qt = CF@Inverse@Table[K $\delta_{z, \zeta^*} - \partial_{z, \zeta} Q$ , { $\zeta$ ,  $\zeta$ s}, {z, zs}];
  zrule = Thread[zs  $\rightarrow$  CF[qt.(zs + ys)]];
   $\zeta$ rule = Thread[ $\zeta$ s  $\rightarrow$   $\zeta$ s +  $\eta$ s.qt];
  CF /@ E[L, c +  $\eta$ s.qt.yz, Det[qt] Zip $\zeta$ s[P /. (zrule  $\cup$   $\zeta$ rule)]]];

```

Program

Upper to lower and lower to Upper:

Program

```

In[*]:= U21 = {b $_{i-}^{p-} \rightarrow e^{-p b_i}$ , b $_{i-}^{p-} \rightarrow e^{-p b}$ , a $_{i-}^{p-} \rightarrow e^{-p a_i}$ , a $_{i-}^{p-} \rightarrow e^{-p a}$ , T $_{i-}^{p-} \rightarrow e^{p t_i}$ , T $_{i-}^{p-} \rightarrow e^{p t}$ , S $_{i-}^{p-} \rightarrow e^{p s_i}$ ,
  S $_{i-}^{p-} \rightarrow e^{p s}$ , a $_{i-}^{p-} \rightarrow e^{p a^* i}$ , a $_{i-}^{p-} \rightarrow e^{p a^*}$ , b $_{i-}^{p-} \rightarrow e^{p b^* i}$ , b $_{i-}^{p-} \rightarrow e^{p b^*}$ , B $_{i-}^{p-} \rightarrow e^{-p B_i}$ , B $_{i-}^{p-} \rightarrow e^{-p B}$ ,
  A $_{i-}^{p-} \rightarrow e^{-p A_i}$ , A $_{i-}^{p-} \rightarrow e^{-p A}$ ,  $\mathcal{A}_{i-}^{p-} \rightarrow e^{p A^* i}$ ,  $\mathcal{A}_{i-}^{p-} \rightarrow e^{p A^*}$ ,  $\mathcal{B}_{i-}^{p-} \rightarrow e^{p B^* i}$ ,  $\mathcal{B}_{i-}^{p-} \rightarrow e^{p B^*}$ };
12U = {e $_{i-}^{c-} b_{i+d-} \rightarrow b_{i-}^{-c} e^d$ , e $_{i-}^{c-} b_{i+d-} \rightarrow b_{i-}^{-c} e^d$ , e $_{i-}^{c-} a_{i+d-} \rightarrow a_{i-}^{-c} e^d$ , e $_{i-}^{c-} a_{i+d-} \rightarrow a_{i-}^{-c} e^d$ ,
  e $_{i-}^{c-} t_{i+d-} \rightarrow T_{i-}^c e^d$ , e $_{i-}^{c-} t_{i+d-} \rightarrow T_{i-}^c e^d$ , e $_{i-}^{c-} s_{i+d-} \rightarrow S_{i-}^c e^d$ , e $_{i-}^{c-} s_{i+d-} \rightarrow S_{i-}^c e^d$ ,
  e $_{i-}^{c-} a^*_{i+d-} \rightarrow a_{i-}^c e^d$ , e $_{i-}^{c-} a^*_{i+d-} \rightarrow a_{i-}^c e^d$ , e $_{i-}^{c-} b^*_{i+d-} \rightarrow b_{i-}^c e^d$ , e $_{i-}^{c-} b^*_{i+d-} \rightarrow b_{i-}^c e^d$ ,
  e $_{i-}^{c-} B_{i+d-} \rightarrow B_{i-}^{-c} e^d$ , e $_{i-}^{c-} B_{i+d-} \rightarrow B_{i-}^{-c} e^d$ , e $_{i-}^{c-} A_{i+d-} \rightarrow A_{i-}^{-c} e^d$ , e $_{i-}^{c-} A_{i+d-} \rightarrow A_{i-}^{-c} e^d$ ,
  e $_{i-}^{c-} A^*_{i+d-} \rightarrow \mathcal{A}_{i-}^c e^d$ , e $_{i-}^{c-} A^*_{i+d-} \rightarrow \mathcal{A}_{i-}^c e^d$ , e $_{i-}^{c-} B^*_{i+d-} \rightarrow \mathcal{B}_{i-}^c e^d$ , e $_{i-}^{c-} B^*_{i+d-} \rightarrow \mathcal{B}_{i-}^c e^d$ ,
  e $_{i-}^{c-} \rightarrow e^{\text{Expand} \otimes \mathcal{S}}$ };

```

Program

LZip implements the “L-level zips” on $\mathbb{E}(L, Q, P) = \text{Pe}^{L+Q}$. Such zips regard all of Pe^Q as a single “P”. Here the z’s are A, B and a^* , b^* and the ζ ’s are A^* , B^* and a , b . s and t are not regarded as scalars for zip-technicalities. DB and STB are variations of B with a different choice for ζ s in LZip, to speed up the zipping of tensors with s and t instead of A and B.

Program

```

In[*]:= LZipℳList@E[L_, Q_, P_] :=
  PPLZip@Module[{ξ, z, zs, c, ys, ηs, lt, zrule, Zrule, grule, Q1, EEQ, EQ},
    zs = Table[ξ*, {ξ, ℳ}];
    c = L /. Alternatives @@ (ℳ ∪ zs) → 0;
    ys = Table[∂ξ (L /. Alternatives @@ zs → 0), {ξ, ℳ}];
    ηs = Table[∂z (L /. Alternatives @@ ℳ → 0), {z, zs}];
    lt = Inverse@Table[Kδz, ξ* - ∂z, ξL, {ξ, ℳ}, {z, zs}];
    zrule = Thread[zs → lt.(zs + ys)];
    grule = Thread[ℳ → ℳ + ηs.lt];
    Q1 = Q /. U21 /. (zrule ∪ grule);
    EEQ[ps___] := EEQ[ps] = PP"EEQ"@
      (CF[e-Q1D[eQ1, Sequence @@ Thread[{zs, {ps}}]] /. Alternatives @@ zs → 0 /. 12U);
    CF /@ ((*CF/@*)E[
      c + ηs.lt.ys, Q1 /. Alternatives @@ zs → 0,
      Det[lt] (Zipℳ[(EQ @@ zs) (P /. U21 /. (zrule ∪ grule))]) /.
        Derivative[ps___][EQ][___] := EEQ[ps] /. _EQ → 1)
    ] /. 12U)
  ];

```

Program

```

In[*]:= B{}[L_, R_] := L R;
B{is_}[L_ℳ, R_ℳ] := PPBind@Module[{n},
  Times[
    L /. Table[(v : XX | Y | Z | A | ℳ | B | B | s | t | S | T | b | (*ℳ|*)a(*|a*) | x | y | z)i →
      vnei, {i, {is}}],
    R /. Table[(v : XX* | Y* | Z* | A*(*|ℳ*) | B* |
      (*ℳ|*)b* | s* | t* | a* | a | b | x* | y* | z*)i → vnei, {i, {is}}]
  ] // LZipFlatten@Table[{A*nei, B*nei, (s*)nei, (t*)nei, bnei, anei}, {i, {is}}] //
  QZipFlatten@Table[{XXnei, Y*nei, ynei, x*nei}, {i, {is}}] // QZipFlatten@Table[{Z*nei, znei}, {i, {is}}];
  Bis___[L_, R_] := B{is}[L, R];

```

```

DB{}[L_, R_] := L R;
DB{is_}[L_ℳ, R_ℳ] := PPDBind@Module[{n},
  Times[
    L /. Table[(v : XX | Y | Z | s | t | b | ℳ | a | a | x | y | z)i → vnei, {i, {is}}],
    R /. Table[(v : XX* | Y* | Z* | s* | t* | b* | a* | a | b | x* | y* | z*)i → vnei, {i, {is}}]
  ] // LZipFlatten@Table[{(s*)nei, (t*)nei, bnei, anei}, {i, {is}}] //
  QZipFlatten@Table[{XXnei, Y*nei, ynei, x*nei}, {i, {is}}] // QZipFlatten@Table[{Z*nei, znei}, {i, {is}}];
  DBis___[L_, R_] := DB{is}[L, R];

```

```

In[*]:= STB_{ } [L_, R_] := L R;
STB_{is__} [L_E, R_E] := PPSTBInd@Module[{n},
  Times[
    L /. Table[(v : XX | Y | Z | b | b | a | a | x | y | z)_i -> v_{nei}, {i, {is}}],
    R /. Table[(v : XX* | Y* | Z* | b* | a* | a | b | x* | y* | z*)_i -> v_{nei}, {i, {is}}]
  ] // LZipFlatten@Table[{b_{nei}, a_{nei}}, {i, {is}}] // QZipFlatten@Table[{XX_{nei}, Y*_{nei}, Y_{nei}, X*_{nei}}, {i, {is}}] //
  QZipFlatten@Table[{Z*_{nei}, z_{nei}}, {i, {is}}];
STB_{is__} [L_, R_] := STB_{is} [L, R];

```

Program

E morphisms with domain and range.

Program

```

In[*]:= B_{is_List} [E_{d1 -> r1} [L1_, Q1_, P1_], E_{d2 -> r2} [L2_, Q2_, P2_]] :=
  E_{(d1 U Complement[d2, is]) -> (r2 U Complement[r1, is])} @@ B_{is} [E [L1, Q1, P1], E [L2, Q2, P2]];
STB_{is_List} [E_{d1 -> r1} [L1_, Q1_, P1_], E_{d2 -> r2} [L2_, Q2_, P2_]] :=
  E_{(d1 U Complement[d2, is]) -> (r2 U Complement[r1, is])} @@ STB_{is} [E [L1, Q1, P1], E [L2, Q2, P2]];
E_{d1 -> r1} [L1_, Q1_, P1_] // E_{d2 -> r2} [L2_, Q2_, P2_] :=
  B_{r1 U d2} [E_{d1 -> r1} [L1, Q1, P1], E_{d2 -> r2} [L2, Q2, P2]];
E_{d1 -> r1} [L1_, Q1_, P1_] ≡ E_{d2 -> r2} [L2_, Q2_, P2_] ^:=
  (d1 == d2) ∧ (r1 == r2) ∧ (E [L1, Q1, P1] ≡ E [L2, Q2, P2]);
E_{d1 -> r1} [L1_, Q1_, P1_] E_{d2 -> r2} [L2_, Q2_, P2_] ^:=
  E_{(d1 U d2) -> (r1 U r2)} @@ (E [L1, Q1, P1] E [L2, Q2, P2]);
E_{d -> r} [L_, Q_, P_] $k_ := E_{d -> r} @@ E [L, Q, P] $k;
E_{[S___]} [i_] := {S} [i];

```

Program

“Define” code

Program

Define[lhs = rhs, ...] defines the lhs to be rhs, except that rhs is computed only once for each value of \$k. Fancy Mathematica not for the faint of heart. Most readers should ignore.

Program

```
In[*]:= SetAttributes[Define, HoldAll];
Define[def_, defs__] := (Define[def]; Define[defs]);
Define[op_is__ = ε_] := Module[{SD, ii, jj, kk, isp, nis, nisp, sis}, Block[{i, j, k},
  ReleaseHold[Hold[
    SD[op_nisp, $k_Integer, PPBoot@Block[{i, j, k}, op_isp, $k = ε; op_nis, $k]]];
    SD[op_isp, op_{is}, $k]; SD[op_sis__, op_{sis}];
  ] /. {SD → SetDelayed,
    isp → {is} /. {i → i_, j → j_, k → k_},
    nis → {is} /. {i → ii, j → jj, k → kk},
    nisp → {is} /. {i → ii_, j → jj_, k → kk_}
  } ]]
```

Program

Booting Up

Program

```
In[*]:= $k = 1;
```

The multiplication tensors on both halves of the double are defined here. \$k indicates the degree $\epsilon^{5k+1} = 0$ we are working over. The am and bm tensors given here only work for \$k=1 and \$k=0.

```
In[*]:= Define[am_{i,j}→k =
  E_{i,j}→k [ (a*_i + a*_j) a_k + (b*_i + b*_j) b_k, (e^{(b*)_j+(a*)_j} z*_i + z*_j + e^{-(b*)_j+2(a*)_j} x*_i (y*)_j) z_k +
    (e^{-(a*)_j+2(b*)_j} y*_i + y*_j) y_k + (e^{-(b*)_j+2(a*)_j} x*_i + x*_j) x_k,
    1 + ε (ħ (z*)_j (x*)_i e^{-(b*)_j+2(a*)_j} z_k x_k + ħ (z*)_j (x*)_i (y*)_j e^{-(b*)_j+2(a*)_j} z_k z_k -
      ħ (z*)_j (y*)_i e^{2(b*)_j-(a*)_j} z_k y_k - ħ (y*)_i (x*)_i (y*)_j e^{(a*)_j+(b*)_j} z_k y_k -
      ħ (x*)_i e^{-(b*)_j+2(a*)_j} (y*)_j (y*)_j z_k y_k - ħ (x*)_i e^{-(b*)_j+2(a*)_j} (y*)_j y_k x_k) + 0[ε]^2 ]_{5k},
  bm_{i,j}→k =
  E_{i,j}→k [ A_k A*_i + A_k A*_j + B_k B*_i + B_k B*_j, XX_k XX*_i + XX_k XX*_j + Y_k Y*_i + Y_k Y*_j + Z_k Z*_i + Z_k Z*_j,
    1 + (-XX_k (A*)_i (XX*)_j + ħ XX_k Y_k (XX*)_j (Y*)_i - Y_k (B*)_i (Y*)_j + 2 Z_k (XX*)_i (Y*)_j - ħ XX_k Z_k
      (XX*)_j (Z*)_i + ħ Y_k Z_k (Y*)_j (Z*)_i - Z_k (A*)_i (Z*)_j - Z_k (B*)_i (Z*)_j) ε + 0[ε]^2 ]_{5k} ];
```

The R-matrix is defined with the Faddeev-Quesne formula.

Program

In[*]:=

Define [

$$\begin{aligned}
R_{i,j} &= \mathbb{E}_{\{i\} \rightarrow \{i,j\}} \left[\hbar A_i a_j + \hbar B_i b_j, \hbar XX_i x_j + \hbar Y_i y_j + \hbar Z_i z_j, e^{\wedge \left(\sum_{k=2}^{\$k+1} \frac{(e^{-2\epsilon \hbar} - 1)^k (\hbar XX_i x_j)^k}{k (1 - e^{-2k\epsilon \hbar})} \right)} \right. \\
&\quad \left. e^{\wedge \left(\sum_{l=2}^{\$k+1} \frac{(e^{-2\epsilon \hbar} - 1)^l (\hbar Y_i y_j)^l}{l (1 - e^{-2l\epsilon \hbar})} \right)} e^{\wedge \left(\sum_{m=2}^{\$k+1} \frac{(e^{-2\epsilon \hbar} - 1)^m (\hbar Z_i z_j)^m}{m (1 - e^{-2m\epsilon \hbar})} \right)} \right]_{\$k}, \\
\bar{R}_{i,j} &= \mathbb{E}_{\{i\} \rightarrow \{i,j\}} \left[-\hbar a_j A_i - \hbar b_j B_i, -\hbar x_j XX_i A_i^{2\hbar} B_i^{-\hbar} + \hbar^2 XX_i Y_i z_j A_i^{\hbar} B_i^{\hbar} - \right. \\
&\quad \hbar z_j Z_i A_i^{\hbar} B_i^{\hbar} - \hbar y_j Y_i A_i^{-\hbar} B_i^{2\hbar}, 1 + \text{If}[\$k == 0, 0, (\bar{R}_{\{i,j\}, \$k-1})_{\$k} [3] - \\
&\quad \left. ((\bar{R}_{\{i,j\}, 0})_{\$k} R_{1,2} (\bar{R}_{\{3,4\}, \$k-1})_{\$k}) // (bm_{i,1 \rightarrow i} am_{j,2 \rightarrow j}) // (bm_{i,3 \rightarrow i} am_{j,4 \rightarrow j}) \right] [3]], \\
P_{i,j} &= \mathbb{E}_{\{i,j\} \rightarrow \{i\}} \left[-\frac{1}{\hbar} A_i^* a_j^* + \frac{1}{\hbar} B_i^* (b^*)_j, \right. \\
&\quad \frac{1}{\hbar} XX_i^* x_j^* + \frac{1}{\hbar} Y_i^* y_j^* + \frac{1}{\hbar} Z_i^* z_j^*, 1 + \text{If}[\$k == 0, 0, (P_{\{i,j\}, \$k-1})_{\$k} [3] - \\
&\quad \left. (R_{1,2} // ((P_{\{1,j\}, 0})_{\$k} (P_{\{i,2\}, \$k-1})_{\$k})) [3]] \right]
\end{aligned}$$

Program

In[*]:=

Define [aS_j = $\bar{R}_{i,j} \sim B_i \sim P_{i,j}$,

$$\begin{aligned}
\overline{aS}_i &= \mathbb{E}_{\{i\} \rightarrow \{i\}} \left[-a_i^* a_i - b_i^* b_i, -e^{-(b^*)_i - (a^*)_i} z_i^* z_i + e^{-(b^*)_i - (a^*)_i} y_i^* (x^*)_i z_i - \right. \\
&\quad e^{-2(b^*)_i + (a^*)_i} y_i^* y_i - e^{(b^*)_i - 2(a^*)_i} x_i^* x_i, 1 + \text{If}[\$k == 0, 0, (\overline{aS}_{\{i\}, \$k-1})_{\$k} [3] - \\
&\quad \left. ((\overline{aS}_{\{i\}, 0})_{\$k} \sim B_i \sim aS_i \sim B_i \sim (\overline{aS}_{\{i\}, \$k-1})_{\$k}) [3]] \right]
\end{aligned}$$

Program

In[*]:=

Define [bS_i = $R_{i,1} \sim B_1 \sim aS_1 \sim B_1 \sim P_{i,1}$,

$$\begin{aligned}
\overline{bS}_i &= R_{i,1} \sim B_1 \sim \overline{aS}_1 \sim B_1 \sim P_{i,1}, \\
a\Delta_{i \rightarrow j, k} &= (R_{1,j} R_{2,k}) // bm_{1,2 \rightarrow 3} // P_{3,i}, \\
b\Delta_{i \rightarrow j, k} &= (R_{j,1} R_{k,2}) // am_{1,2 \rightarrow 3} // P_{i,3}
\end{aligned}$$

Program

In[*]:=

$$\begin{aligned}
\text{Define [dm}_{i,j \rightarrow k} &= (\mathbb{E}_{\{i,j\} \rightarrow \{i,j\}} [(A^*)_i A_i + (B^*)_i B_i + b_j^* b_j + a_j^* a_j, \\
&\quad y_j^* y_j + x_j^* x_j + z_j^* z_j + (XX^*)_i XX_i + (Y^*)_i Y_i + Z_i^* Z_i, 1] \\
&\quad (a\Delta_{i \rightarrow 1,2} // a\Delta_{2 \rightarrow 2,3} // \overline{aS}_3) (b\Delta_{j \rightarrow -1,-2} // b\Delta_{-2 \rightarrow -2,-3}) // (P_{-1,3} P_{-3,1} am_{2,j \rightarrow k} bm_{i,-2 \rightarrow k}), \\
dS_i &= \mathbb{E}_{\{i\} \rightarrow \{1,2\}} [(A^*)_i A_1 + (B^*)_i B_1 + b_i^* b_2 + a_i^* a_2, \\
&\quad y_i^* y_2 + x_i^* x_2 + z_i^* z_2 + (XX^*)_i XX_1 + (Y^*)_i Y_1 + Z_i^* Z_1, 1] // (\overline{bS}_1 \overline{aS}_2) // dm_{2,1 \rightarrow i}, \\
d\Delta_{i \rightarrow j, k} &= (b\Delta_{i \rightarrow 3,1} a\Delta_{i \rightarrow 2,4}) // (dm_{3,4 \rightarrow k} dm_{1,2 \rightarrow j}), \\
\overline{dS}_i &= \mathbb{E}_{\{i\} \rightarrow \{1,2\}} [(A^*)_i A_1 + (B^*)_i B_1 + b_i^* b_2 + a_i^* a_2, \\
&\quad y_i^* y_2 + x_i^* x_2 + z_i^* z_2 + (XX^*)_i XX_1 + (Y^*)_i Y_1 + Z_i^* Z_1, 1] // (bS_1 \overline{aS}_2) // dm_{2,1 \rightarrow i}]
\end{aligned}$$

Program

```
In[*]:= Define[C_i = E_{i \to \{i\}} [0, 0, \frac{1}{A_i^h B_i^h} - \frac{\hbar (a_i + b_i) \epsilon}{A_i^h B_i^h} + O[\epsilon]^2]_{\$k},
\bar{C}_i = E_{i \to \{i\}} [0, 0, (A_i^h B_i^h + (\hbar a_i A_i^h B_i^h + \hbar b_i A_i^h B_i^h) \epsilon) + O[\epsilon]^2]_{\$k},
Kink_i = (R_{1,3} \bar{C}_2) // dm_{1,2 \to 1} // dm_{1,3 \to i},
\overline{Kink}_i = (\bar{R}_{1,3} C_2) // dm_{1,2 \to 1} // dm_{1,3 \to i}]
```

Program

Note: $s=2A-B+\epsilon a$, $t=2B-A+\epsilon b$. This substitution is implemented in the following tensors.

Program

```
In[*]:= Define[AB2st_i =
E_{i \to \{i\}} [b^*_i b_i + a^*_i a_i + (A^*)_i (\frac{2}{3} (\frac{s_i}{2} + \frac{t_i}{2})) + (B^*)_i (\frac{2}{3} (\frac{t_i}{2} + \frac{s_i}{2})) + (XX^*)_i XX_i + (Y^*)_i Y_i +
Z^*_i Z_i + Y^*_i Y_i + X^*_i X_i + Z^*_i Z_i, 1 - \epsilon (A^*)_i \frac{1}{3} (2 a_i + b_i) - \epsilon (B^*)_i \frac{1}{3} (2 b_i + a_i) + O[\epsilon]^2]_{\$k},
st2AB_i = E_{i \to \{i\}} [b^*_i b_i + a^*_i a_i + (S^*)_i (2 A_i - B_i) + (t^*)_i (2 B_i - A_i),
(XX^*)_i XX_i + (Y^*)_i Y_i + Z^*_i Z_i + Y^*_i Y_i + X^*_i X_i + Z^*_i Z_i, 1 + \epsilon (S^*)_i a_i + \epsilon (t^*)_i b_i + O[\epsilon]^2]_{\$k}]
```

The following definitions are used for a slightly faster implementation of the quantum-double that leaves out the s and the t from the zip. Since s and t are central, this is well defined and yields the same result. These tensors should be zipped using the STB and DB zip function. As such, we also check the axioms for these tensors.


```

In[*]:= Define[stRi,j = (Ri,j ~ B{i,j} ~ (AB2sti AB2stj)) // Simplify,
  stRi,j = (Ri,j ~ B{i,j} ~ (AB2sti AB2stj)) // Simplify,
  stCi = (Ci ~ B{i} ~ (AB2sti)) // Simplify,
  stCi = (Ci ~ B{i} ~ (AB2sti)) // Simplify,
  stKinki = (Kinki ~ B{i} ~ (AB2sti)) // Simplify,
  stKinki = (Kinki ~ B{i} ~ (AB2sti)) // Simplify,
  stdmi,j→k = ((st2ABi st2ABj) ~ Bi,j ~ dmi,j→k ~ Bk ~ AB2stk),
  stdΔi→j,k = (st2ABi // dΔi→j,k // (AB2stj AB2stk)),
  stdSi = (st2ABi // dSi // AB2sti),
  stPi,j = ((st2ABi st2ABj) // Pi,j),
  ddΔi→j,k = (st2ABi // dΔi→j,k // (AB2stj AB2stk)) /.
    {Sj|k → S, Tj|k → T, tj|k → t, sj|k → s, (s*)i → 0, (t*)i → 0},
  ddSi = (st2ABi // dSi // AB2sti) /. {Si → S, Ti → T, si → s, ti → t, (s*)i → 0, (t*)i → 0},
  PPi,j = ((st2ABi st2ABj) // Pi,j) /. {(s*)i|j → 0, (t*)i|j → 0},
  RRi,j = (Ri,j // (AB2sti AB2stj)) /. {ti|j → t, si|j → s},
  RRi,j = (Ri,j // (AB2sti AB2stj)) /. {ti|j → t, si|j → s, Si|j → S, Ti|j → T},
  CCi = (Ci ~ B{i} ~ (AB2sti)) /. {Si|j → S, Ti|j → T} // Simplify,
  CCi = (Ci ~ B{i} ~ (AB2sti)) /. {Si|j → S, Ti|j → T} // Simplify,
  KKinki = (Kinki ~ B{i} ~ (AB2sti)) /. {ti|j → t, si|j → s, Si|j → S, Ti|j → T} // Simplify,
  KKinki = (Kinki ~ B{i} ~ (AB2sti)) /. {ti|j → t, si|j → s, Si|j → S, Ti|j → T} // Simplify,
  ddmi,j→k = ((st2ABi st2ABj) // dmi,j→k // AB2stk) /.
    {Sk → S, Tk → T, tk → t, sk → s, (s*)i|j → 0, (t*)i|j → 0}];

```

```

Define[BBi,j→k = ((dΔi→1,r1 dΔj→2,r2) // dSr1 // dSr2 // dmr1,r2→k // dmk,1→k // dmk,2→k)]

```

```

In[*]:= Ri,j

```

\$IterationLimit: Iteration limit of 4096 exceeded.

```

Out[*]=

```

```

TerminatedEvaluation[IterationLimit][
  E{i}→{i,j} [ħ aj Ai + ħ bj Bi, ħ xj XXi + ħ yj Yi + ħ zj Zi, 1 +  $\frac{1}{2} \hbar^3 (x_j^2 XX_i^2 + y_j^2 Y_i^2 + z_j^2 Z_i^2) \epsilon + O[\epsilon^2]$ ] ]

```

```

In[*]:= dmi,j→k

```

Part: The expression TerminatedEvaluation[

```

IterationLimit][E0→{1,2} [ħ a2 A1 + ħ b2 B1, ħ x2 XX1 + ħ y2 Y1 + ħ z2 Z1, 1 +  $\frac{1}{2} \hbar^3 (\text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg]) \epsilon + O[\epsilon^2]$ ] ] cannot be used as a part specification.

```

Part: The expression TerminatedEvaluation[

```

IterationLimit][E0→{1,2} [ħ a2 A1 + ħ b2 B1, ħ x2 XX1 + ħ y2 Y1 + ħ z2 Z1, 1 +  $\frac{1}{2} \hbar^3 (\text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg]) \epsilon + O[\epsilon^2]$ ] ] cannot be used as a part specification.

```

Part: The expression `TerminatedEvaluation[`

`IterationLimit[E0→{1,2}[ħ a2 A1 + ħ b2 B1, ħ x2 XX1 + ħ y2 Y1 + ħ z2 Z1, 1 +  $\frac{1}{2}$  ħ3 (Times[<<2>>] + Times[<<2>>] + Times[<<2>>]) ε + O[ε]2]]` cannot be used as a part specification.

General: Further output of `Part::pkspec1` will be suppressed during this calculation.

SeriesData: Coefficient specification `TerminatedEvaluation[`

`IterationLimit[$\left\{1, \frac{1}{2} \hbar^3 (\text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg]) + \ll 1 \gg - \hbar \mathbb{A}_{\ll 1 \gg}^{\hbar} \ll 1 \gg (\text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Power}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] + \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \ll 3 \gg \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] + \ll 1 \gg - \ll 1 \gg + \ll 1 \gg - \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg])\right\}$ in`

`SeriesData[ε, 0, TerminatedEvaluation[`

`IterationLimit[$\left\{1, \frac{1}{2} \hbar^3 (\text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg]) + \frac{1}{2} \hbar^3 (\text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg]) - \hbar \text{Subscript}[\ll 2 \gg]^{\hbar} \text{Subscript}[\ll 2 \gg]^{\hbar} (\text{Times}[\ll 5 \gg] + \text{Times}[\ll 7 \gg] + \text{Times}[\ll 5 \gg] + \text{Times}[\ll 6 \gg] + \text{Times}[\ll 5 \gg] + \text{Times}[\ll 6 \gg])\right\}$, 0, 2, 1]` is not a list.

SeriesData: Coefficient specification `TerminatedEvaluation[`

`IterationLimit[$\left\{1, \frac{1}{2} \hbar^3 (\text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg]) + \ll 1 \gg - \hbar \mathbb{A}_{\ll 1 \gg}^{\hbar} \ll 1 \gg (\text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Power}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] + \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \ll 3 \gg \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] + \ll 1 \gg - \ll 1 \gg + \ll 1 \gg - \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg] \text{Subscript}[\ll 2 \gg])\right\}$ in`

`SeriesData[ε, 0, TerminatedEvaluation[`

`IterationLimit[$\left\{1, \frac{1}{2} \hbar^3 (\text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg]) + \frac{1}{2} \hbar^3 (\text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg]) - \hbar \text{Subscript}[\ll 2 \gg]^{\hbar} \text{Subscript}[\ll 2 \gg]^{\hbar} (\text{Times}[\ll 5 \gg] + \text{Times}[\ll 7 \gg] + \text{Times}[\ll 5 \gg] + \text{Times}[\ll 6 \gg] + \text{Times}[\ll 5 \gg] + \text{Times}[\ll 6 \gg])\right\}$, 0, 2, 1]` is not a list.

SeriesData: Coefficient specification `TerminatedEvaluation[`

`IterationLimit[$\left\{1, \frac{1}{2} \hbar^3 (\text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg]) + \frac{1}{2} \hbar^3 (\text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg] + \text{Power}[\ll 2 \gg] \text{Power}[\ll 2 \gg]) - \hbar a_2 XX_3 XX_n^{\$5933[2]} + \hbar XX_3 Y_3 XX_n^{\$5933[2]} Y_n^{\$5933[1]} - \ll 1 \gg + \ll 1 \gg - \hbar XX_3 Z_3 \ll 1 \gg \ll 1 \gg Z_n^{\$5933[1]} + \hbar Y_3 Z_3 Y_n^{\$5933[2]} Z_n^{\$5933[1]} - \hbar a_2 Z_3 Z_n^{\$5933[2]} - \hbar b_2 Z_3 Z_n^{\$5933[2]}\right\}$ in SeriesData[ε, 0, TerminatedEvaluation[IterationLimit[<<1>>, 0, 2, 1] is not a list.`

General: Further output of `SeriesData::sdac` will be suppressed during this calculation.

`Out[ ] =`

$$\left(E_{\{-3,1\} \rightarrow \{ \}} \left[\frac{a^*_1 A^*_{-3}}{\hbar} + \frac{b^*_1 B^*_{-3}}{\hbar}, \frac{x^*_1 XX^*_{-3}}{\hbar} + \frac{y^*_1 Y^*_{-3}}{\hbar} + \frac{z^*_1 Z^*_{-3}}{\hbar}, \right. \right. \\ \left. 1 - \left\{ \frac{a^*_2 A^*_{-3}}{\hbar} + \frac{a^*_1 A^*_1}{\hbar} + \frac{b^*_2 B^*_{-3}}{\hbar} + \frac{b^*_1 B^*_1}{\hbar}, \frac{x^*_2 XX^*_{-3}}{\hbar} + \frac{x^*_1 XX^*_1}{\hbar} + \frac{y^*_2 Y^*_{-3}}{\hbar} + \frac{y^*_1 Y^*_1}{\hbar} + \frac{z^*_2 Z^*_{-3}}{\hbar} + \frac{z^*_1 Z^*_1}{\hbar}, 1 \right\} \right] \left[\text{TerminatedEvaluation}[\text{IterationLimit}[E_{\{ \} \rightarrow \{1,2\}}[\hbar a_2 A_1 + \hbar b_2 B_1, \right. \\ \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (x_2^2 XX_1^2 + y_2^2 Y_1^2 + z_2^2 Z_1^2) \in + O[\epsilon]^2] \left. \right] \left. \right] [3] +$$

$$\begin{aligned}
& \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{-3,1\} \rightarrow \{ \}} \left[\frac{a^*_{-1} A^*_{-3}}{\hbar} + \frac{b^*_{-1} B^*_{-3}}{\hbar}, \right. \right. \\
& \quad \left. \left. \frac{x^*_1 XX^*_{-3}}{\hbar} + \frac{y^*_1 Y^*_{-3}}{\hbar} + \frac{z^*_1 Z^*_{-3}}{\hbar}, 1 \right] \right]_1 [3]] \\
& \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{-1,3\} \rightarrow \{ \}} \left[\frac{a^*_3 A^*_{-1}}{\hbar} + \frac{b^*_3 B^*_{-1}}{\hbar}, \right. \right. \\
& \quad \frac{x^*_3 XX^*_{-1}}{\hbar} + \frac{y^*_3 Y^*_{-1}}{\hbar} + \frac{z^*_3 Z^*_{-1}}{\hbar}, \\
& \quad 1 - \left\{ \frac{a^*_2 A^*_{-1}}{\hbar} + \frac{a^*_3 A^*_1}{\hbar} + \frac{b^*_2 B^*_{-1}}{\hbar} + \frac{b^*_3 B^*_1}{\hbar}, \frac{x^*_2 XX^*_{-1}}{\hbar} + \frac{x^*_3 XX^*_1}{\hbar} + \frac{y^*_2 Y^*_{-1}}{\hbar} + \frac{y^*_3 Y^*_1}{\hbar} + \frac{z^*_2 Z^*_{-1}}{\hbar} + \right. \\
& \quad \left. \frac{z^*_3 Z^*_1}{\hbar}, 1 \right\} \left[\left[\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{ \} \rightarrow \{1,2\}} \left[\hbar a_2 A_1 + \hbar b_2 B_1, \right. \right. \right. \right. \\
& \quad \left. \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (x_2^2 XX_1^2 + y_2^2 Y_1^2 + z_2^2 Z_1^2) \in + O[\epsilon]^2 \right] \right] \right] [3] + \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{-1,3\} \rightarrow \{ \}} \left[\frac{a^*_3 A^*_{-1}}{\hbar} + \frac{b^*_3 B^*_{-1}}{\hbar}, \right. \right. \\
& \quad \left. \left. \frac{x^*_3 XX^*_{-1}}{\hbar} + \frac{y^*_3 Y^*_{-1}}{\hbar} + \frac{z^*_3 Z^*_{-1}}{\hbar}, 1 \right] \right]_1 [3]]] \\
& \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{2,j\} \rightarrow \{k\}} \left[a_k (a^*_2 + a^*_j) + b_k (b^*_2 + b^*_j), \right. \right. \\
& \quad x_k (e^{2a^*_j - b^*_j} x^*_2 + x^*_j) + y_k (e^{-a^*_j + 2b^*_j} y^*_2 + y^*_j) + z_k (e^{2a^*_j - b^*_j} x^*_2 y^*_j + e^{a^*_j + b^*_j} z^*_2 + z^*_j), \\
& \quad 1 - e^{-a^*_j - b^*_j} \hbar (e^{3a^*_j} x_k y_k x^*_2 y^*_j + e^{2a^*_j + 2b^*_j} y_k z_k x^*_2 y^*_j + e^{3a^*_j} y_k z_k x^*_2 (y^*)_j^2 - \\
& \quad e^{3a^*_j} x_k z_k x^*_2 z^*_j + e^{3b^*_j} y_k z_k y^*_2 z^*_j - e^{3a^*_j} z_k^2 x^*_2 y^*_j z^*_j) \in + O[\epsilon]^2]] \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{i,-2\} \rightarrow \{k\}} \left[A_k A^*_{-2} + A_k A^*_i + B_k B^*_{-2} + B_k B^*_i, \right. \right. \\
& \quad XX_k XX^*_{-2} + XX_k XX^*_i + Y_k Y^*_{-2} + Y_k Y^*_i + Z_k Z^*_{-2} + Z_k Z^*_i, \\
& \quad 1 + (-XX_k A^*_i XX^*_{-2} - Y_k B^*_i Y^*_{-2} + 2 Z_k XX^*_i Y^*_{-2} + \hbar XX_k Y_k XX^*_{-2} Y^*_i - \\
& \quad Z_k A^*_i Z^*_{-2} - Z_k B^*_i Z^*_{-2} - \hbar XX_k Z_k XX^*_{-2} Z^*_i + \hbar Y_k Z_k Y^*_{-2} Z^*_i) \in + O[\epsilon]^2]] \left. \right] \left[\right. \\
& \quad \mathbb{E}_{\{i,j\} \rightarrow \{i,j\}} \left[a_j a^*_j + A_i A^*_i + b_j b^*_j + B_i B^*_i, x_j x^*_j + XX_i XX^*_i + y_j y^*_j + Y_i Y^*_i + \right. \\
& \quad \left. z_j z^*_j + Z_i Z^*_i, 1 \right] \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\right. \\
& \quad \left\{ \frac{a^*_3 A^*_{-2}}{\hbar} + \frac{b^*_3 B^*_{-2}}{\hbar}, \frac{x^*_3 XX^*_{-2}}{\hbar} + \frac{y^*_3 Y^*_{-2}}{\hbar} + \frac{z^*_3 Z^*_{-2}}{\hbar}, \right. \\
& \quad 1 - \left\{ \frac{a^*_2 A^*_{-2}}{\hbar} + \frac{a^*_3 A^*_1}{\hbar} + \frac{b^*_2 B^*_{-2}}{\hbar} + \frac{b^*_3 B^*_1}{\hbar}, \frac{x^*_2 XX^*_{-2}}{\hbar} + \frac{x^*_3 XX^*_1}{\hbar} + \frac{y^*_2 Y^*_{-2}}{\hbar} + \frac{y^*_3 Y^*_1}{\hbar} + \frac{z^*_2 Z^*_{-2}}{\hbar} + \right. \\
& \quad \left. \frac{z^*_3 Z^*_1}{\hbar}, 1 \right\} \left[\left[\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{ \} \rightarrow \{1,2\}} \left[\hbar a_2 A_1 + \hbar b_2 B_1, \right. \right. \right. \right. \\
& \quad \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (x_2^2 XX_1^2 + y_2^2 Y_1^2 + z_2^2 Z_1^2) \in + O[\epsilon]^2] \right] \right] [3] + \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{-2,3\} \rightarrow \{ \}} \left[\frac{a^*_3 A^*_{-2}}{\hbar} + \frac{b^*_3 B^*_{-2}}{\hbar}, \frac{x^*_3 XX^*_{-2}}{\hbar} + \right. \right. \\
& \quad \left. \frac{y^*_3 Y^*_{-2}}{\hbar} + \frac{z^*_3 Z^*_{-2}}{\hbar}, 1 \right] \right]_1 [3]] \left. \right] \left[\mathbb{E}_{\{ \} \rightarrow \{3,-2,-3\}} \left[\text{QZip}_{\{Z^*_n \$5978[1], Z_n \$5978[1], Z^*_n \$5978[2], Z_n \$5978[2]\}} \left[\right. \right. \right. \\
& \quad \text{QZip}_{\{XX_n \$5978[1], Y^*_n \$5978[1], Y_n \$5978[1], X^*_n \$5978[1], XX_n \$5978[2], Y^*_n \$5978[2], Y_n \$5978[2], X^*_n \$5978[2]\}} \left[\right.
\end{aligned}$$

[illegible]

<https://drorbn.net/AcademicPensieve/People/Schaveling/#MathematicaNotebooks>

[illegible]

$$\begin{aligned}
& z_3 \\
& z^*_3, \\
& 1 + \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{3\} \rightarrow \{3\}} \left[-a_3 a^*_3 - b_3 b^*_3, \right. \right. \\
& \quad \left. \left. -e^{-2a^*_3+b^*_3} x_3 x^*_3 - e^{a^*_3-2b^*_3} y_3 y^*_3 + e^{-a^*_3-b^*_3} z_3 x^*_3 y^*_3 - e^{-a^*_3-b^*_3} z_3 z^*_3, 1 \right] \right]_1 [\\
& \quad 3] - \text{TerminatedEvaluation}[\text{IterationLimit}] [\\
& \quad 3]]] [\\
& \text{TerminatedEvaluation}[\text{IterationLimit}] [\\
& \quad \left\{ \frac{a^*_2 A^*_3}{\hbar} + \right. \\
& \quad \quad \frac{b^*_2 B^*_3}{\hbar}, \frac{x^*_2 XX^*_3}{\hbar} + \\
& \quad \quad \frac{y^*_2 Y^*_3}{\hbar} + \\
& \quad \quad \left. \frac{z^*_2 Z^*_3}{\hbar}, \right. \\
& \quad 1 - \left\{ \frac{a^*_2 A^*_1}{\hbar} + \frac{a^*_2 A^*_3}{\hbar} + \frac{b^*_2 B^*_1}{\hbar} + \frac{b^*_2 B^*_3}{\hbar}, \right. \\
& \quad \quad \left. \frac{x^*_2 XX^*_1}{\hbar} + \frac{x^*_2 XX^*_3}{\hbar} + \frac{y^*_2 Y^*_1}{\hbar} + \frac{y^*_2 Y^*_3}{\hbar} + \frac{z^*_2 Z^*_1}{\hbar} + \frac{z^*_2 Z^*_3}{\hbar}, 1 \right\}] \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{1\} \rightarrow \{1,2\}} \left[\hbar a_2 A_1 + \hbar b_2 B_1, \right. \right. \\
& \quad \quad \left. \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (x_2^2 XX_1^2 + y_2^2 Y_1^2 + z_2^2 Z_1^2) \in + 0[\epsilon]^2 \right] \right]] [3] + \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{3,2\} \rightarrow \{1\}} \left[\frac{a^*_2 A^*_3}{\hbar} + \frac{b^*_2 B^*_3}{\hbar}, \right. \right. \\
& \quad \quad \left. \frac{x^*_2 XX^*_3}{\hbar} + \frac{y^*_2 Y^*_3}{\hbar} + \frac{z^*_2 Z^*_3}{\hbar}, 1 \right]]_1 [3] \}] \\
& \mathbb{E}_{\{1\} \rightarrow \{3,2,3\}} \left[\text{QZip}_{\{Z^*_{n\$5933[1]}, Z_{n\$5933[1]}, Z^*_{n\$5933[2]}, Z_{n\$5933[2]}\}} \left[\right. \right. \\
& \quad \text{QZip}_{\{XX_{n\$5933[1]}, Y^*_{n\$5933[1]}, Y_{n\$5933[1]}, X^*_{n\$5933[1]}, XX_{n\$5933[2]}, Y^*_{n\$5933[2]}, Y_{n\$5933[2]}, X^*_{n\$5933[2]}\}} \left[\right. \\
& \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}] [\\
& \quad \quad \mathbb{E} \left[\text{TerminatedEvaluation}[\text{IterationLimit}] [\right. \\
& \quad \quad \quad a_2 A_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation} [\\
& \quad \quad \quad \quad \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]]] + \\
& \quad \quad \quad a_3 A_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation} [\\
& \quad \quad \quad \quad \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]]] + \\
& \quad \quad \quad b_2 B_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation} [\\
& \quad \quad \quad \quad \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]]] + \\
& \quad \quad \quad b_3 B_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation} [\\
& \quad \quad \quad \quad \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]]]], \\
& \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}] [XX_3 XX^*_{n\$5933[1]} \text{TerminatedEvaluation} [\\
& \quad \quad \quad \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\
& \quad \quad \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}] [1]]] + \\
& \quad \quad \quad XX_3 XX^*_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation} [
\end{aligned}$$

[illegible]

<https://drorbn.net/AcademicPensieve/People/Schaveling/#MathematicaNotebooks>

[illegible]

$$\begin{aligned} & \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\right. \\ & \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\text{SeriesData} \left[\right. \right. \\ & \quad \quad \epsilon, 0, \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\right. \\ & \quad \quad \quad \left\{ 1, \frac{1}{2} \hbar^3 \left(x_1^2 X_{n5933[1]}^2 + y_1^2 Y_{n5933[1]}^2 + z_1^2 Z_{n5933[1]}^2 \right) + \right. \\ & \quad \quad \quad \frac{1}{2} \hbar^3 \left(x_2^2 X_{n5933[2]}^2 + y_2^2 Y_{n5933[2]}^2 + z_2^2 Z_{n5933[2]}^2 \right) - \\ & \quad \quad \quad \hbar a_1 X X_{n5933[2]}^* + \hbar X X_3 X_{n5933[2]}^* Y_{n5933[1]}^* - \\ & \quad \quad \quad \hbar b_1 Y_3 Y_{n5933[2]}^* + 2 Z_3 X_{n5933[1]}^* Y_{n5933[2]}^* - \\ & \quad \quad \quad \hbar X X_3 Z_{n5933[2]}^* Z_{n5933[1]}^* + \hbar Y_3 Z_3 Y_{n5933[2]}^* \\ & \quad \quad \quad \left. \left. \left. Z_{n5933[1]}^* - \hbar a_1 Z_3 Z_{n5933[2]}^* - \hbar b_1 Z_3 Z_{n5933[2]}^* \right) \right] \right. \\ & \quad \quad \quad \left. 0, 2, 1 \right] \left] \right] \end{aligned}$$
$$In[\bullet] := \text{stR}_{i,j}$$

\$IterationLimit: Iteration limit of 4096 exceeded.

\$IterationLimit: Iteration limit of 4096 exceeded.

\$IterationLimit: Iteration limit of 4096 exceeded.

General: Further output of \$IterationLimit::itlim will be suppressed during this calculation.

SeriesData: Coefficient specification TerminatedEvaluation[

$$\text{IterationLimit}][[EQ\$6214[A_n\$6203[i], B_n\$6203[j], S_n\$6203[i], t_n\$6203[i], b^*_n\$6203[i], a^*_n\$6203[j], A_n\$6203[j], B_n\$6203[j], S_n\$6203[j], t_n\$6203[j], b^*_n\$6203[j], a^*_n\$6203[j]], EQ\$6214[A_n\$6203[i], B_n\$6203[j], S_n\$6203[i], t_n\$6203[i], b^*_n\$6203[i], a^*_n\$6203[j], A_{\infty}, B_n\$6203[j], S_n\$6203[j], t_n\$6203[j], b^*_n\$6203[j], a^*_n\$6203[j]]](<1>)] \text{ in SeriesData}[\epsilon, 0, \text{TerminatedEvaluation}[\text{IterationLimit}][[EQ\$6214[A_n\$6203[i], B_n\$6203[j], S_n\$6203[i], t_n\$6203[i], b^*_n\$6203[i], a^*_n\$6203[j], A_n\$6203[j], B_n\$6203[j], S_n\$6203[j], t_n\$6203[j], b^*_n\$6203[j], a^*_n\$6203[j]], EQ\$6214[A_{\infty}, B_n\$6203[\infty], S_n\$6203[\infty], t_n\$6203[\infty], <5>, t_n\$6203[\infty], <1>*B_n\$6203[\infty], <1>*S_n\$6203[\infty], <1>*t_n\$6203[\infty], <1>*b^*_n\$6203[\infty], <1>*a^*_n\$6203[\infty], <1>*A_{\infty}], <1>]]]$$

SeriesData: Coefficient specification TerminatedEvaluation[

```
IterationLimit][[EQ$6214[An$6203[i], Bn$6203[i], Sn$6203[i], tn$6203[i], b*n$6203[i], a*n$6203[i], An$6203[j], Bn$6203[j], Sn$6203[j], tn$6203[j], b*n$6203[j], 0], EQ$6214[An$6203[i], Bn$6203[i], Sn$6203[i], tn$6203[i], b*n$6203[i], a*n$6203[i], An$6203[j], Bn$6203[j], Sn$6203[j], tn$6203[j], b*n$6203[j], 0](<<1>>)] in SeriesData[ε, 0, TerminatedEvaluation[
IterationLimit][[EQ$6214[An$6203[i], Bn$6203[i], Sn$6203[i], tn$6203[i], b*n$6203[i], a*n$6203[i], An$6203[j], Bn$6203[j], Sn$6203[j], tn$6203[j], b*n$6203[j], 0], EQ$6214[An$6203[<<1>>], Bn$6203[<<1>>], Sn$6203[<<1>>], tn$6203[<<1>>], <1>*n$6203[<<1>>], <1>*n$6203[<<1>>], A<1>, B<1>,
Sn$6203[<<1>>], tn$6203[<<1>>], <1>*n$6203[<<1>>], 0](<<1>>)], 0, 2, 1] is not a list.
```

SeriesData: Coefficient specification TerminatedEvaluation[

IterationLimit][[EQ\$6214[A_n\$6203[i], B_n\$6203[i], S_n\$6203[i], t_n\$6203[i], b^{*}_n\$6203[i], a^{*}_n\$6203[i], A_n\$6203[j], B_n\$6203[j], S_n\$6203[j], t_n\$6203[j], 0, 0], EQ\$6214[A_n\$6203[i], B_n\$6203[j], S_n\$6203[i], t_n\$6203[i], b^{*}_n\$6203[i], a^{*}_n\$6203[i], A_n\$6203[j], B_n\$6203[j], S_n\$6203[j], t_n\$6203[j], 0, 0](<<1>>)] in SeriesData[ε, 0, TerminatedEvaluation[IterationLimit][[EQ\$6214[A_n\$6203[i], B_n\$6203[j], S_n\$6203[i], t_n\$6203[i], b^{*}_n\$6203[i], a^{*}_n\$6203[i], A_n\$6203[j], B_n\$6203[j], S_n\$6203[j], t_n\$6203[j], 0, 0], EQ\$6214[A_n\$6203[<1>], B_n\$6203[<1>], S_n\$6203[<1>], t_n\$6203[<1>], <<1>>^{*}_n\$6203[<1>], <<1>>^{*}_n\$6203[<1>], A_{<1>}, B_n\$6203[<1>], S_n\$6203[<1>], t_n\$6203[<1>], 0, 0](<<1>>)], 0, 2, 1] is not a list.

General: Further output of SeriesData::sdac will be suppressed during this calculation.

Part: The expression `TerminatedEvaluation[`

$$\text{IterationLimit}\left[\mathbb{E}_{0 \rightarrow \{1,2\}}\left[\hbar a_2 A_1 + \hbar b_2 B_1, \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (\text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg] + \text{Times}[\ll 2 \gg]) \epsilon + O[\epsilon]^2\right]\right]$$

cannot be used as a part specification.

General: Further output of `Part::pkspec1` will be suppressed during this calculation.

SeriesData: Coefficient specification `TerminatedEvaluation[`

$$\text{IterationLimit}\left[\left\{\text{EQ\$5824}\left[A_{n\$5823[1]}, B_{n\$5823[1]}, S_{n\$5823[1]}, t_{n\$5823[1]}, b^*_{n\$5823[1]}, a^*_{n\$5823[1]}, A_{n\$5823[2]}, B_{n\$5823[2]}, S_{n\$5823[2]}, t_{n\$5823[2]}, b^*_{n\$5823[2]}, a^*_{n\$5823[2]}, A_{n\$5823[i\$]}, B_{n\$5823[i\$]}, S_{n\$5823[i\$]}, t_{n\$5823[i\$]}, b^*_{n\$5823[i\$]}, a^*_{n\$5823[i\$]}, A_{n\$5823[j\$]}, B_{n\$5823[j\$]}, S_{n\$5823[j\$]}, t_{n\$5823[j\$]}, b^*_{n\$5823[j\$]}, a^*_{n\$5823[j\$]}\right\}, \text{EQ\$5824}[\ll 1 \gg] (\ll 1 \gg)]\right]$$

in `SeriesData[ $\epsilon$ , 0, TerminatedEvaluation[`

`IterationLimit][ $\ll 1 \gg$ ], 0, 2, 1]` is not a list.

SeriesData: Coefficient specification `TerminatedEvaluation[`

$$\text{IterationLimit}\left[\left\{\text{EQ\$5824}\left[A_{n\$5823[1]}, B_{n\$5823[1]}, S_{n\$5823[1]}, t_{n\$5823[1]}, b^*_{n\$5823[1]}, a^*_{n\$5823[1]}, A_{n\$5823[2]}, B_{n\$5823[2]}, S_{n\$5823[2]}, t_{n\$5823[2]}, b^*_{n\$5823[2]}, a^*_{n\$5823[2]}, A_{n\$5823[i\$]}, B_{n\$5823[i\$]}, S_{n\$5823[i\$]}, t_{n\$5823[i\$]}, b^*_{n\$5823[i\$]}, a^*_{n\$5823[i\$]}, A_{n\$5823[j\$]}, B_{n\$5823[j\$]}, S_{n\$5823[j\$]}, t_{n\$5823[j\$]}, b^*_{n\$5823[j\$]}, a^*_{n\$5823[j\$]}\right\}, 0], \text{EQ\$5824}[A_{\ll 1 \gg}, \ll 2 \gg, 0] (\ll 1 \gg)]\right]$$

in `SeriesData[ $\epsilon$ , 0, TerminatedEvaluation[`

`IterationLimit][ $\ll 1 \gg$ ], 0, 2, 1]` is not a list.

SeriesData: Coefficient specification `TerminatedEvaluation[IterationLimit][ $\ll 1 \gg$ ]` in `SeriesData[ $\epsilon$ , 0, TerminatedEvaluation[`

$$\text{IterationLimit}\left[\left\{\text{EQ\$5824}\left[A_{n\$5823[1]}, B_{n\$5823[1]}, S_{n\$5823[1]}, t_{n\$5823[1]}, b^*_{n\$5823[1]}, a^*_{n\$5823[1]}, A_{n\$5823[2]}, B_{n\$5823[2]}, S_{n\$5823[2]}, t_{n\$5823[2]}, b^*_{n\$5823[2]}, a^*_{n\$5823[2]}, A_{n\$5823[i\$]}, B_{n\$5823[i\$]}, S_{n\$5823[i\$]}, t_{n\$5823[i\$]}, b^*_{n\$5823[i\$]}, a^*_{n\$5823[i\$]}, A_{n\$5823[j\$]}, B_{n\$5823[j\$]}, S_{n\$5823[j\$]}, t_{n\$5823[j\$]}, b^*_{n\$5823[j\$]}, a^*_{n\$5823[j\$]}\right\}, 0, 0], \text{EQ\$5824}[\ll 1 \gg] (\ll 1 \gg)]\right]$$

in `SeriesData[ $\epsilon$ , 0, TerminatedEvaluation[`

`IterationLimit][ $\ll 1 \gg$ ], 0, 2, 1]` is not a list.

General: Further output of `SeriesData::sdac` will be suppressed during this calculation.

`Out[ ]=`

`TerminatedEvaluation[IterationLimit][`

$$\text{TerminatedEvaluation[IterationLimit]}\left[\mathbb{E}_{\{k\} \rightarrow \{k\}}\left[a_k a^*_k + \frac{2}{3} \left(s + \frac{t}{2}\right) A^*_k + b_k b^*_k + \frac{2}{3} \left(\frac{s}{2} + t\right) B^*_k,\right.\right.$$

$$x_k x^*_k + XX_k XX^*_k + y_k y^*_k + Y_k Y^*_k + z_k z^*_k + Z_k Z^*_k,$$

$$\left.1 + \left(-\frac{1}{3} (2 a_k + b_k) A^*_k - \frac{1}{3} (a_k + 2 b_k) B^*_k\right) \epsilon + O[\epsilon]^2\right]\right] \left[\text{TerminatedEvaluation[IterationLimit]}\left[\right.$$

$$\left.\mathbb{E}_{\{-3,1\} \rightarrow \{1\}}\left[\frac{a^*_1 A^*_{-3}}{\hbar} + \frac{b^*_1 B^*_{-3}}{\hbar}, \frac{x^*_1 XX^*_{-3}}{\hbar} + \frac{y^*_1 Y^*_{-3}}{\hbar} + \frac{z^*_1 Z^*_{-3}}{\hbar},\right.\right.$$

$$\left.1 - \left\{\frac{a^*_2 A^*_{-3}}{\hbar} + \frac{a^*_1 A^*_1}{\hbar} + \frac{b^*_2 B^*_{-3}}{\hbar} + \frac{b^*_1 B^*_1}{\hbar}, \frac{x^*_2 XX^*_{-3}}{\hbar} + \frac{x^*_1 XX^*_1}{\hbar} + \frac{y^*_2 Y^*_{-3}}{\hbar} + \frac{y^*_1 Y^*_1}{\hbar} + \frac{z^*_2 Z^*_{-3}}{\hbar} + \frac{z^*_1 Z^*_1}{\hbar}, 1\right\}\right] \left[\text{TerminatedEvaluation[IterationLimit]}\left[\mathbb{E}_{\{1\} \rightarrow \{1,2\}}\left[\hbar a_2 A_1 + \hbar b_2 B_1, \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (x_2^2 XX_1^2 + y_2^2 Y_1^2 + z_2^2 Z_1^2) \epsilon + O[\epsilon]^2\right]\right]\right] [3] +$$

$$\text{TerminatedEvaluation[IterationLimit]}\left[\mathbb{E}_{\{-3,1\} \rightarrow \{1\}}\left[\frac{a^*_1 A^*_{-3}}{\hbar} + \frac{b^*_1 B^*_{-3}}{\hbar},\right.\right.$$

$$\left.\frac{x^*_1 XX^*_{-3}}{\hbar} + \frac{y^*_1 Y^*_{-3}}{\hbar} + \frac{z^*_1 Z^*_{-3}}{\hbar}, 1\right]\right] [3] \left[\text{TerminatedEvaluation[IterationLimit]}\left[\right.$$

$$\left.\mathbb{E}_{\{-1,3\} \rightarrow \{1\}}\left[\frac{a^*_3 A^*_{-1}}{\hbar} + \frac{b^*_3 B^*_{-1}}{\hbar}, \frac{x^*_3 XX^*_{-1}}{\hbar} + \frac{y^*_3 Y^*_{-1}}{\hbar} + \frac{z^*_3 Z^*_{-1}}{\hbar},\right.\right.$$

$$\begin{aligned}
& 1 - \left\{ \frac{a^*_2 A^*_{-1}}{\hbar} + \frac{a^*_3 A^*_1}{\hbar} + \frac{b^*_2 B^*_{-1}}{\hbar} + \frac{b^*_3 B^*_1}{\hbar}, \frac{x^*_2 XX^*_{-1}}{\hbar} + \frac{x^*_3 XX^*_1}{\hbar} + \frac{y^*_2 Y^*_{-1}}{\hbar} + \frac{y^*_3 Y^*_1}{\hbar} + \right. \\
& \quad \left. \frac{z^*_2 Z^*_{-1}}{\hbar} + \frac{z^*_3 Z^*_1}{\hbar}, 1 \right\} \left[\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{\} \rightarrow \{1,2\}} \left[\hbar a_2 A_1 + \hbar \right. \right. \right. \\
& \quad \left. \left. b_2 B_1, \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (x_2^2 XX_1^2 + y_2^2 Y_1^2 + z_2^2 Z_1^2) \in + O[\epsilon]^2 \right] \right] \right] [3] + \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{-1,3\} \rightarrow \{\}} \left[\frac{a^*_3 A^*_{-1}}{\hbar} + \frac{b^*_3 B^*_{-1}}{\hbar}, \right. \right. \\
& \quad \left. \left. \frac{x^*_3 XX^*_{-1}}{\hbar} + \frac{y^*_3 Y^*_{-1}}{\hbar} + \frac{z^*_3 Z^*_{-1}}{\hbar}, 1 \right] \right] [3] \Big] \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{2,j\} \rightarrow \{k\}} \left[a_k (a^*_2 + a^*_j) + b_k (b^*_2 + b^*_j), \right. \right. \\
& \quad x_k (e^{2a^*_j - b^*_j} x^*_2 + x^*_j) + y_k (e^{-a^*_j + 2b^*_j} y^*_2 + y^*_j) + z_k (e^{2a^*_j - b^*_j} x^*_2 y^*_j + e^{a^*_j + b^*_j} z^*_2 + z^*_j), \\
& \quad 1 - e^{-a^*_j - b^*_j} \hbar (e^{3a^*_j} x_k y_k x^*_2 y^*_j + e^{2a^*_j + 2b^*_j} y_k z_k x^*_2 y^*_2 y^*_j + e^{3a^*_j} y_k z_k x^*_2 (y^*)_j^2 - \\
& \quad e^{3a^*_j} x_k z_k x^*_2 z^*_j + e^{3b^*_j} y_k z_k y^*_2 z^*_j - e^{3a^*_j} z_k^2 x^*_2 y^*_j z^*_j) \in + O[\epsilon]^2 \Big] \Big] \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{i,-2\} \rightarrow \{k\}} \left[A_k A^*_{-2} + A_k A^*_i + B_k B^*_{-2} + B_k B^*_i, \right. \right. \\
& \quad XX_k XX^*_{-2} + XX_k XX^*_i + Y_k Y^*_{-2} + Y_k Y^*_i + Z_k Z^*_{-2} + Z_k Z^*_i, \\
& \quad 1 + (-XX_k A^*_i XX^*_{-2} - Y_k B^*_i Y^*_{-2} + 2 Z_k XX^*_i Y^*_{-2} + \hbar XX_k Y_k XX^*_{-2} Y^*_i - \\
& \quad Z_k A^*_i Z^*_{-2} - Z_k B^*_i Z^*_{-2} - \hbar XX_k Z_k XX^*_{-2} Z^*_i + \hbar Y_k Z_k Y^*_{-2} Z^*_i) \in + O[\epsilon]^2 \Big] \Big] \Big[\\
& \quad \mathbb{E}_{\{i,j\} \rightarrow \{i,j\}} \left[a_j a^*_j + A_i A^*_i + b_j b^*_j + B_i B^*_i, x_j x^*_j + XX_i XX^*_i + y_j y^*_j + Y_i Y^*_i + z_j z^*_j + Z_i Z^*_i, 1 \right] \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\left\{ \frac{a^*_3 A^*_{-2}}{\hbar} + \frac{b^*_3 B^*_{-2}}{\hbar}, \frac{x^*_3 XX^*_{-2}}{\hbar} + \frac{y^*_3 Y^*_{-2}}{\hbar} + \frac{z^*_3 Z^*_{-2}}{\hbar}, \right. \right. \\
& \quad 1 - \left\{ \frac{a^*_2 A^*_{-2}}{\hbar} + \frac{a^*_3 A^*_1}{\hbar} + \frac{b^*_2 B^*_{-2}}{\hbar} + \frac{b^*_3 B^*_1}{\hbar}, \frac{x^*_2 XX^*_{-2}}{\hbar} + \frac{x^*_3 XX^*_1}{\hbar} + \frac{y^*_2 Y^*_{-2}}{\hbar} + \frac{y^*_3 Y^*_1}{\hbar} + \right. \\
& \quad \left. \left. \frac{z^*_2 Z^*_{-2}}{\hbar} + \frac{z^*_3 Z^*_1}{\hbar}, 1 \right\} \left[\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{\} \rightarrow \{1,2\}} \left[\hbar a_2 A_1 + \right. \right. \right. \\
& \quad \left. \left. \hbar b_2 B_1, \hbar x_2 XX_1 + \hbar y_2 Y_1 + \hbar z_2 Z_1, 1 + \frac{1}{2} \hbar^3 (x_2^2 XX_1^2 + y_2^2 Y_1^2 + z_2^2 Z_1^2) \in + O[\epsilon]^2 \right] \right] \right] [3] + \\
& \quad \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{-2,3\} \rightarrow \{\}} \left[\frac{a^*_3 A^*_{-2}}{\hbar} + \frac{b^*_3 B^*_{-2}}{\hbar}, \frac{x^*_3 XX^*_{-2}}{\hbar} + \right. \right. \\
& \quad \left. \left. \frac{y^*_3 Y^*_{-2}}{\hbar} + \frac{z^*_3 Z^*_{-2}}{\hbar}, 1 \right] \right] [3] \Big] \left[\mathbb{E}_{\{\} \rightarrow \{3,-2,-3\}} \left[\text{QZip}_{\{Z^*_{n\$5978[1]}, Z_{n\$5978[1]}, Z^*_{n\$5978[2]}, Z_{n\$5978[2]}\}} \left[\right. \right. \right. \\
& \quad \text{QZip}_{\{XX_{n\$5978[1]}, Y^*_{n\$5978[1]}, Y_{n\$5978[1]}, X^*_{n\$5978[1]}, XX_{n\$5978[2]}, Y^*_{n\$5978[2]}, Y_{n\$5978[2]}, X^*_{n\$5978[2]}\}} \left[\right. \\
& \quad \left. \left. \left. \text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E} \left[\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\right. \right. \right. \right. \right. \right. \\
& \quad a_3 A_{-3} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}[\text{TerminatedEvaluation}[\text{IterationLimit}[\hbar]]]] + \\
& \quad a_3 A_{-2} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}[\text{TerminatedEvaluation}[\text{IterationLimit}[\hbar]]]] + \\
& \quad b_3 B_{-3} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}[\text{TerminatedEvaluation}[\text{IterationLimit}[\hbar]]]] + \\
& \quad b_3 B_{-2} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}[\text{TerminatedEvaluation}[\text{IterationLimit}[\hbar]]]]], \\
& \quad \left. \left. \left. \text{TerminatedEvaluation}[\text{IterationLimit}] [x_3 x^*_{n\$5978[2]} \text{TerminatedEvaluation}[\right. \right. \right.
\end{aligned}$$

<https://drorbn.net/AcademicPensieve/People/Schaveling/#MathematicaNotebooks>

[illegible]

[illegible]

[illegible]

$$1 - \left\{ \frac{\mathbf{a}^*_2 \mathbf{A}_1}{\hbar} + \frac{\mathbf{a}^*_2 \mathbf{A}_3}{\hbar} + \frac{\mathbf{b}^*_2 \mathbf{B}_1}{\hbar} + \frac{\mathbf{b}^*_2 \mathbf{B}_3}{\hbar}, \frac{\mathbf{x}^*_2 \mathbf{X}\mathbf{X}_1}{\hbar} + \right.$$
$$\left. \frac{\mathbf{x}^*_2 \mathbf{X}\mathbf{X}_3}{\hbar} + \frac{\mathbf{y}^*_2 \mathbf{Y}_1}{\hbar} + \frac{\mathbf{y}^*_2 \mathbf{Y}_3}{\hbar} + \frac{\mathbf{z}^*_2 \mathbf{Z}_1}{\hbar} + \frac{\mathbf{z}^*_2 \mathbf{Z}_3}{\hbar}, 1 \right\} \llbracket$$
$$\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{\} \rightarrow \{1,2\}} \left[\hbar \mathbf{a}_2 \mathbf{A}_1 + \hbar \mathbf{b}_2 \mathbf{B}_1, \right.$$
$$\left. \hbar \mathbf{x}_2 \mathbf{X}\mathbf{X}_1 + \hbar \mathbf{y}_2 \mathbf{Y}_1 + \hbar \mathbf{z}_2 \mathbf{Z}_1, 1 + \frac{1}{2} \hbar^3 (\mathbf{x}_2^2 \mathbf{X}\mathbf{X}_1^2 + \mathbf{y}_2^2 \mathbf{Y}_1^2 + \mathbf{z}_2^2 \mathbf{Z}_1^2) \in +0[\epsilon]^2 \right] \rrbracket [3] +$$
$$\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\mathbb{E}_{\{3,2\} \rightarrow \{\}} \left[\frac{\mathbf{a}^*_2 \mathbf{A}_3}{\hbar} + \frac{\mathbf{b}^*_2 \mathbf{B}_3}{\hbar}, \right.$$
$$\left. \frac{\mathbf{x}^*_2 \mathbf{X}\mathbf{X}_3}{\hbar} + \frac{\mathbf{y}^*_2 \mathbf{Y}_3}{\hbar} + \frac{\mathbf{z}^*_2 \mathbf{Z}_3}{\hbar}, 1 \right]_1 [3] \rrbracket \llbracket$$
$$\mathbb{E}_{\{\} \rightarrow \{3,2,3\}} [\text{QZip}_{\{\mathbf{Z}^*_{n\$5933[1]}, \mathbf{Z}_{n\$5933[1]}, \mathbf{Z}^*_{n\$5933[2]}, \mathbf{Z}_{n\$5933[2]}\}} \left[\right.$$
$$\text{QZip}_{\{\mathbf{X}\mathbf{X}_{n\$5933[1]}, \mathbf{Y}^*_{n\$5933[1]}, \mathbf{Y}_{n\$5933[1]}, \mathbf{X}^*_{n\$5933[1]}, \mathbf{X}\mathbf{X}_{n\$5933[2]}, \mathbf{Y}^*_{n\$5933[2]}, \mathbf{Y}_{n\$5933[2]}, \mathbf{X}^*_{n\$5933[2]}\}} \left[\right.$$
$$\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\right.$$
$$\mathbb{E} [\text{TerminatedEvaluation}[\text{IterationLimit}] \left[\right.$$
$$\mathbf{a}_2 \mathbf{A}_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{a}_3 \mathbf{A}_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{b}_2 \mathbf{B}_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{b}_3 \mathbf{B}_3 \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]]],$$
$$\text{TerminatedEvaluation}[\text{IterationLimit}] [\mathbf{X}\mathbf{X}_3 \mathbf{X}\mathbf{X}^*_{n\$5933[1]}]$$
$$\text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{X}\mathbf{X}_3 \mathbf{X}\mathbf{X}^*_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{Y}_3 \mathbf{Y}^*_{n\$5933[1]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{Y}_3 \mathbf{Y}^*_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{Z}_3 \mathbf{Z}^*_{n\$5933[1]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{Z}_3 \mathbf{Z}^*_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{x}_2 \mathbf{X}\mathbf{X}_{n\$5933[1]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{x}_3 \mathbf{X}\mathbf{X}_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{y}_2 \mathbf{Y}_{n\$5933[1]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]] +$$
$$\mathbf{y}_3 \mathbf{Y}_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}]]$$

$$\begin{aligned} & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}][\hbar]] + \\ & z_2 Z_{n\$5933[1]} \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\hbar]]] + \\ & z_3 Z_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\hbar]]], \\ & \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \quad \text{TerminatedEvaluation}[\text{IterationLimit}][\text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\text{TerminatedEvaluation}[\text{IterationLimit}][\\ & \quad \quad \text{SeriesData}[\epsilon, 0, \text{TerminatedEvaluation}[\\ & \quad \quad \text{IterationLimit}][\left\{1, \frac{1}{2}\hbar^3(x_2^2 XX_{n\$5933[1]}^2 + \right. \\ & \quad y_2^2 Y_{n\$5933[1]}^2 + z_2^2 Z_{n\$5933[1]}^2) + \frac{1}{2}\hbar^3(x_3^2 XX_{n\$5933[2]}^2 + \\ & \quad y_3^2 Y_{n\$5933[2]}^2 + z_3^2 Z_{n\$5933[2]}^2) - \hbar a_2 XX_3 XX_{n\$5933[2]}^* + \\ & \quad \hbar XX_3 Y_3 XX_{n\$5933[2]}^* Y_{n\$5933[1]}^* - \hbar b_2 Y_3 \\ & \quad Y_{n\$5933[2]}^* + 2 Z_3 XX_{n\$5933[1]}^* Y_{n\$5933[2]}^* - \hbar XX_3 Z_3 \\ & \quad XX_{n\$5933[2]}^* Z_{n\$5933[1]}^* + \hbar Y_3 Z_3 Y_{n\$5933[2]}^* Z_{n\$5933[1]}^* - \end{aligned}$$

[illegible]

$$\begin{aligned} & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]] + \\ y_2 Y_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]]] + \\ z_1 Z_{n\$5933[1]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]]] + \\ z_2 Z_{n\$5933[2]} \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\hbar]]], \\ \text{TerminatedEvaluation}[\text{IterationLimit}] [& \text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\ & \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\ & \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\ & \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\ & \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\ & \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\ & \text{TerminatedEvaluation}[\text{IterationLimit}] [\text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\text{TerminatedEvaluation}[\text{IterationLimit}] [\\ & \text{SeriesData}[\epsilon, 0, \text{TerminatedEvaluation}[\\ & \text{IterationLimit}] [\left\{1, \frac{1}{2} \hbar^3 (x_1^2 XX_{n\$5933[1]}^2 + \right. \\ & y_1^2 Y_{n\$5933[1]}^2 + z_1^2 Z_{n\$5933[1]}^2) + \frac{1}{2} \hbar^3 (x_2^2 XX_{n\$5933[2]}^2 + \\ & y_2^2 Y_{n\$5933[2]}^2 + z_2^2 Z_{n\$5933[2]}^2) - \hbar a_1 XX_3 XX_{n\$5933[2]}^* + \\ & \hbar XX_3 Y_3 XX_{n\$5933[2]}^* Y_{n\$5933[1]}^* - \hbar b_1 Y_3 \\ & Y_{n\$5933[2]}^* + 2 Z_3 XX_{n\$5933[1]}^* Y_{n\$5933[2]}^* - \hbar XX_3 Z_3 \end{aligned}$$

[illegible]

Testing

```
Block[{$k = 1}, {
  am → ami,j,k, bm → bmi,j,k, dm → dmi,j,k, R → Ri,j,  $\overline{R} \rightarrow \overline{R}_{i,j}$ , P → Pi,j, aS → aSi,
   $\overline{aS} \rightarrow \overline{aS}_i$ , bS → bSi,  $\overline{bS} \rightarrow \overline{bS}_i$ , dS → dSi, aΔ → aΔi,j,k, bΔ → bΔi,j,k, dΔ → dΔi,j,k,
  C → Ci,  $\overline{C} \rightarrow \overline{C}_i$ , Kink → Kinki,  $\overline{Kink} \rightarrow \overline{Kink}_i$ , AB2st → AB2sti, st2AB → st2ABi
}] // Column
```

Check that on the generators this agrees with our conventions in the handout:

Timing@

```

{ "[X,a]" → (( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, a2 x1] // am1,2→1) [3] - ( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, a1 x2] // am1,2→1) [3]),
  "[A,X]" → (( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, XX2 A1] // bm1,2→1) [3] - ( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, XX1 A2] // bm1,2→1) [3]),
  "[x,y]" → (( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, y2 x1] // am1,2→1) [3] - ( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, y1 x2] // am1,2→1) [3]),
  "[Y,X]" → (( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, XX2 Y1] // bm1,2→1) [3] -
    ( $\mathbb{E}_{\{\} \rightarrow \{1,2\}}$  [0, 0, XX1 Y2] // bm1,2→1) [3]) } /. z-1 → z,
  {"Δ[X]" → Last[ $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, XX1] ~ B1 ~ bΔ1→1,2],
    "Δ[A]" → Last[ $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, A1] ~ B1 ~ bΔ1→1,2],
    "Δ[a]" → Last[ $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, a1] ~ B1 ~ aΔ1→1,2],
    "Δ[z]" → Last[ $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, z1] ~ B1 ~ aΔ1→1,2],
    "Δ[x]" → Last[ $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, x1] ~ B1 ~ aΔ1→1,2],
    "Δ[Z]" → Last[ $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, Z1] ~ B1 ~ bΔ1→1,2] },
  {
    "S(a)" → (( $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, a1] ~ B1 ~ aS1) [3]),
    "S(z)" → (( $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, z1] ~ B1 ~ aS1) [3]),
    "S(x)" → (( $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, x1] ~ B1 ~ aS1) [3]),
    "S(A)" → (( $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, A1] ~ B1 ~ bS1) [3]),
    "S(X)" → (( $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, XX1] ~ B1 ~ bS1) [3]),
    "S(Z)" → (( $\mathbb{E}_{\{\} \rightarrow \{1\}}$  [0, 0, Z1] ~ B1 ~ bS1) [3])
  } /. z-1 → z }

{ 1.265625, { { [x,a] → 2 x + 0[ε]2, [A,X] → -XX ε + 0[ε]2, [x,y] → z - x y ħ ε + 0[ε]2,
  [Y,X] → (-2 Z + XX Y ħ) ε + 0[ε]2 }, { Δ[X] → (XX2 + XX1 A2-2ħ B2ħ) + 0[ε]2, Δ[A] → (A1 + A2) + 0[ε]2,
  Δ[a] → (a1 + a2) + 0[ε]2, Δ[z] → (z1 + z2) + (2 ħ x1 y2 - ħ a1 z2 - ħ b1 z2) ε + 0[ε]2,
  Δ[x] → (x1 + x2) - ħ a1 x2 ε + 0[ε]2, Δ[Z] → (Z2 + Z1 A2-ħ B2-ħ + ħ XX1 Y2 A2-2ħ B2ħ) + 0[ε]2 },
  { S(a) → -a + 0[ε]2, S(z) → -z + (2 x y ħ + 2 z ħ - a z ħ - b z ħ) ε + 0[ε]2,
    S(x) → -x - a x ħ ε + 0[ε]2, S(A) → -A + 0[ε]2, S(X) → -XX A2ħ B-ħ + 0[ε]2,
    S(Z) → (-Z Aħ Bħ + XX Y Aħ Bħ ħ) + (2 Z Aħ Bħ ħ - XX Y Aħ Bħ ħ2) ε + 0[ε]2 } }

```

Hopf algebra axioms on both sides separately.

Associativity of am and bm:

Timing@Block[{\$k = 1},

HL /@ { (am_{1,2→1} // am_{1,3→1}) ≡ (am_{2,3→2} // am_{1,2→1}), (bm_{1,2→1} // bm_{1,3→1}) ≡ (bm_{2,3→2} // bm_{1,2→1}) }

] {0.437500, {True, True}}

R and P are inverses:

Timing@Block[{\$k = 1}, {HL [(R_{i,j} // P_{i,k}) ≡ $\mathbb{E}_{\{k\} \rightarrow \{j\}}$ [a_j a^{*}_k + b_j b^{*}_k, x_j x^{*}_k + y_j y^{*}_k + z_j z^{*}_k, 1]] }

{0.031250, {True}}

as and $\overline{aS}$ are inverses, bs and $\overline{bS}$ are inverses:

Timing[HL /@ { ($\overline{aS_1}$ // aS₁) ≡ $\mathbb{E}_{\{1\} \rightarrow \{1\}}$ [a₁ a^{*}₁ + b₁ b^{*}₁, x₁ x^{*}₁ + y₁ y^{*}₁ + z₁ z^{*}₁, 1],

($\overline{bS_1}$ // bS₁) ≡ $\mathbb{E}_{\{1\} \rightarrow \{1\}}$ [A₁ A^{*}₁ + B₁ B^{*}₁, XX₁ XX^{*}₁ + Y₁ Y^{*}₁ + Z₁ Z^{*}₁, 1]] }

{0.406250, {True, True}}

(co)-associativity on both sides

Timing[HL /@ { (a $\Delta_{1 \rightarrow 1,2}$ // a $\Delta_{2 \rightarrow 2,3}$) $\equiv$ (a $\Delta_{1 \rightarrow 1,3}$ // a $\Delta_{1 \rightarrow 1,2}$), (b $\Delta_{1 \rightarrow 1,2}$ // b $\Delta_{2 \rightarrow 2,3}$) $\equiv$ (b $\Delta_{1 \rightarrow 1,3}$ // b $\Delta_{1 \rightarrow 1,2}$),
 (a $m_{1,2 \rightarrow 1}$ // a $m_{1,3 \rightarrow 1}$) $\equiv$ (a $m_{2,3 \rightarrow 2}$ // a $m_{1,2 \rightarrow 1}$), (b $m_{1,2 \rightarrow 1}$ // b $m_{1,3 \rightarrow 1}$) $\equiv$ (b $m_{2,3 \rightarrow 2}$ // b $m_{1,2 \rightarrow 1}$) }]
 {1.078125, {True, True, True, True}}

Δ is an algebra morphism

Timing[HL /@ { (a $m_{1,2 \rightarrow 1}$ // a $\Delta_{1 \rightarrow 1,2}$) $\equiv$ ((a $\Delta_{1 \rightarrow 1,3}$ a $\Delta_{2 \rightarrow 2,4}$) // (a $m_{3,4 \rightarrow 2}$ a $m_{1,2 \rightarrow 1}$)),
 (b $m_{1,2 \rightarrow 1}$ // b $\Delta_{1 \rightarrow 1,2}$) $\equiv$ ((b $\Delta_{1 \rightarrow 1,3}$ b $\Delta_{2 \rightarrow 2,4}$) // (b $m_{3,4 \rightarrow 2}$ b $m_{1,2 \rightarrow 1}$)) }]
 {1.312500, {True, True}}

S is convolution inverse of id

Timing[HL [# $\equiv$ E $_{\{1\} \rightarrow \{1\}}$ [0, 0, 1]] & /@ {
 (a $\Delta_{1 \rightarrow 1,2} \sim B_1 \sim aS_1$) $\sim B_{1,2} \sim a m_{1,2 \rightarrow 1}$, (a $\Delta_{1 \rightarrow 1,2} \sim B_2 \sim aS_2$) $\sim B_{1,2} \sim a m_{1,2 \rightarrow 1}$,
 (b $\Delta_{1 \rightarrow 1,2} \sim B_1 \sim bS_1$) $\sim B_{1,2} \sim b m_{1,2 \rightarrow 1}$, (b $\Delta_{1 \rightarrow 1,2} \sim B_2 \sim bS_2$) $\sim B_{1,2} \sim b m_{1,2 \rightarrow 1}$ }]
 {1.015625, {True, True, True, True}}

S is an algebra anti-(co)morphism

Timing[HL /@ { a $m_{1,2 \rightarrow 1} \sim B_1 \sim aS_1 \equiv (aS_1 aS_2) \sim B_{1,2} \sim a m_{2,1 \rightarrow 1}$, b $m_{1,2 \rightarrow 1} \sim B_1 \sim bS_1 \equiv (bS_1 bS_2) \sim B_{1,2} \sim b m_{2,1 \rightarrow 1}$,
 a $S_1 \sim B_1 \sim a \Delta_{1 \rightarrow 1,2} \equiv a \Delta_{1 \rightarrow 2,1} \sim B_{1,2} \sim (aS_1 aS_2)$, b $S_1 \sim B_1 \sim b \Delta_{1 \rightarrow 1,2} \equiv b \Delta_{1 \rightarrow 2,1} \sim B_{1,2} \sim (bS_1 bS_2)$ }]
 {2.500000, {True, True, True, True}}

R-matrix and antipode

R $_{1,2} \sim B_1 \sim (bS_1) \equiv \bar{R}_{1,2}$

True

Pairing axioms

Timing[HL /@ { (b $m_{1,2 \rightarrow 1}$ E $_{\{3\} \rightarrow \{3\}}$ [b $^*_3 b_3 + a^*_3 a_3, y^*_3 y_3 + x^*_3 x_3 + z^*_3 z_3, 1$]) $\sim B_{1,3} \sim P_{1,3} \equiv$
 (E $_{\{1\} \rightarrow \{1\}}$ [(A *) $_1 A_1 + (B^*)_1 B_1, (XX^*)_1 XX_1 + (Y^*)_1 Y_1 + Z^*_1 Z_1, 1$]
 E $_{\{2\} \rightarrow \{2\}}$ [(A *) $_2 A_2 + (B^*)_2 B_2, (XX^*)_2 XX_2 + (Y^*)_2 Y_2 + Z^*_2 Z_2, 1$] a $\Delta_{3 \rightarrow 4,5}$) $\sim B_{1,4} \sim P_{1,4} \sim B_{2,5} \sim P_{2,5}$,
 (b $\Delta_{1 \rightarrow 1,2}$ E $_{\{3\} \rightarrow \{3\}}$ [b $^*_3 b_3 + a^*_3 a_3, y^*_3 y_3 + x^*_3 x_3 + z^*_3 z_3, 1$]
 E $_{\{4\} \rightarrow \{4\}}$ [b $^*_4 b_4 + a^*_4 a_4, y^*_4 y_4 + x^*_4 x_4 + z^*_4 z_4, 1$]) $\sim B_{1,3} \sim P_{1,3} \sim B_{2,4} \sim P_{2,4} \equiv$
 (E $_{\{1\} \rightarrow \{1\}}$ [(A *) $_1 A_1 + (B^*)_1 B_1, (XX^*)_1 XX_1 + (Y^*)_1 Y_1 + Z^*_1 Z_1, 1$] a $m_{3,4 \rightarrow 3}$) $\sim B_{1,3} \sim P_{1,3}$ }]
 {0.34375, {True, True}}

Timing[HL /@ { ((bS $_1$ E $_{\{2\} \rightarrow \{2\}}$ [b $^*_2 b_2 + a^*_2 a_2, y^*_2 y_2 + x^*_2 x_2 + z^*_2 z_2, 1$]) // P $_{1,2}$) $\equiv$
 ((E $_{\{1\} \rightarrow \{1\}}$ [(A *) $_1 A_1 + (B^*)_1 B_1, (XX^*)_1 XX_1 + (Y^*)_1 Y_1 + Z^*_1 Z_1, 1$] aS $_2$) // P $_{1,2}$),
 (bS $_1$ E $_{\{2\} \rightarrow \{2\}}$ [b $^*_2 b_2 + a^*_2 a_2, y^*_2 y_2 + x^*_2 x_2 + z^*_2 z_2, 1$]) $\sim B_{1,2} \sim P_{1,2} \equiv$
 (E $_{\{1\} \rightarrow \{1\}}$ [(A *) $_1 A_1 + (B^*)_1 B_1, (XX^*)_1 XX_1 + (Y^*)_1 Y_1 + Z^*_1 Z_1, 1$] aS $_2$) $\sim B_{1,2} \sim P_{1,2}$ }]
 {0.28125, {True, True}}

Tests for the double.

Check the double formulas on the generators agree with SL2Portfolio.pdf:

{
 "[a,y]" $\rightarrow$

```

((E_{1,2} [0, 0, y_2 a_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, y_1 a_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [b, x] " → ((E_{1,2} [0, 0, x_2 b_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, x_1 b_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [b, y] " →
((E_{1,2} [0, 0, y_2 b_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, y_1 b_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [a, x] " → ((E_{1,2} [0, 0, x_2 a_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, x_1 a_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [a, z] " →
((E_{1,2} [0, 0, z_2 a_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, z_1 a_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [b, z] " → ((E_{1,2} [0, 0, z_2 b_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, z_1 b_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [x, z] " →
((E_{1,2} [0, 0, z_2 x_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, z_1 x_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [y, z] " → ((E_{1,2} [0, 0, z_2 y_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, z_1 y_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [x, y] " →
((E_{1,2} [0, 0, y_2 x_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, y_1 x_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [Y, Y] " → ((E_{1,2} [0, 0, y_2 Y_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, y_1 Y_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) // Expand // Simplify,
" [Y, x] " → ((E_{1,2} [0, 0, x_2 Y_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, x_1 Y_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) // Expand // Simplify,
" [X, y] " → ((E_{1,2} [0, 0, y_2 XX_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, y_1 XX_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) // Expand // Simplify,
" [XX, x] " →
((E_{1,2} [0, 0, x_2 XX_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, x_1 XX_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) //
Expand // Simplify, " [Z, z] " → ((E_{1,2} [0, 0, z_2 Z_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, z_1 Z_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) // Expand // Simplify, " [Z, y] " →
((E_{1,2} [0, 0, y_2 Z_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, y_1 Z_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) //
Expand // Simplify, " [Z, x] " → ((E_{1,2} [0, 0, x_2 Z_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, x_1 Z_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) // Expand // Simplify, " [XX, z] " →
((E_{1,2} [0, 0, z_2 XX_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, z_1 XX_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) //
Expand // Simplify, " [Y, z] " → ((E_{1,2} [0, 0, z_2 Y_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, z_1 Y_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) // Expand // Simplify, " [a, Z] " →
((E_{1,2} [0, 0, Z_2 a_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, Z_1 a_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [a, XX] " → ((E_{1,2} [0, 0, XX_2 a_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, XX_1 a_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [a, Y] " → ((E_{1,2} [0, 0, Y_2 a_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, Y_1 a_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [b, Z] " →
((E_{1,2} [0, 0, Z_2 b_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, Z_1 b_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [b, XX] " → ((E_{1,2} [0, 0, XX_2 b_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, XX_1 b_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [b, Y] " →
((E_{1,2} [0, 0, Y_2 b_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, Y_1 b_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [A, Z] " → ((E_{1,2} [0, 0, Z_2 A_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, Z_1 A_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [A, XX] " →
((E_{1,2} [0, 0, XX_2 A_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, XX_1 A_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [A, Y] " → ((E_{1,2} [0, 0, Y_2 A_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
(E_{1,2} [0, 0, Y_1 A_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) , " [B, Z] " →
((E_{1,2} [0, 0, Z_2 B_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, Z_1 B_2] ~ B_{1,2} ~ dm_{1,2→1} [3])) ,
" [B, XX] " → ((E_{1,2} [0, 0, XX_2 B_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -

```

```

    (E_{1,2} [0, 0, XX_1 B_2] ~ B_{1,2} ~ dm_{1,2→1} [3]) , " [B,Y] " →
    ((E_{1,2} [0, 0, Y_2 B_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, Y_1 B_2] ~ B_{1,2} ~ dm_{1,2→1} [3]) ,
    "[XX,Y]" → ((E_{1,2} [0, 0, Y_2 XX_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
    (E_{1,2} [0, 0, Y_1 XX_2] ~ B_{1,2} ~ dm_{1,2→1} [3]) , "[Z,Y]" →
    ((E_{1,2} [0, 0, Y_2 Z_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, Y_1 Z_2] ~ B_{1,2} ~ dm_{1,2→1} [3]) ,
    "[Z,XX]" →
    ((E_{1,2} [0, 0, XX_2 Z_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, XX_1 Z_2] ~ B_{1,2} ~ dm_{1,2→1} [3]) ,
    "[A,x]" → ((E_{1,2} [0, 0, x_2 A_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) -
    (E_{1,2} [0, 0, x_1 A_2] ~ B_{1,2} ~ dm_{1,2→1} [3]) , "[A,y]" →
    ((E_{1,2} [0, 0, y_2 A_1] ~ B_{1,2} ~ dm_{1,2→1} [3]) - (E_{1,2} [0, 0, y_1 A_2] ~ B_{1,2} ~ dm_{1,2→1} [3])
  } /. {v_1 → v} // Expand // Factor
{
  "Δ(a)" → ((E_{1,2} [0, 0, a_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(x)" → ((E_{1,2} [0, 0, x_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(b)" → ((E_{1,2} [0, 0, b_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(y)" → ((E_{1,2} [0, 0, y_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(z)" → ((E_{1,2} [0, 0, z_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(XX)" → ((E_{1,2} [0, 0, XX_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(Y)" → ((E_{1,2} [0, 0, Y_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(Z)" → ((E_{1,2} [0, 0, Z_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(A)" → ((E_{1,2} [0, 0, A_1] ~ B_1 ~ dΔ_{1→1,2} [3]) ,
  "Δ(B)" → ((E_{1,2} [0, 0, B_1] ~ B_1 ~ dΔ_{1→1,2} [3]) } // Simplify
{
  "S(a)" → ((E_{1,2} [0, 0, a_1] ~ B_1 ~ dS_1 [3]) ,
  "S(x)" → ((E_{1,2} [0, 0, x_1] ~ B_1 ~ dS_1 [3]) ,
  "S(b)" → ((E_{1,2} [0, 0, b_1] ~ B_1 ~ dS_1 [3]) ,
  "S(y)" → ((E_{1,2} [0, 0, y_1] ~ B_1 ~ dS_1 [3]) , "S(z)" → ((E_{1,2} [0, 0, z_1] ~ B_1 ~ dS_1 [3]) ,
  "S(XX)" → ((E_{1,2} [0, 0, XX_1] ~ B_1 ~ dS_1 [3]) ,
  "S(Y)" → ((E_{1,2} [0, 0, Y_1] ~ B_1 ~ dS_1 [3]) ,
  "S(Z)" → ((E_{1,2} [0, 0, Z_1] ~ B_1 ~ dS_1 [3]) , "S(A)" → ((E_{1,2} [0, 0, A_1] ~ B_1 ~ dS_1 [3]) ,
  "S(B)" → ((E_{1,2} [0, 0, B_1] ~ B_1 ~ dS_1 [3])
} /. {v_1 → v} // Simplify

```

$$\begin{aligned}
& \{ [a, y] \rightarrow y + 0[\epsilon]^2, [b, x] \rightarrow x + 0[\epsilon]^2, [b, y] \rightarrow -2y + 0[\epsilon]^2, \\
& [a, x] \rightarrow -2x + 0[\epsilon]^2, [a, z] \rightarrow -z + 0[\epsilon]^2, [b, z] \rightarrow -z + 0[\epsilon]^2, \\
& [x, z] \rightarrow xz\hbar\epsilon + 0[\epsilon]^2, [y, z] \rightarrow -yz\hbar\epsilon + 0[\epsilon]^2, [x, y] \rightarrow z - xy\hbar\epsilon + 0[\epsilon]^2, \\
& [Y, y] \rightarrow \frac{-1 + \mathbb{A}^{\hbar} \mathbb{B}^{-2\hbar}}{\hbar} + (-b\mathbb{A}^{\hbar} \mathbb{B}^{-2\hbar} + 2yY\hbar)\epsilon + 0[\epsilon]^2, [Y, x] \rightarrow -xY\hbar\epsilon + 0[\epsilon]^2, \\
& [X, y] \rightarrow -XXy\hbar\epsilon + 0[\epsilon]^2, [XX, x] \rightarrow \frac{-1 + \mathbb{A}^{-2\hbar} \mathbb{B}^{\hbar}}{\hbar} + (-a\mathbb{A}^{-2\hbar} \mathbb{B}^{\hbar} + 2xXX\hbar)\epsilon + 0[\epsilon]^2, \\
& [Z, z] \rightarrow \frac{-1 + \mathbb{A}^{-\hbar} \mathbb{B}^{-\hbar}}{\hbar} + \mathbb{A}^{-\hbar} \mathbb{B}^{-\hbar} (-a - b + 2zZ\mathbb{A}^{\hbar} \mathbb{B}^{\hbar}\hbar)\epsilon + 0[\epsilon]^2, [Z, y] \rightarrow -XX + yZ\hbar\epsilon + 0[\epsilon]^2, \\
& [Z, x] \rightarrow Y\mathbb{A}^{-2\hbar} \mathbb{B}^{\hbar} + \mathbb{A}^{-2\hbar} \hbar (xZ\mathbb{A}^{2\hbar} - (-1 + a)Y\mathbb{B}^{\hbar})\hbar\epsilon + 0[\epsilon]^2, [XX, z] \rightarrow (-2y + XXz\hbar)\epsilon + 0[\epsilon]^2, \\
& [Y, z] \rightarrow (2x\mathbb{A}^{\hbar} \mathbb{B}^{-2\hbar} + Yz\hbar)\epsilon + 0[\epsilon]^2, [a, Z] \rightarrow Z + 0[\epsilon]^2, [a, XX] \rightarrow 2XX + 0[\epsilon]^2, \\
& [a, Y] \rightarrow -Y + 0[\epsilon]^2, [b, Z] \rightarrow Z + 0[\epsilon]^2, [b, XX] \rightarrow -XX + 0[\epsilon]^2, [b, Y] \rightarrow 2Y + 0[\epsilon]^2, \\
& [A, Z] \rightarrow -Z\epsilon + 0[\epsilon]^2, [A, XX] \rightarrow -XX\epsilon + 0[\epsilon]^2, [A, Y] \rightarrow 0[\epsilon]^2, [B, Z] \rightarrow -Z\epsilon + 0[\epsilon]^2, \\
& [B, XX] \rightarrow 0[\epsilon]^2, [B, Y] \rightarrow -Y\epsilon + 0[\epsilon]^2, [XX, Y] \rightarrow (2Z - XXY\hbar)\epsilon + 0[\epsilon]^2, \\
& [Z, Y] \rightarrow YZ\hbar\epsilon + 0[\epsilon]^2, [Z, XX] \rightarrow -XXZ\hbar\epsilon + 0[\epsilon]^2, [A, x] \rightarrow x\epsilon + 0[\epsilon]^2, [A, y] \rightarrow 0[\epsilon]^2 \} \\
& \{ \Delta(a) \rightarrow (a_1 + a_2) + 0[\epsilon]^2, \Delta(x) \rightarrow (x_1 + x_2) - \hbar a_1 x_2\epsilon + 0[\epsilon]^2, \\
& \Delta(b) \rightarrow (b_1 + b_2) + 0[\epsilon]^2, \Delta(y) \rightarrow (y_1 + y_2) - \hbar b_1 y_2\epsilon + 0[\epsilon]^2, \\
& \Delta(z) \rightarrow (z_1 + z_2) + \hbar (2x_1 y_2 - (a_1 + b_1)z_2)\epsilon + 0[\epsilon]^2, \Delta(XX) \rightarrow (XX_1 + XX_2 \mathbb{A}_1^{-2\hbar} \mathbb{B}_1^{\hbar}) + 0[\epsilon]^2, \\
& \Delta(Y) \rightarrow (Y_1 + Y_2 \mathbb{A}_1^{\hbar} \mathbb{B}_1^{-2\hbar}) + 0[\epsilon]^2, \Delta(Z) \rightarrow (Z_1 + Z_2 \mathbb{A}_1^{-\hbar} \mathbb{B}_1^{-\hbar} + \hbar XX_2 Y_1 \mathbb{A}_1^{-2\hbar} \mathbb{B}_1^{\hbar}) + 0[\epsilon]^2, \\
& \Delta(A) \rightarrow (A_1 + A_2) + 0[\epsilon]^2, \Delta(B) \rightarrow (B_1 + B_2) + 0[\epsilon]^2 \} \\
& \{ S(a) \rightarrow -a + 0[\epsilon]^2, S(x) \rightarrow -x - ax\hbar\epsilon + 0[\epsilon]^2, S(b) \rightarrow -b + 0[\epsilon]^2, \\
& S(y) \rightarrow -y - by\hbar\epsilon + 0[\epsilon]^2, S(z) \rightarrow -z + (2xy - (-2 + a + b)z)\hbar\epsilon + 0[\epsilon]^2, \\
& S(XX) \rightarrow -XX\mathbb{A}^{2\hbar} \mathbb{B}^{-\hbar} - 2(XX\mathbb{A}^{2\hbar} \mathbb{B}^{-\hbar}\hbar)\epsilon + 0[\epsilon]^2, S(Y) \rightarrow -Y\mathbb{A}^{-\hbar} \mathbb{B}^{2\hbar} - 2(Y\mathbb{A}^{-\hbar} \mathbb{B}^{2\hbar}\hbar)\epsilon + 0[\epsilon]^2, \\
& S(Z) \rightarrow \mathbb{A}^{\hbar} \mathbb{B}^{\hbar} (-Z + XXY\hbar) + \mathbb{A}^{\hbar} \mathbb{B}^{\hbar}\hbar (-2Z + 3XXY\hbar)\epsilon + 0[\epsilon]^2, \\
& S(A) \rightarrow -A + 0[\epsilon]^2, S(B) \rightarrow -B + 0[\epsilon]^2 \}
\end{aligned}$$

(co)-associativity

$$\text{Timing[HL /@ \{ (d\Delta_{1 \rightarrow 1, 2} // d\Delta_{2 \rightarrow 2, 3}) \equiv (d\Delta_{1 \rightarrow 1, 3} // d\Delta_{1 \rightarrow 1, 2}), (dm_{1, 2 \rightarrow 1} // dm_{1, 3 \rightarrow 1}) \equiv (dm_{2, 3 \rightarrow 2} // dm_{1, 2 \rightarrow 1}) \} \}] \\
\{ 14.218750, \{ \text{True}, \text{True} \} \}$$

$$\text{Timing[HL /@ \{ (std\Delta_{1 \rightarrow 1, 2} // std\Delta_{2 \rightarrow 2, 3}) \equiv (std\Delta_{1 \rightarrow 1, 3} // std\Delta_{1 \rightarrow 1, 2}), \\
(stdm_{1, 2 \rightarrow 1} // stdm_{1, 3 \rightarrow 1}) \equiv (stdm_{2, 3 \rightarrow 2} // stdm_{1, 2 \rightarrow 1}) \} \}] \\
\{ 7.531250, \{ \text{True}, \text{True} \} \}$$

$$\text{Timing[HL /@ \{ (ddm_{1, 2 \rightarrow 1} \sim STB_1 \sim ddm_{1, 3 \rightarrow 1}) \equiv (ddm_{2, 3 \rightarrow 2} \sim STB_2 \sim ddm_{1, 2 \rightarrow 1}) \} \}] \\
\{ 2.125000, \{ \text{True} \} \}$$

Δ is an algebra morphism

$$\text{Timing@HL [dm_{1, 2 \rightarrow 1} \sim B_1 \sim d\Delta_{1 \rightarrow 1, 2} \equiv (d\Delta_{1 \rightarrow 1, 3} d\Delta_{2 \rightarrow 2, 4}) \sim B_{1, 2, 3, 4} \sim (dm_{3, 4 \rightarrow 2} dm_{1, 2 \rightarrow 1}) \}] \\
\{ 7.296875, \text{True} \}$$

S_2 inverts R , but not S_1 :

Timing@{**HL** [$R_{1,2} \sim B_2 \sim dS_2 \equiv \bar{R}_{1,2}$]}
 {0.796875, {True}}

S is convolution inverse of id

Timing[**HL** [$\# \equiv \mathbb{E}_{\{1\} \rightarrow \{1\}} [0, 0, 1]$] & /@
 {($d\Delta_{1 \rightarrow 1,2} \sim B_1 \sim dS_1$) $\sim B_{1,2} \sim dm_{1,2 \rightarrow 1}$, ($d\Delta_{1 \rightarrow 1,2} \sim B_2 \sim dS_2$) // $dm_{1,2 \rightarrow 1}$ }]
 {4.703125, {True, True}}

S is a (co)-algebra anti-morphism

Timing[**HL** /@
Expand /@ { $dm_{1,2 \rightarrow 1} \sim B_1 \sim dS_1 \equiv (dS_1 dS_2) \sim B_{1,2} \sim dm_{2,1 \rightarrow 1}$, $dS_1 \sim B_1 \sim d\Delta_{1 \rightarrow 1,2} \equiv d\Delta_{1 \rightarrow 2,1} \sim B_{1,2} \sim (dS_1 dS_2)$ }]
 {22.718750, {True, True}}

Quasi-triangular axiom 1:

Timing@HL [$R_{1,2} \sim B_1 \sim d\Delta_{1 \rightarrow 1,3} \equiv (R_{1,4} R_{3,2}) \sim B_{2,4} \sim dm_{2,4 \rightarrow 2}$]
 {0.375000, True}

Quasi-triangular axiom 2:

Timing@HL [($(d\Delta_{1 \rightarrow 1,2} R_{3,4}) \sim B_{1,2,3,4} \sim (dm_{1,3 \rightarrow 1} dm_{2,4 \rightarrow 2})$) $\equiv$ ($(d\Delta_{1 \rightarrow 2,1} R_{3,4}) \sim B_{1,2,3,4} \sim (dm_{3,1 \rightarrow 1} dm_{4,2 \rightarrow 2})$)]
 {2.359375, True}

The Drinfel'd element inverse property, $(u_1 \bar{u}_2) \sim B_{1,2} \sim dm_{1,2 \rightarrow 1} \equiv \mathbb{E}[0, 0, 1]$:

Timing@HL [($(R_{1,2} \sim B_1 \sim dS_1 \sim B_{1,2} \sim dm_{2,1 \rightarrow 1}) (R_{1,2} \sim B_2 \sim dS_2 \sim B_{2,2} \sim dS_2 \sim B_{1,2} \sim dm_{2,1 \rightarrow j})$) $\sim B_{i,j} \sim dm_{i,j \rightarrow i} \equiv$
 $\mathbb{E}_{\{i\} \rightarrow \{i\}} [0, 0, 1]$]
 {2.453125, True}

The ribbon element v satisfies $v^2 = S(u) u$. The spinner $C = uv^{-1}$. It is convenient to compute $z = S(u) u^{-1}$ which is something easy. Taking the square root of z and multiplying it with $S(u)$ yields the ribbon element v .

Timing@Block [{ $\$k = 1$ },
 (($(R_{1,2} \sim B_1 \sim dS_1 \sim B_{1,2} \sim dm_{2,1 \rightarrow i}) \sim B_i \sim dS_i$) ($R_{1,2} \sim B_2 \sim dS_2 \sim B_{2,2} \sim dS_2 \sim B_{1,2} \sim dm_{2,1 \rightarrow j}$)) $\sim B_{i,j} \sim dm_{i,j \rightarrow i}$]
 {8.062500, $\mathbb{E}_{\{i\} \rightarrow \{i\}} [0, 0, \mathbb{A}_i^{2\hbar} \mathbb{B}_i^{2\hbar} + (2\hbar a_i \mathbb{A}_i^{2\hbar} \mathbb{B}_i^{2\hbar} + 2\hbar b_i \mathbb{A}_i^{2\hbar} \mathbb{B}_i^{2\hbar}) \in + O[\epsilon]^2]$ }]

Turaev moves are checked here.

T-4:

Timing@Block [{ $\$k = 1$ },
HL /@ {($\bar{C}_1 \bar{C}_2 R_{3,4} C_5 C_6$) $\sim B_{1,3} \sim dm_{1,3 \rightarrow 1} \sim B_{1,5} \sim dm_{1,5 \rightarrow 1} \sim B_{2,4} \sim dm_{2,4 \rightarrow 2} \sim B_{2,6} \sim dm_{2,6 \rightarrow 2} \equiv R_{1,2}$ }]
 {3.796875, {True}}

T-5, T-6

Timing@Block [{ \$k = 1 }, HL / @ { (C_i C_j) ~ B_{i,j} ~ dm_{i,j→i} ≡ E_{{i}→{i}} [0, 0, 1],
 (C_i C_j) ~ B_{i,j} ~ dm_{j,i→i} ≡ E_{{i}→{i}} [0, 0, 1], (C_i C_j) ~ B_{i,j} ~ dm_{i,j→i} ≡
 ((R_{1,2} ~ B₁ ~ dS₁ ~ B_{1,2} ~ dm_{2,1→i}) ~ B_i ~ dS_i) (R_{1,2} ~ B₂ ~ dS₂ ~ B₂ ~ dS₂ ~ B_{1,2} ~ dm_{2,1→j})) ~ B_{i,j} ~ dm_{i,j→i} }]
 { 16.296875, { True, True, True } }

Reidemeister 2 or T-3:

Timing [HL [# ≡ E_{{i}→{1,2}} [0, 0, 1]] & / @
 { (R_{1,2} R_{3,4}) ~ B_{1,2,3,4} ~ (dm_{1,3→1} dm_{2,4→2}) , (R_{1,2} R_{3,4}) ~ B_{1,2,3,4} ~ (dm_{1,3→1} dm_{2,4→2}) }]
 { 2.500000, { True, True } }

Timing [HL [# ≡ E_{{i}→{1,2}} [0, 0, 1]] & / @ { ((R_{1,2} RR_{3,4})) ~ B_{1,2,3,4} ~ (ddm_{1,3→1} ddm_{2,4→2})) ,
 ((RR_{1,2} RR_{3,4}) ~ STB_{1,2,3,4} ~ (ddm_{1,3→1} ddm_{2,4→2})) }]
 { 2.718750, { True, True } }

Cyclic Reidemeister 2 or T-2:

Timing@HL [(R_{1,4} R_{5,2} C₃) ~ B_{2,4} ~ dm_{2,4→2} ~ B_{1,3} ~ dm_{1,3→1} ~ B_{1,5} ~ dm_{1,5→1} ≡ C₁ E_{{i}→{2}} [0, 0, 1]]
 { 7.765625, True }

Reidemeister 3 or T-1:

Timing@HL [((R_{1,2} R_{4,3} R_{5,6}) ~ B_{1,4} ~ dm_{1,4→1} ~ B_{2,5} ~ dm_{2,5→2} ~ B_{3,6} ~ dm_{3,6→3}) ≡
 ((R_{1,6} R_{2,3} R_{4,5}) ~ B_{1,4} ~ dm_{1,4→1} ~ B_{2,5} ~ dm_{2,5→2} ~ B_{3,6} ~ dm_{3,6→3})]
 { 5.343750, True }

Timing@HL [((RR_{1,2} RR_{4,3} RR_{5,6}) ~ STB_{1,4} ~ ddm_{1,4→1} ~ STB_{2,5} ~ ddm_{2,5→2} ~ STB_{3,6} ~ ddm_{3,6→3}) ≡
 ((RR_{1,6} RR_{2,3} RR_{4,5}) ~ STB_{1,4} ~ ddm_{1,4→1} ~ STB_{2,5} ~ ddm_{2,5→2} ~ STB_{3,6} ~ ddm_{3,6→3})]
 { 1.656250, True }

Relations between the four kinks or T-7

Timing [
 HL / @ { Kink_i ≡ (R_{3,1} C₂) ~ B_{1,2} ~ dm_{1,2→1} ~ B_{1,3} ~ dm_{1,3→i}, Kink_j ≡ (R_{3,1} C₂) ~ B_{1,2} ~ dm_{1,2→1} ~ B_{1,3} ~ dm_{1,3→j},
 (Kink_i Kink_j) ~ B_{i,j} ~ dm_{i,j→1} ≡ E_{{i}→{1}} [0, 0, 1], (Kink_i Kink_j) ~ B_{i,j} ~ dm_{j,i→1} ≡ E_{{i}→{1}} [0, 0, 1] }]
 { 9.187500, { True, True, True, True } }

The Trefoil

Timing@Block [{ \$k = 1 }, ZZ = RR_{1,5} RR_{6,2} RR_{3,7} CC₄ KKink₈ KKink₉ KKink₁₀;
 Do [ZZ = (ZZ /. { e → 0 }) ~ B_{1,r} ~ (ddm_{1,r→1} /. { e → 0 }), { r, 2, 10 }];
 { Simplify / @ (ZZ /. { e → 0 }) }]
 { 1.250000, { E_{{i}→{1}} [0, 0, $\frac{S^2 T^2}{(1-S+S^2)(1-T+T^2)(1-ST+S^2 T^2)}$] } } }

```

Timing@Block[{ $k = 1$ },
  ZZ = ( $RR_{1,5}$   $RR_{6,2}$   $RR_{3,7}$   $\overline{CC}_4$   $\overline{KKink}_8$   $\overline{KKink}_9$   $\overline{KKink}_{10}$ );
  Do[Print["Doing ",  $r$ ]; ZZ = (ZZ) ~  $B_{1,r}$  ~ ( $ddm_{1,r \rightarrow 1}$ ), { $r$ , 2, 10}];
  {Simplify@ZZ}]

```


$$\begin{aligned}
& \{ 28.890625, \\
& \left\{ \mathbb{E}_{\{\} \rightarrow \{1\}} \left[0, 0, \frac{S^2 T^2}{(1-S+S^2)(1-T+T^2)(1-ST+S^2 T^2)} + (2 S^2 T^2 (S-2 S^2+3 S^3-2 S^4+T-2 S T+ \right. \right. \\
& S^2 T+2 S^3 T-5 S^4 T+6 S^5 T-2 T^2+S T^2-S^3 T^2-4 S^4 T^2+5 S^5 T^2-11 S^6 T^2+3 T^3+2 S T^3- \\
& S^2 T^3+4 S^3 T^3+6 S^4 T^3-S^5 T^3+7 S^6 T^3+10 S^7 T^3-2 T^4-5 S T^4-4 S^2 T^4+6 S^3 T^4-24 S^4 T^4+ \\
& 10 S^5 T^4-12 S^6 T^4-11 S^7 T^4-6 S^8 T^4+6 S T^5+5 S^2 T^5-S^3 T^5+10 S^4 T^5+12 S^5 T^5-S^6 T^5+ \\
& 10 S^7 T^5+13 S^8 T^5-11 S^2 T^6+7 S^3 T^6-12 S^4 T^6-S^5 T^6-16 S^6 T^6+11 S^7 T^6-20 S^8 T^6+ \\
& 10 S^3 T^7-11 S^4 T^7+10 S^5 T^7+11 S^6 T^7-14 S^7 T^7+15 S^8 T^7-6 S^4 T^8+13 S^5 T^8-20 S^6 T^8+ \\
& 15 S^7 T^8-8 S^8 T^8+(1-S+S^2)(1-T+T^2)^2(-2+S+3 S T+2 S^6 T^4+S^4 T^2(3+T)- \\
& S^5 T^3(3+T)-S^2 T(1+3 T)+S^3 T(-1+T^2)) a_1+(1-S+S^2)^2(1-T+T^2) \\
& (-2+T+3 S T-S(1+3 S) T^2+S(-1+S^2) T^3+S^2(3+S) T^4-S^3(3+S) T^5+2 S^4 T^6) b_1+ \\
& 2 x_1 X X_1+2 S^3 x_1 X X_1-5 T x_1 X X_1-2 S T x_1 X X_1-3 S^2 T x_1 X X_1-2 S^3 T x_1 X X_1- \\
& 5 S^4 T x_1 X X_1+9 T^2 x_1 X X_1+5 S T^2 x_1 X X_1+9 S^2 T^2 x_1 X X_1+9 S^3 T^2 x_1 X X_1+5 S^4 T^2 x_1 X X_1+ \\
& 9 S^5 T^2 x_1 X X_1-7 T^3 x_1 X X_1-12 S T^3 x_1 X X_1-12 S^2 T^3 x_1 X X_1-14 S^3 T^3 x_1 X X_1-12 S^4 T^3 x_1 X X_1- \\
& 12 S^5 T^3 x_1 X X_1-7 S^6 T^3 x_1 X X_1+4 T^4 x_1 X X_1+10 S T^4 x_1 X X_1+18 S^2 T^4 x_1 X X_1+14 S^3 T^4 x_1 X X_1+ \\
& 14 S^4 T^4 x_1 X X_1+18 S^5 T^4 x_1 X X_1+10 S^6 T^4 x_1 X X_1+4 S^7 T^4 x_1 X X_1-7 S T^5 x_1 X X_1- \\
& 12 S^2 T^5 x_1 X X_1-12 S^3 T^5 x_1 X X_1-14 S^4 T^5 x_1 X X_1-12 S^5 T^5 x_1 X X_1-12 S^6 T^5 x_1 X X_1- \\
& 7 S^7 T^5 x_1 X X_1+9 S^2 T^6 x_1 X X_1+5 S^3 T^6 x_1 X X_1+9 S^4 T^6 x_1 X X_1+9 S^5 T^6 x_1 X X_1+5 S^6 T^6 x_1 X X_1+ \\
& 9 S^7 T^6 x_1 X X_1-5 S^3 T^7 x_1 X X_1-2 S^4 T^7 x_1 X X_1-3 S^5 T^7 x_1 X X_1-2 S^6 T^7 x_1 X X_1-5 S^7 T^7 x_1 X X_1+ \\
& 2 S^4 T^8 x_1 X X_1+2 S^7 T^8 x_1 X X_1+2 y_1 Y_1-5 S y_1 Y_1+9 S^2 y_1 Y_1-7 S^3 y_1 Y_1+4 S^4 y_1 Y_1- \\
& 2 S T y_1 Y_1+5 S^2 T y_1 Y_1-12 S^3 T y_1 Y_1+10 S^4 T y_1 Y_1-7 S^5 T y_1 Y_1-3 S T^2 y_1 Y_1+ \\
& 9 S^2 T^2 y_1 Y_1-12 S^3 T^2 y_1 Y_1+18 S^4 T^2 y_1 Y_1-12 S^5 T^2 y_1 Y_1+9 S^6 T^2 y_1 Y_1+2 T^3 y_1 Y_1- \\
& 2 S T^3 y_1 Y_1+9 S^2 T^3 y_1 Y_1-14 S^3 T^3 y_1 Y_1+14 S^4 T^3 y_1 Y_1-12 S^5 T^3 y_1 Y_1+5 S^6 T^3 y_1 Y_1- \\
& 5 S^7 T^3 y_1 Y_1-5 S T^4 y_1 Y_1+5 S^2 T^4 y_1 Y_1-12 S^3 T^4 y_1 Y_1+14 S^4 T^4 y_1 Y_1-14 S^5 T^4 y_1 Y_1+ \\
& 9 S^6 T^4 y_1 Y_1-2 S^7 T^4 y_1 Y_1+2 S^8 T^4 y_1 Y_1+9 S^2 T^5 y_1 Y_1-12 S^3 T^5 y_1 Y_1+18 S^4 T^5 y_1 Y_1- \\
& 12 S^5 T^5 y_1 Y_1+9 S^6 T^5 y_1 Y_1-3 S^7 T^5 y_1 Y_1-7 S^3 T^6 y_1 Y_1+10 S^4 T^6 y_1 Y_1-12 S^5 T^6 y_1 Y_1+ \\
& 5 S^6 T^6 y_1 Y_1-2 S^7 T^6 y_1 Y_1+4 S^4 T^7 y_1 Y_1-7 S^5 T^7 y_1 Y_1+9 S^6 T^7 y_1 Y_1-5 S^7 T^7 y_1 Y_1+ \\
& 2 S^8 T^7 y_1 Y_1-2 X X_1 Y_1 z_1+7 S X X_1 Y_1 z_1-9 S^2 X X_1 Y_1 z_1+7 S^3 X X_1 Y_1 z_1-2 S^4 X X_1 Y_1 z_1- \\
& 5 S T X X_1 Y_1 z_1-5 S^4 T X X_1 Y_1 z_1+12 S T^2 X X_1 Y_1 z_1-9 S^2 T^2 X X_1 Y_1 z_1+21 S^3 T^2 X X_1 Y_1 z_1- \\
& 9 S^4 T^2 X X_1 Y_1 z_1+12 S^5 T^2 X X_1 Y_1 z_1-2 T^3 X X_1 Y_1 z_1-5 S T^3 X X_1 Y_1 z_1-9 S^2 T^3 X X_1 Y_1 z_1- \\
& 7 S^3 T^3 X X_1 Y_1 z_1-7 S^4 T^3 X X_1 Y_1 z_1-9 S^5 T^3 X X_1 Y_1 z_1-5 S^6 T^3 X X_1 Y_1 z_1-2 S^7 T^3 X X_1 Y_1 z_1+ \\
& 7 S T^4 X X_1 Y_1 z_1+21 S^3 T^4 X X_1 Y_1 z_1-7 S^4 T^4 X X_1 Y_1 z_1+21 S^5 T^4 X X_1 Y_1 z_1+7 S^7 T^4 X X_1 Y_1 z_1- \\
& 9 S^2 T^5 X X_1 Y_1 z_1-9 S^4 T^5 X X_1 Y_1 z_1-9 S^5 T^5 X X_1 Y_1 z_1-9 S^7 T^5 X X_1 Y_1 z_1+7 S^3 T^6 X X_1 Y_1 z_1- \\
& 5 S^4 T^6 X X_1 Y_1 z_1+12 S^5 T^6 X X_1 Y_1 z_1-5 S^6 T^6 X X_1 Y_1 z_1+7 S^7 T^6 X X_1 Y_1 z_1-2 S^4 T^7 X X_1 Y_1 z_1- \\
& 2 S^7 T^7 X X_1 Y_1 z_1+4 z_1 Z_1-7 S z_1 Z_1+9 S^2 z_1 Z_1-5 S^3 z_1 Z_1+2 S^4 z_1 Z_1-7 T z_1 Z_1+ \\
& 10 S T z_1 Z_1-12 S^2 T z_1 Z_1+5 S^3 T z_1 Z_1-2 S^4 T z_1 Z_1+9 T^2 z_1 Z_1-12 S T^2 z_1 Z_1+ \\
& 18 S^2 T^2 z_1 Z_1-12 S^3 T^2 z_1 Z_1+9 S^4 T^2 z_1 Z_1-3 S^5 T^2 z_1 Z_1-5 T^3 z_1 Z_1+5 S T^3 z_1 Z_1- \\
& 12 S^2 T^3 z_1 Z_1+14 S^3 T^3 z_1 Z_1-14 S^4 T^3 z_1 Z_1+9 S^5 T^3 z_1 Z_1-2 S^6 T^3 z_1 Z_1+2 S^7 T^3 z_1 Z_1+ \\
& 2 T^4 z_1 Z_1-2 S T^4 z_1 Z_1+9 S^2 T^4 z_1 Z_1-14 S^3 T^4 z_1 Z_1+14 S^4 T^4 z_1 Z_1-12 S^5 T^4 z_1 Z_1+ \\
& 5 S^6 T^4 z_1 Z_1-5 S^7 T^4 z_1 Z_1-3 S^2 T^5 z_1 Z_1+9 S^3 T^5 z_1 Z_1-12 S^4 T^5 z_1 Z_1+18 S^5 T^5 z_1 Z_1- \\
& 12 S^6 T^5 z_1 Z_1+9 S^7 T^5 z_1 Z_1-2 S^3 T^6 z_1 Z_1+5 S^4 T^6 z_1 Z_1-12 S^5 T^6 z_1 Z_1+10 S^6 T^6 z_1 Z_1- \\
& 7 S^7 T^6 z_1 Z_1+2 S^3 T^7 z_1 Z_1-5 S^4 T^7 z_1 Z_1+9 S^5 T^7 z_1 Z_1-7 S^6 T^7 z_1 Z_1+4 S^7 T^7 z_1 Z_1) \in \} / \\
& \left. \left((1-S+S^2)^3(1-T+T^2)^3(1-ST+S^2 T^2)^3 \right) + 0[\epsilon]^2 \right\} \}
\end{aligned}$$

The Figure Eight knot

Timing@Block[{\$k = 1},

ZZ = ($\overline{RR}_{8,1}$ $\overline{RR}_{2,6}$ $RR_{5,9}$ $RR_{10,3}$ $\overline{CC}_7$ CC_4);

Do[Print["Doing ", r];

ZZ = (ZZ /. { $\epsilon \rightarrow 0$ }) ~STB_{1,r} ~ (ddm_{1,r→1} /. { $\epsilon \rightarrow 0$ }), {r, 2, 10}];

{Simplify@ZZ}]

$$\left\{ 2.125000, \left\{ \mathbb{E}_{\{\} \rightarrow \{1\}} \left[0, 0, -\frac{S^2 T^2}{(1-3S+S^2)(1-3T+T^2)(1-3ST+S^2T^2)} \right] \right\} \right\}$$

Timing@Block[{\$k = 1},

ZZ = ($\overline{RR}_{8,1}$ $\overline{RR}_{2,6}$ $RR_{5,9}$ $RR_{10,3}$ $\overline{CC}_7$ CC_4);

Do[Print["Doing ", r]; ZZ = (ZZ) ~STB_{1,r} ~ (ddm_{1,r→1}), {r, 2, 10}];

{Simplify@ZZ}]

$$\left\{ 532.593750, \left\{ \mathbb{E}_{\{\} \rightarrow \{1\}} \left[0, 0, -\frac{S^2 T^2}{(1-3S+S^2)(1-3T+T^2)(1-3ST+S^2T^2)} - \right. \right. \right. \\ \left. \left(2 \left(S^2 T^2 (4-9S+2S^2-9T+12ST+6S^2T+2T^2+6ST^2-6S^3T^2-2S^4T^2-6S^2T^3-12S^3T^3+ \right. \right. \right. \\ \left. 9S^4T^3-2S^2T^4+9S^3T^4-4S^4T^4+(1-3T+T^2)(-2+2S^4T^2+3S(1+T)-3S^3T(1+T)) \right. \\ \left. a_1 + (1-3S+S^2)(-2+3(1+S)T-3S(1+S)T^3+2S^2T^4) b_1 + 2x_1XX_1 + \right. \\ \left. 2Sx_1XX_1-9Tx_1XX_1-3STx_1XX_1-9S^2Tx_1XX_1+4T^2x_1XX_1+16ST^2x_1XX_1+ \right. \\ \left. 16S^2T^2x_1XX_1+4S^3T^2x_1XX_1-9S^3T^3x_1XX_1-3S^2T^3x_1XX_1-9S^3T^3x_1XX_1+ \right. \\ \left. 2S^2T^4x_1XX_1+2S^3T^4x_1XX_1+2y_1Y_1-9Sy_1Y_1+4S^2y_1Y_1+2Ty_1Y_1-3STy_1Y_1+ \right. \\ \left. 16S^2Ty_1Y_1-9S^3Ty_1Y_1-9ST^2y_1Y_1+16S^2T^2y_1Y_1-3S^3T^2y_1Y_1+2S^4T^2y_1Y_1+ \right. \\ \left. 4S^2T^3y_1Y_1-9S^3T^3y_1Y_1+2S^4T^3y_1Y_1-2XX_1Y_1z_1+11SXX_1Y_1z_1-2S^2XX_1Y_1z_1- \right. \\ \left. 2TXX_1Y_1z_1-8STXX_1Y_1z_1-8S^2TXX_1Y_1z_1-2S^3TXX_1Y_1z_1+11S^2TXX_1Y_1z_1- \right. \\ \left. 8S^2T^2XX_1Y_1z_1+11S^3T^2XX_1Y_1z_1-2S^2T^3XX_1Y_1z_1-2S^3T^3XX_1Y_1z_1+4z_1Z_1- \right. \\ \left. 9Sz_1Z_1+2S^2z_1Z_1-9Tz_1Z_1+16STz_1Z_1-3S^2Tz_1Z_1+2S^3Tz_1Z_1+2T^2z_1Z_1- \right. \\ \left. 3S^2T^2z_1Z_1+16S^2T^2z_1Z_1-9S^3T^2z_1Z_1+2ST^3z_1Z_1-9S^2T^3z_1Z_1+4S^3T^3z_1Z_1 \right) \epsilon \Big) / \\ \left. \left((1-3S+S^2)^2(1-3T+T^2)^2(1-3ST+S^2T^2)^2 + O[\epsilon]^2 \right) \right\} \Big\}$$

The 6-3 knot

Timing@Block[{\$k = 1},

ZZ = ($\overline{RR}_{6,12}$ $\overline{RR}_{10,14}$ $\overline{RR}_{13,7}$ $RR_{1,5}$ $RR_{8,2}$ $RR_{3,9}$ $\overline{CC}_4$ CC_{11});

Do[Print["Doing ", r]; ZZ = (ZZ) ~STB_{1,r} ~ (ddm_{1,r→1}), {r, 2, 14}];

{Simplify@ZZ}]

$$\left\{ 337.828125, \left\{ \mathbb{E}_{\{\} \rightarrow \{1\}} \left[0, 0, \right. \right. \right. \\ \left. \left(S^4 T^4 \right) / \left((1-3S+5S^2-3S^3+S^4)(1-3T+5T^2-3T^3+T^4)(1-3ST+5S^2T^2-3S^3T^3+S^4T^4) \right) + \right. \\ \left. \left(2S^4 T^4 (8-21S+30S^2-15S^3+4S^4-21T+36ST-30S^2T-24S^3T+18S^4T-6S^5T+ \right. \right. \\ \left. 30T^2-30ST^2+12S^2T^2+45S^3T^2+6S^4T^2-6S^5T^2-15T^3-24ST^3+45S^2T^3- \right. \\ \left. 48S^3T^3-24S^4T^3+6S^6T^3+6S^7T^3+4T^4+18ST^4+6S^2T^4-24S^3T^4+24S^5T^4- \right. \\ \left. 6S^6T^4-18S^7T^4-4S^8T^4-6ST^5-6S^2T^5+24S^4T^5+48S^5T^5-45S^6T^5+24S^7T^5+ \right. \\ \left. 15S^8T^5+6S^3T^6-6S^4T^6-45S^5T^6-12S^6T^6+30S^7T^6-30S^8T^6+6S^3T^7-18S^4T^7+ \right. \\ \left. 24S^5T^7+30S^6T^7-36S^7T^7+21S^8T^7-4S^4T^8+15S^5T^8-30S^6T^8+21S^7T^8-8S^8T^8+ \right. \\ \left. (1-3T+5T^2-3T^3+T^4)(-4+4S^8T^4+9S(1+T)-9S^7T^3(1+T)-2S^2(5+9T+5T^2)+ \right. \\ \left. 2S^6T^2(5+9T+5T^2)+3S^3(1+5T+5T^2+T^3)-3S^5T(1+5T+5T^2+T^3)) a_1 + \right. \\ \left. \left. \left. \right. \right. \right\} \Big\}$$

$$\begin{aligned}
& \left((1 - 3S + 5S^2 - 3S^3 + S^4) (-4 + 9(1 + S)T - 2(5 + 9S + 5S^2)T^2 + 3(1 + 5S + 5S^2 + S^3)T^3 - \right. \\
& \quad \left. 3S(1 + 5S + 5S^2 + S^3)T^5 + 2S^2(5 + 9S + 5S^2)T^6 - 9S^3(1 + S)T^7 + 4S^4T^8) b_1 + \right. \\
& \quad 4x_1XX_1 - 2Sx_1XX_1 - 2S^2x_1XX_1 + 4S^3x_1XX_1 - 15Tx_1XX_1 + 3STx_1XX_1 - 3S^2Tx_1XX_1 + \\
& \quad 3S^3Tx_1XX_1 - 15S^4Tx_1XX_1 + 30T^2x_1XX_1 + 6S^2T^2x_1XX_1 + 12S^2T^2x_1XX_1 + 12S^3T^2x_1XX_1 + \\
& \quad 6S^4T^2x_1XX_1 + 30S^5T^2x_1XX_1 - 21T^3x_1XX_1 - 51ST^3x_1XX_1 - 6S^2T^3x_1XX_1 - 30S^3T^3x_1XX_1 - \\
& \quad 6S^4T^3x_1XX_1 - 51S^5T^3x_1XX_1 - 21S^6T^3x_1XX_1 + 8T^4x_1XX_1 + 44ST^4x_1XX_1 + 56S^2T^4x_1XX_1 + \\
& \quad 8S^3T^4x_1XX_1 + 8S^4T^4x_1XX_1 + 56S^5T^4x_1XX_1 + 44S^6T^4x_1XX_1 + 8S^7T^4x_1XX_1 - 21ST^5x_1XX_1 - \\
& \quad 51S^2T^5x_1XX_1 - 6S^3T^5x_1XX_1 - 30S^4T^5x_1XX_1 - 6S^5T^5x_1XX_1 - 51S^6T^5x_1XX_1 - 21S^7T^5x_1XX_1 + \\
& \quad 30S^2T^6x_1XX_1 + 6S^3T^6x_1XX_1 + 12S^4T^6x_1XX_1 + 12S^5T^6x_1XX_1 + 6S^6T^6x_1XX_1 + \\
& \quad 30S^7T^6x_1XX_1 - 15S^3T^7x_1XX_1 + 3S^4T^7x_1XX_1 - 3S^5T^7x_1XX_1 + 3S^6T^7x_1XX_1 - 15S^7T^7x_1XX_1 + \\
& \quad 4S^4T^8x_1XX_1 - 2S^5T^8x_1XX_1 - 2S^6T^8x_1XX_1 + 4S^7T^8x_1XX_1 + 4y_1Y_1 - 15Sy_1Y_1 + \\
& \quad 30S^2y_1Y_1 - 21S^3y_1Y_1 + 8S^4y_1Y_1 - 2Ty_1Y_1 + 3STy_1Y_1 + 6S^2Ty_1Y_1 - 51S^3Ty_1Y_1 + \\
& \quad 44S^4Ty_1Y_1 - 21S^5Ty_1Y_1 - 2T^2y_1Y_1 - 3S^2T^2y_1Y_1 + 12S^2T^2y_1Y_1 - 6S^3T^2y_1Y_1 + \\
& \quad 56S^4T^2y_1Y_1 - 51S^5T^2y_1Y_1 + 30S^6T^2y_1Y_1 + 4T^3y_1Y_1 + 3S^3T^3y_1Y_1 + 12S^2T^3y_1Y_1 - \\
& \quad 30S^3T^3y_1Y_1 + 8S^4T^3y_1Y_1 - 6S^5T^3y_1Y_1 + 6S^6T^3y_1Y_1 - 15S^7T^3y_1Y_1 - 15S^4T^4y_1Y_1 + \\
& \quad 6S^2T^4y_1Y_1 - 6S^3T^4y_1Y_1 + 8S^4T^4y_1Y_1 - 30S^5T^4y_1Y_1 + 12S^6T^4y_1Y_1 + 3S^7T^4y_1Y_1 + \\
& \quad 4S^8T^4y_1Y_1 + 30S^2T^5y_1Y_1 - 51S^3T^5y_1Y_1 + 56S^4T^5y_1Y_1 - 6S^5T^5y_1Y_1 + 12S^6T^5y_1Y_1 - \\
& \quad 3S^7T^5y_1Y_1 - 2S^8T^5y_1Y_1 - 21S^3T^6y_1Y_1 + 44S^4T^6y_1Y_1 - 51S^5T^6y_1Y_1 + 6S^6T^6y_1Y_1 + \\
& \quad 3S^7T^6y_1Y_1 - 2S^8T^6y_1Y_1 + 8S^4T^7y_1Y_1 - 21S^5T^7y_1Y_1 + 30S^6T^7y_1Y_1 - 15S^7T^7y_1Y_1 + \\
& \quad 4S^8T^7y_1Y_1 - 4XX_1Y_1z_1 + 19SXX_1Y_1z_1 - 32S^2XX_1Y_1z_1 + 19S^3XX_1Y_1z_1 - 4S^4XX_1Y_1z_1 + \\
& \quad 2TXX_1Y_1z_1 - 22STXX_1Y_1z_1 + 16S^2TXX_1Y_1z_1 + 16S^3TXX_1Y_1z_1 - 22S^4TXX_1Y_1z_1 + \\
& \quad 2S^5TXX_1Y_1z_1 + 2T^2XX_1Y_1z_1 + 35S^2TXX_1Y_1z_1 - 28S^2T^2XX_1Y_1z_1 + 34S^3T^2XX_1Y_1z_1 - \\
& \quad 28S^4T^2XX_1Y_1z_1 + 35S^5T^2XX_1Y_1z_1 + 2S^6T^2XX_1Y_1z_1 - 4T^3XX_1Y_1z_1 - 22S^3T^3XX_1Y_1z_1 - \\
& \quad 28S^2T^3XX_1Y_1z_1 - 4S^3T^3XX_1Y_1z_1 - 4S^4T^3XX_1Y_1z_1 - 28S^5T^3XX_1Y_1z_1 - 22S^6T^3XX_1Y_1z_1 - \\
& \quad 4S^7T^3XX_1Y_1z_1 + 19S^4T^4XX_1Y_1z_1 + 16S^2T^4XX_1Y_1z_1 + 34S^3T^4XX_1Y_1z_1 - 4S^4T^4XX_1Y_1z_1 + \\
& \quad 34S^5T^4XX_1Y_1z_1 + 16S^6T^4XX_1Y_1z_1 + 19S^7T^4XX_1Y_1z_1 - 32S^2T^5XX_1Y_1z_1 + 16S^3T^5XX_1Y_1z_1 - \\
& \quad 28S^4T^5XX_1Y_1z_1 - 28S^5T^5XX_1Y_1z_1 + 16S^6T^5XX_1Y_1z_1 - 32S^7T^5XX_1Y_1z_1 + 19S^3T^6XX_1Y_1z_1 - \\
& \quad 22S^4T^6XX_1Y_1z_1 + 35S^5T^6XX_1Y_1z_1 - 22S^6T^6XX_1Y_1z_1 + 19S^7T^6XX_1Y_1z_1 - 4S^4T^7XX_1Y_1z_1 + \\
& \quad 2S^5T^7XX_1Y_1z_1 + 2S^6T^7XX_1Y_1z_1 - 4S^7T^7XX_1Y_1z_1 + 8z_1Z_1 - 21SZ_1Z_1 + 30S^2Z_1Z_1 - \\
& \quad 15S^3Z_1Z_1 + 4S^4Z_1Z_1 - 21TZ_1Z_1 + 44STZ_1Z_1 - 51S^2TZ_1Z_1 + 6S^3TZ_1Z_1 + 3S^4TZ_1Z_1 - \\
& \quad 2S^5TZ_1Z_1 + 30T^2Z_1Z_1 - 51ST^2Z_1Z_1 + 56S^2T^2Z_1Z_1 - 6S^3T^2Z_1Z_1 + 12S^4T^2Z_1Z_1 - \\
& \quad 3S^5T^2Z_1Z_1 - 2S^6T^2Z_1Z_1 - 15T^3Z_1Z_1 + 6S^3T^3Z_1Z_1 - 6S^2T^3Z_1Z_1 + 8S^3T^3Z_1Z_1 - \\
& \quad 30S^4T^3Z_1Z_1 + 12S^5T^3Z_1Z_1 + 3S^6T^3Z_1Z_1 + 4S^7T^3Z_1Z_1 + 4T^4Z_1Z_1 + 3S^4T^4Z_1Z_1 + \\
& \quad 12S^2T^4Z_1Z_1 - 30S^3T^4Z_1Z_1 + 8S^4T^4Z_1Z_1 - 6S^5T^4Z_1Z_1 + 6S^6T^4Z_1Z_1 - 15S^7T^4Z_1Z_1 - \\
& \quad 2S^5T^5Z_1Z_1 - 3S^2T^5Z_1Z_1 + 12S^3T^5Z_1Z_1 - 6S^4T^5Z_1Z_1 + 56S^5T^5Z_1Z_1 - 51S^6T^5Z_1Z_1 + \\
& \quad 30S^7T^5Z_1Z_1 - 2S^2T^6Z_1Z_1 + 3S^3T^6Z_1Z_1 + 6S^4T^6Z_1Z_1 - 51S^5T^6Z_1Z_1 + 44S^6T^6Z_1Z_1 - \\
& \quad 21S^7T^6Z_1Z_1 + 4S^3T^7Z_1Z_1 - 15S^4T^7Z_1Z_1 + 30S^5T^7Z_1Z_1 - 21S^6T^7Z_1Z_1 + 8S^7T^7Z_1Z_1) \in \} / \\
& \left. \left((1 - 3S + 5S^2 - 3S^3 + S^4)^2 (1 - 3T + 5T^2 - 3T^3 + T^4)^2 (1 - 3ST + 5S^2T^2 - 3S^3T^3 + S^4T^4)^2 \right) + \right. \\
& \left. 0[\epsilon]^2 \right\} \}
\end{aligned}$$

Mirror Trefoil

```

Timing@Block[{$k = 1},
  ZZ = (RR1,5 RR6,2 RR3,7 CC4 KKink8 KKink9 KKink10);
  Do[Print["Doing ", r];
    ZZ = (ZZ /. {ε → 0}) ~STB1,r ~ (ddm1,r→1 /. {ε → 0}), {r, 2, 10}];
  {Simplify@ZZ}]

{3.562500, {E{ }→{1} [0, 0,  $\frac{S^2 T^2}{(1 - S + S^2) (1 - T + T^2) (1 - S T + S^2 T^2)}$  ] ]}}
```

```

Timing@Block[{$k = 1},
  ZZ = (RR1,5 RR6,2 RR3,7 CC4 KKink8 KKink9 KKink10);
  Do[Print["Doing ", r]; ZZ = (ZZ) ~STB1,r ~ (ddm1,r→1), {r, 2, 10}];
  {Simplify@ZZ}]

```


