

Pensieve header: Counting virtual pure braids using generators and relations. Slow and unreliable, produces only upper bounds, yet agrees with the OU computations.

An ERO is an Equivalence Relation Object, as in EquivalenceRelations.nb.

```
(Alt) In[ ]:= Print@"Warning: risky $m1 and $m2 in EROAdjoin!"

Warning: risky $m1 and $m2 in EROAdjoin!

(Alt) In[ ]:= SetAttributes [{EROMake, EROPeek, EROAdjoin}, HoldFirst];

(Alt) In[ ]:= EROMake [er_, n_Integer] := er = Table [0, n];

(Alt) In[ ]:= EROPeek [er_, n_Integer] := If [er[[n]] == 0, n, er[[n]] = EROPeek [er, er[[n]]]];

(Alt) In[ ]:= EROAdjoin [er_, n1_Integer → n2_Integer] := (
  $m1 = EROPeek [er, n1]; $m2 = EROPeek [er, n2];
  Switch [Order [$m1, $m2], 0, $m1, 1, er[[$m2]] = $m1, -1, er[[$m1]] = $m2]

(Alt) In[ ]:= VPB [n_, gs_List] := 1 + Sum [ (2 n ( n - 1 ))s, {s, 0, Length [gs] - 1} ] + FromDigits [gs /.
  {σi,j → ( n - 1 ) ( i - 1 ) + If [j < i, j - 1, j - 2], σ̄i,j → n ( n - 1 ) + σi,j}, 2 n ( n - 1 ) ];

(Alt) In[ ]:= VPB [n_, c_Integer] := Module [ {c1, cc, r = 0, s, i, j, d},
  c1 = cc = c - 1;
  While [ ( c1 = cc - ( 2 n ( n - 1 ))r ≥ 0, cc = c1; ++r ];
  Table [
    {r, i, j} = 1 + IntegerDigits [d, MixedRadix [ { 2, n, n - 1 } ], 3];
    If [j ≥ i, ++j];
    If [r == 1, σi,j, σ̄i,j],
    {d, IntegerDigits [cc, 2 n ( n - 1 ), r]}
  ]

(Alt) In[ ]:= VPB [3, #] & /@ Range [50]

(Alt) Out[ ]:= { {}, {σ1,2}, {σ1,3}, {σ2,1}, {σ2,3}, {σ3,1}, {σ3,2}, {σ̄1,2}, {σ̄1,3}, {σ̄2,1}, {σ̄2,3}, {σ̄3,1},
  {σ̄3,2}, {σ1,2, σ1,2}, {σ1,2, σ1,3}, {σ1,2, σ2,1}, {σ1,2, σ2,3}, {σ1,2, σ3,1}, {σ1,2, σ3,2},
  {σ1,2, σ̄1,2}, {σ1,2, σ̄1,3}, {σ1,2, σ̄2,1}, {σ1,2, σ̄2,3}, {σ1,2, σ̄3,1}, {σ1,2, σ̄3,2}, {σ1,3, σ1,2},
  {σ1,3, σ1,3}, {σ1,3, σ2,1}, {σ1,3, σ2,3}, {σ1,3, σ3,1}, {σ1,3, σ3,2}, {σ1,3, σ̄1,2},
  {σ1,3, σ̄1,3}, {σ1,3, σ̄2,1}, {σ1,3, σ̄2,3}, {σ1,3, σ̄3,1}, {σ1,3, σ̄3,2}, {σ2,1, σ1,2},
  {σ2,1, σ1,3}, {σ2,1, σ2,1}, {σ2,1, σ2,3}, {σ2,1, σ3,1}, {σ2,1, σ3,2}, {σ2,1, σ̄1,2},
  {σ2,1, σ̄1,3}, {σ2,1, σ̄2,1}, {σ2,1, σ̄2,3}, {σ2,1, σ̄3,1}, {σ2,1, σ̄3,2}, {σ2,3, σ1,2}}
```

```
(Alt) In[ ]:= Range [50] === ( VPB [3, #] & /@ ( VPB [3, #] & /@ Range [50] ) )
```

```
(Alt) Out[ ]:= True
```

(Alt) In[ ]:=

```

CountVPB[n_, m_] := CountVPB[n, {m, m}];
CountVPB[n_, {m1_, m2_}] :=
Module[{σ, gens, dc, d2n, s, VPB, T, ij, ijk, ijk1, i, j, k, l, perm},
  {σi,j := (n - 1) (i - 1) + If[j < i, j - 1, j - 2], σ̄i,j := n (n - 1) + σi,j};
  gens = Range[2 n (n - 1)] - 1;
  dc[m_] := dc[m] = Sum[(2 n (n - 1))^s, {s, 0, m}];
  Print[dc /@ {m1, m2}, " diagrams..."];
  EROMake[$er, dc[m2]];
  VPB[_ , gs_List] := 1 + dc[Length[gs] - 1] + FromDigits[gs, 2 n (n - 1)];
  T[b1_, b2_] := EROAdjoin[$er, b1 ↔ b2];
  Do[{i, j} = ij; {
    T[VPB[n, Join[p, {σi,j, σ̄i,j}, q]], VPB[n, Join[p, q]]],
    T[VPB[n, Join[p, {σ̄i,j, σi,j}, q]], VPB[n, Join[p, q]]]
  },
  {s, 0, m2 - 2}, {t, 0, s}, {p, Tuples[gens, t]}, {q, Tuples[gens, s - t]},
  {ij, Join@@(Permutations /@ Subsets[Range[n], {2}])}
];
Do[{i, j, k} = ijk; {
  T[VPB[n, Join[p, {σi,j, σi,k, σj,k}, q]], VPB[n, Join[p, {σj,k, σi,k, σi,j}, q]]],
  T[VPB[n, Join[p, {σ̄j,i, σi,k, σj,k}, q]], VPB[n, Join[p, {σj,k, σi,k, σ̄j,i}, q]]],
  T[VPB[n, Join[p, {σi,j, σi,k, σ̄k,j}, q]], VPB[n, Join[p, {σ̄k,j, σi,k, σi,j}, q]]],
  T[VPB[n, Join[p, {σi,j, σ̄k,i, σ̄k,j}, q]], VPB[n, Join[p, {σ̄k,j, σ̄k,i, σi,j}, q]]],
  T[VPB[n, Join[p, {σ̄j,i, σ̄k,i, σj,k}, q]], VPB[n, Join[p, {σj,k, σ̄k,i, σ̄j,i}, q]]],
  T[VPB[n, Join[p, {σ̄j,i, σ̄k,i, σ̄k,j}, q]], VPB[n, Join[p, {σ̄k,j, σ̄k,i, σ̄j,i}, q]]]
},
  {s, 0, m2 - 3}, {t, 0, s}, {p, Tuples[gens, t]}, {q, Tuples[gens, s - t]},
  {ijk, Join@@(Permutations /@ Subsets[Range[n], {3}])}
];
Do[{i, j, k, l} = ijk1; {
  T[VPB[n, Join[p, {σi,j, σk,l}, q]], VPB[n, Join[p, {σk,l, σi,j}, q]]],
  T[VPB[n, Join[p, {σ̄i,j, σk,l}, q]], VPB[n, Join[p, {σk,l, σ̄i,j}, q]]],
  T[VPB[n, Join[p, {σi,j, σ̄k,l}, q]], VPB[n, Join[p, {σ̄k,l, σi,j}, q]]],
  T[VPB[n, Join[p, {σ̄i,j, σ̄k,l}, q]], VPB[n, Join[p, {σ̄k,l, σ̄i,j}, q]]]
},
  {s, 0, m2 - 2}, {t, 0, s}, {p, Tuples[gens, t]}, {q, Tuples[gens, s - t]},
  {ijk1, Join@@(Permutations /@ Subsets[Range[n], {4}])}
];
Count[Take[$er, dc[m1]], 0]
]

```

(Alt) In[ ]:= VPB[4, {σ<sub>4,1</sub>, σ̄<sub>2,3</sub>}

(Alt) Out[ ]:= 258

(Alt) In[ ]:= CountVPB[2, 1]

{5, 5} diagrams...

(Alt) Out[ ]:= 5

(Alt) In[\*]:= **CountVPB**[2, 2]  
{21, 21} diagrams...  
(Alt) Out[\*]= 17

(Alt) In[\*]:= **Timing@CountVPB**[2, 3]  
{85, 85} diagrams...  
(Alt) Out[\*]= {0., 53}

(Alt) In[\*]:= **Timing@CountVPB**[2, {3, 4}]  
{85, 341} diagrams...  
(Alt) Out[\*]= {0.015625, 53}

(Alt) In[\*]:= **Timing@CountVPB**[2, 4]  
{341, 341} diagrams...  
(Alt) Out[\*]= {0.015625, 161}

(Alt) In[\*]:= **Timing@CountVPB**[2, 5]  
{1365, 1365} diagrams...  
(Alt) Out[\*]= {0.0625, 485}

(Alt) In[\*]:= **Timing@CountVPB**[2, 6]  
{5461, 5461} diagrams...  
(Alt) Out[\*]= {0.25, 1457}

(Alt) In[\*]:= **Timing@CountVPB**[3, 1]  
{13, 13} diagrams...  
(Alt) Out[\*]= {0., 13}

(Alt) In[\*]:= **Timing@CountVPB**[3, 2]  
{157, 157} diagrams...  
(Alt) Out[\*]= {0., 145}

(Alt) In[\*]:= **Timing@CountVPB**[3, 3]  
{1885, 1885} diagrams...  
(Alt) Out[\*]= {0.015625, 1561}

(Alt) In[\*]:= **Timing@CountVPB**[3, {3, 4}]  
{1885, 22621} diagrams...  
(Alt) Out[\*]= {0.25, 1561}

(Alt) In[\*]:= **Timing@CountVPB**[3, 4]  
{22 621, 22 621} diagrams...

(Alt) Out[\*]:= {0.203125, 16 741}

(Alt) In[\*]:= **Timing@CountVPB**[3, {4, 5}]  
{22 621, 271 453} diagrams...

(Alt) Out[\*]:= {3.125, 16 741}

(Alt) In[\*]:= **Timing@CountVPB**[3, {4, 6}]  
{22 621, 3 257 437} diagrams...

(Alt) Out[\*]:= {46.5938, 16 717}

(Alt) In[\*]:= **Timing@CountVPB**[3, {4, 7}]  
{22 621, 39 089 245} diagrams...

(Alt) Out[\*]:= {746.359, 16 717}

(Alt) In[\*]:= **Timing@CountVPB**[3, 5]  
{271 453, 271 453} diagrams...

(Alt) Out[\*]:= {3.17188, 179 401}

(Alt) In[\*]:= **Timing@CountVPB**[3, {5, 6}]  
{271 453, 3 257 437} diagrams...

(Alt) Out[\*]:= {49.6094, 179 377}

(Alt) In[\*]:= **Timing@CountVPB**[3, {5, 7}]  
{271 453, 39 089 245} diagrams...

(Alt) Out[\*]:= {679.078, 178 873}

(Alt) In[\*]:= **Timing@CountVPB**[4, 1]  
{25, 25} diagrams...

(Alt) Out[\*]:= {0., 25}

(Alt) In[\*]:= **Timing@CountVPB**[4, 2]  
{601, 601} diagrams...

(Alt) Out[\*]:= {0., 529}

(Alt) In[\*]:= **Timing@CountVPB**[4, 3]  
{14 425, 14 425} diagrams...

(Alt) Out[\*]:= {0.34375, 10 873}

(Alt) In[\*]:= **Timing@CountVPB**[4, 4]

{346 201, 346 201} diagrams...

(Alt) Out[\*]:= {7.4375, 222 385}

(Alt) In[\*]:= **Timing@CountVPB**[4, {4, 5}]

{346 201, 8 308 825} diagrams...

(Alt) Out[\*]:= {251.719, 222 385}

(Alt) In[\*]:= **Timing@CountVPB**[4, {4, 6}]

{346 201, 199 411 801} diagrams...

(Alt) Out[\*]:= {8379.89, 222 289}

(Alt) In[\*]:= **Timing@CountVPB**[5, 1]

{41, 41} diagrams...

(Alt) Out[\*]:= {0., 41}

(Alt) In[\*]:= **Timing@CountVPB**[5, 2]

{1641, 1641} diagrams...

(Alt) Out[\*]:= {0.078125, 1361}

(Alt) In[\*]:= **Timing@CountVPB**[5, 3]

{65 641, 65 641} diagrams...

(Alt) Out[\*]:= {3.625, 43 121}

(Alt) In[\*]:= **Timing@CountVPB**[5, 4]

{2 625 641, 2 625 641} diagrams...

(Alt) Out[\*]:= {156.203, 1 351 721}

(Alt) In[\*]:= **Timing@CountVPB**[5, {4, 6}]

{2 625 641, 4 201 025 641} diagrams...

**Part:** Part 68721573889 of {<<33608205376 bytes>>} does not exist.



**Set:** The expression If[<<1>>] cannot be used as a part specification.



(Alt) In[\*]:= **2<sup>32</sup>**

(Alt) Out[\*]:= 4 294 967 296

(Alt) In[\*]:= **VPB**[5, 68 721 573 889]

(Alt) Out[\*]:= { $\sigma_{4,5}$ ,  $\bar{\sigma}_{3,4}$ ,  $\sigma_{1,5}$ ,  $\sigma_{4,2}$ ,  $\bar{\sigma}_{1,4}$ ,  $\bar{\sigma}_{2,4}$ ,  $\sigma_{2,5}$ }

(Alt) In[\*]:= **Timing@CountVPB**[6, 1]

{61, 61} diagrams...

(Alt) Out[\*]:= {0., 61}

(Alt) In[\*]:= **Timing@CountVPB**[6, 2]

{3661, 3661} diagrams...

(Alt) Out[\*]:= {0.046875, 2881}

(Alt) In[\*]:= **Timing@CountVPB**[6, 3]

{219661, 219661} diagrams...

(Alt) Out[\*]:= {5.26563, 127021}