

$$L_\lambda = \bigoplus_{i=1}^{\infty} (\lambda \xi_{i,1} x) \bigoplus_{i=1}^{\infty} (\lambda \xi_{i,2} x)$$

Seepage is defined by: $\bigoplus_{i=1}^{\infty} (f_i x_i) \bigoplus (\text{Seepage}(\{f_i\}, A)) = \bigoplus (e^{f_i x_i} A)$

$$\overline{\text{TT}}(L_\lambda) = L' \partial_\lambda L_\lambda$$

$$S(B) = \text{Seepage}(\{f_i\}, B).$$

$$R_\lambda = \bigoplus (f+g), \quad f = f_i x_i, \quad g = \sum_{|w| \geq 1} g_w w$$

$$e^f = F, \quad e^g = G, \quad R_\lambda = \bigoplus (FG), \quad \partial_\lambda F = F \partial_\lambda f$$

$$\overline{\text{TT}}(R_\lambda) = R'_\lambda (\partial_\lambda R_\lambda) = \bigoplus (FG)' \bigoplus (\partial_\lambda FG) = S(G)' \bigoplus (F)' \bigoplus (F(\partial_\lambda f)G + \partial_\lambda G) = S(G)' S(\partial_\lambda f)G + \partial_\lambda G$$