

## Clear

(Alt) In[\*]:=

```
SetDirectory["C:\\drorbn\\AcademicPensieve\\Talks\\Beijing-2407"];
DeleteFile /@ {"IType1.tex", "More.tex"};
```

## Run

```
In[*]:= SetDirectory["C:\\drorbn\\AcademicPensieve\\Talks\\Beijing-2407"];
$PageWidth = 4.2;
nb2tex["IType", "IType1", PDFFolder -> "Snips/IType", PDFWidth -> $PageWidth];
nb2tex["More", "More", PDFFolder -> "Snips/More", PDFWidth -> $PageWidth];
nb2tex["Rank2", "Rank2", PDFFolder -> "Snips/Rank2", PDFWidth -> $PageWidth];
(*nb2tex["FormalGaussianIntegration", "FormalGaussianIntegration",
  PDFFolder->"Snips/FormalGaussianIntegration", PDFWidth->$PageWidth];*)
nb2tex["theta", "theta", PDFFolder -> "Snips/theta", PDFWidth -> $PageWidth];
Run@
  "\"C:\\Users\\drorb\\AppData\\Local\\Programs\\MiKTeX\\miktex\\bin\\x64\\pdflatex.exe
  \" IType.tex";
Run@
  "\"C:\\Users\\drorb\\AppData\\Local\\Programs\\MiKTeX\\miktex\\bin\\x64\\pdflatex.exe\"
  IType.tex"
```

Out[\*]=

0

---

## nb2tex

As in <http://drorbn.net/AcademicPensieve/Projects/nb2tex/>.

```
In[*]:= SetOptions[$FrontEndSession, PrintingStyleEnvironment -> "Working"];
nb2tex[nb_String, opts___Rule] := nb2tex[nb, nb, opts];
```

```

In[*]:= nb2tex[nb_String, tex_String, opts___Rule] := Module[
  {notebook, PDFCounter = 0, type,
   tag, pdfname, cells, cell, c, cl, texfiles = {}, TeXOut,
   PDFFolder = PDFFolder /. {opts} /. PDFFolder → nb
  },
  nb2tex$TeXFileName = tex <> ".tex";
  nb2tex$PDFWidth = PDFWidth /. {opts} /. PDFWidth → 6.5;
  TeXOut[s_String] := (texfiles = texfiles ∪ {nb2tex$TeXFileName};
   WriteString[nb2tex$TeXFileName, s]);
  notebook = NotebookGet[NotebookOpen@FileNameJoin[{Directory[], nb <> ".nb"}]];
  If[FileType[PDFFolder] === None, CreateDirectory[PDFFolder]];
  DeleteFile /@ FileNames["*.pdf", PDFFolder];
  cells = Cases[notebook, c_Cell /; Length[c] ≥ 2, ∞];
  Do[
    type = cell[[2]];
    tag = CellTags /. Cases[cell, _Rule] /. CellTags → "";
    Which[
      type == "Text" ^ tag == "tex", TeXOut[
        StringReplace[cell[[1]], {"'" → "'", "\"" → "\""}] <> "\n\n"],
      StringMatchQ[tag, "pdf" ~~ ___], (
        pdfname = PDFFolder <> "/" <> ToString[++PDFCounter] <> ".pdf";
        Export[pdfname, Join[cell, Cell[PageWidth → 80 nb2tex$PDFWidth / 0.75]]];
        cl = "c:\\drorbn\\bin\\cpdf.exe -scale-page \"0.75 0.75\" " <>
          pdfname <> " -o " <> pdfname;
        Close@OpenRead["!" <> cl];
        TeXOut[StringReplace[
          "\\noindent\\nbpdfXXXType{pdfname}\\n\n",
          {"XXX" → StringDrop[tag, 3], "Type" → type, "pdfname" → pdfname}
        ]
      )
    ],
    type == "Input" ^ tag == "exec", ToExpression[cell[[1]],
    True, Null
  ],
  {cell, cells}
];
Close /@ texfiles;
]

```