

Pensieve Header: Computing rotation numbers. Based on Common.nb at pensieve://Classes/21-1350-KnotTheory/.

```
Print["Loading Rot.m from
http://drorbn.net/AP/Talks/Geneva-2408 to compute rotation numbers."]
```

```
Rot::usage =
"Rot[K] where K is any n-crossing knot presentation returns {Cs, φ}, where
Cs is a length n list of crossings as triples {s,i,j}
and φ is a length 2n list of rotation numbers.";
```

```
In[1]:= PD[epd_EPD] := PD @@ epd /. {X[i_, j_] :> X[j, i + 1, j + 1, i], Xbar[i_, j_] :> X[j, i, j + 1, i + 1]}
```

```
Rot[pd_PD] := Module[{n, xs, x, rrots, Xp, Xm, front = {1}, k},
n = Length@pd; rrots = Table[0, {2 n}];
xs = Cases[pd, x_X :> {Xp[x[[4]], x[[1]]] PositiveQ@x,
Xm[x[[2]], x[[1]]] True}];
For[k = 1, k <= 2 n, ++k,
If[FreeQ[front, -k],
front = Flatten@Replace[front, k :> (xs /. {
Xp[k, l_] | Xm[l_, k] :> {l + 1, k + 1, -l},
Xp[l_, k] | Xm[k, l_] :> (++rrrots[[l]]; {-l, k + 1, l + 1}),
_xp | _xm :> {}}),
{}), {1}],
Cases[front, k | -k] /. {k, -k} :> --rrrots[[k]];
];
];
{xs /. {Xp[i_, j_] :> {+1, i, j}, Xm[i_, j_] :> {-1, i, j}}, rrots} ];
Rot[K_] := Rot[PD[K]];
```

```
In[2]:= Features[K_] := Module[{Cs, φs, φ, k = 0, nk, s, i, j, res = 1},
{Cs, φs} = Rot[K];
nk = Table[If[φ == 0, ++k, res *= C_{++k}[φ]; ++k], {φ, φs}];
Features[k, res * Times @@ Cases[Cs, {s_, i_, j_} :> X[nk[[i]], nk[[j]]][s]]]
]
```