




Everything around sl_{2+}^ϵ is DoPeGDO. So what?

Abstract. I'll explain what "everything around" means: classical and quantum $m, \Delta, S, tr, R, C,$ and $\theta,$ as well as $P, \Phi, J, \mathbb{D},$ and more, and all of their compositions. What **DoPeGDO** means: the category of **Docile Perturbed Gaussian Differential Operators**. And what sl_{2+}^ϵ means: a solvable approximation of the semi-simple Lie algebra $sl_2.$

Knot theorists should rejoice because all this leads to very powerful and well-behaved poly-time-computable knot invariants. Quantum algebraists should rejoice because it's a realistic playground for testing complicated equations and theories.

Conventions. 1. For a set $A,$ let $z_A := \{z_i\}_{i \in A}$ and let $\zeta_A := \{z_i^* = \zeta_i\}_{i \in A}.$ †1. Everything converges!

Less Abstract



DoPeGDO := The category with objects finite sets^{†2} and $\text{mor}(A \rightarrow B):$

$$\{\mathcal{F} = \omega \exp(Q + P)\} \subset \mathbb{Q}[[\zeta_A, z_B]]$$

Where: • ω is a scalar.^{†3} • Q is a "small" quadratic in $\zeta_A \cup z_B.$ ^{†4} • P is a "docile perturbation": $P = \sum_{k \geq 1} \epsilon^k P^{(k)},$ where $\text{deg } P^{(k)} \leq 2k + 2.$ ^{†5} • Compositions:^{†6}

$$\mathcal{F} // \mathcal{G} = \mathcal{G} \circ \mathcal{F} := (\mathcal{G}|_{\zeta_i \rightarrow \partial_{z_i} \mathcal{F}})_{z_i=0} = (\mathcal{F}|_{z_i \rightarrow \partial_{\zeta_i} \mathcal{G}})_{\zeta_i=0}.$$

Cool! $(V^*)^{\otimes \infty} \otimes V^{\otimes \infty}$ explodes; the ranks of quadratics and bounded-degree polynomials grow slowly!^{†7} **Representation theory is over-rated!**

Cool! How often do you see a computational toolbox so successful?

Our Algebras. Let $sl_{2+}^\epsilon := L\langle y, b, a, x \rangle$ subject to $[a, x] = x, [b, y] = -\epsilon y, [a, b] = 0, [a, y] = -y, [b, x] = \epsilon x,$ and $[x, y] = \epsilon a + b.$ So $t := \epsilon a - b$ is central and if $\exists \epsilon^{-1}, sl_{2+}^\epsilon / \langle t \rangle \cong sl_2.$

U is either $CU = \hat{U}(sl_{2+}^\epsilon)$ or $QU = \mathcal{U}_\hbar(sl_{2+}^\epsilon) = A\langle y, b, a, x \rangle$ with $[a, x] = x, [b, y] = -\epsilon y, [a, b] = 0, [a, y] = -y, [b, x] = \epsilon x,$ and $xy - qyx = (1 - AB)/\hbar,$ where $q = e^{\hbar \epsilon}, A = e^{-\hbar \epsilon a},$ and $B = e^{-\hbar b}.$ Set also $T = A^{-1}B = e^{\hbar t}.$

The Quantum Leap. Also decree that in $QU,$

$$\Delta(y, b, a, x) = (y_1 + B_1 y_2, b_1 + b_2, a_1 + a_2, x_1 + A_1 x_2),$$

$$S(y, b, a, x) = (-B^{-1}y, -b, -a, -A^{-1}x),$$

and $R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q!$

Mid-Talk Debts. • What is this good for in quantum algebra?

- In knot theory?
- How does the "inclusion" $\mathcal{D}: \text{Hom}(U^{\otimes \infty} \rightarrow U^{\otimes S}) \rightsquigarrow$ **DoPeGDO** work?
- Proofs that everything around sl_{2+}^ϵ really is **DoPeGDO**.
- Relations with prior art.
- The rest of the "compositions" story.

Theorem ([BG], conjectured [MM], elucidated [Ro1]). Let $J_d(K)$ be the coloured Jones polynomial of $K,$ in the d -dimensional representation of $sl_2.$ Writing

$$\left. \frac{(q^{1/2} - q^{-1/2}) J_d(K)}{q^{d/2} - q^{-d/2}} \right|_{q=e^\hbar} = \sum_{j,m \geq 0} a_{jm}(K) d^j \hbar^m,$$


"below diagonal" coefficients vanish, $a_{jm}(K) = 0$ if $j > m,$ and "on diagonal" coefficients give the inverse of the Alexander polynomial: $(\sum_{m=0}^\infty a_{mm}(K) \hbar^m) \cdot \omega(K)(e^\hbar) = 1.$

"Above diagonal" we have **Rozansky's Theorem** [Ro3, (1.2)]:


$$J_d(K)(q) = \frac{q^d - q^{-d}}{(q - q^{-1}) \omega(K)(q^d)} \left(1 + \sum_{k=1}^\infty \frac{(q-1)^k \rho_k(K)(q^d)}{\omega^{2k}(K)(q^d)} \right).$$



Compositions (1). In $\text{mor}(A \rightarrow B), Q = \sum_{i \in A, j \in B} E_{ij} \zeta_i z_j + \frac{1}{2} \sum_{i, j \in A} F_{ij} \zeta_i \zeta_j + \frac{1}{2} \sum_{i, j \in B} G_{ij} z_i z_j$



Where • $E = E_1(I - F_2 G_1)^{-1} E_2.$
 • $F = F_1 + E_1 F_2 (I - G_1 F_2)^{-1} E_1^T.$
 • $G = G_2 + E_2^T G_1 (I - F_2 G_1)^{-1} E_2.$
 • $\omega = \omega_1 \omega_2 \det(I - F_2 G_1)^{-1}.$
 • P is computed using "connected Feynman diagrams" or as the solution of a messy PDE (yet we're still in algebra!).



DoPeGDO Footnotes. †1. Each variable has a "weight" $\in \{0, 1, 2\},$ and always $\text{wt } z_i + \text{wt } \zeta_i = 2.$

- †2. Really, "weight-graded finite sets" $A = A_0 \sqcup A_1 \sqcup A_2.$
- †3. Really, a power series in the weight-0 variables^{†9}.
- †4. The weight of Q must be 2, so it decomposes as $Q = Q_{20} + Q_{11}.$ The coefficients of Q_{20} are rational numbers while the coefficients of Q_{11} may be weight-0 power series^{†9}.
- †5. Setting $\text{wt } \epsilon = -2,$ the weight of P is ≤ 2 (so the powers of the weight-0 variables are not constrained^{†9}).
- †6. There's also an obvious product $\text{mor}(A_1 \rightarrow B_1) \times \text{mor}(A_2 \rightarrow B_2) \rightarrow \text{mor}(A_1 \sqcup A_2 \rightarrow B_1 \sqcup B_2).$
- †7. That is, if the weight-0 variables are ignored. Otherwise more care is needed yet the conclusion remains.
- †8. $\text{Hom}(U^{\otimes \infty} \rightarrow U^{\otimes S}) \rightsquigarrow \text{mor}(\{\eta_i, \beta_i, \tau_i, \alpha_i, \xi_i\}_{i \in S} \rightarrow \{y_i, b_i, t_i, a_i, x_i\}_{i \in S}),$ where $\text{wt}(\eta_i, \xi_i, y_i, x_i) = 1$ and $\text{wt}(\beta_i, \tau_i, \alpha_i; b_i, t_i, a_i) = (2, 2, 0; 0, 0, 2).$
- †9. For tangle invariants the wt-0 power series are always rational functions in the exponentials of the wt-0 variables (for knots: just one variable), with degrees bounded linearly by the crossing number.

$\mathcal{D}: \text{Hom}(U^{\otimes \Sigma} \rightarrow U^{\otimes S}) \rightarrow \mathbb{Q}[[\eta_\Sigma, \beta_\Sigma, \alpha_\Sigma, \xi_\Sigma, y_S, b_S, a_S, x_S]]$. The PBW theorem for CU (always in the $ybax$ order), or its quantum analog for QU , say that if $U = CU$ or QU then $U^{\otimes S}$ is isomorphic as a vector space to $\mathbb{Q}[[y_i, b_i, a_i, x_i]]_{i \in S}$; so it is enough to understand $\text{Hom}(\mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]])$ for finite sets A and B .

Claim. $F \in \text{Hom}(\mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]]) \xrightarrow{\sim} \mathbb{Q}[[z_A]][[z_B]] \ni \mathcal{F}$ via

$$\mathcal{D}(F) := \sum_{n \in \mathbb{N}^A} \frac{\zeta_A^n}{n!} F(z_A^n) = F\left(\mathbb{e}^{\sum_{i \in A} \zeta_i z_i}\right) = \mathcal{F},$$

$$\mathcal{D}^{-1}(\mathcal{F})(p) = \left(\mathcal{F}|_{\zeta_a \rightarrow \partial_{z_a}} p\right)_{\zeta_a=0} \quad \text{for } p \in \mathbb{Q}[[z_A]].$$

Claim. Assuming convergence, if $F \in \text{Hom}(\mathbb{Q}[[z_A]] \rightarrow \mathbb{Q}[[z_B]])$, $G \in \text{Hom}(\mathbb{Q}[[z_B]] \rightarrow \mathbb{Q}[[z_C]])$, $\mathcal{F} = \mathcal{D}(F)$, and $\mathcal{G} = \mathcal{D}(G)$, then

$$\mathcal{D}(F \circ G) = \left(\mathcal{F}|_{z_i \rightarrow \partial_{z_i}} \mathcal{G}\right)_{z_i=0}.$$

And so the title of the talk finally makes sense!

Example. $\mathcal{D}(\text{id}: U \rightarrow U) = \mathbb{e}^{\eta y + \beta b + \alpha a + \xi x}$.

Example. Let $c\Delta_{jk}^i: CU^{\otimes \{i\}} \rightarrow CU^{\otimes \{j,k\}}$ be the standard co-product, given by $c\Delta_{jk}^i(y_i, b_i, a_i, x_i) = (y_j + y_k, b_j + b_k, a_j + a_k, x_j + x_k)$. Then

$$\begin{aligned} \mathcal{D}(c\Delta_{jk}^i) &= c\Delta_{jk}^i(\mathbb{e}^{\eta y_i + \beta b_i + \alpha a_i + \xi x_i}) \\ &= \mathbb{e}^{\eta(y_j + y_k) + \beta(b_j + b_k) + \alpha(a_j + a_k) + \xi(x_j + x_k)}. \end{aligned}$$

Example. The standard commutative product m_k^{ij} of polynomials is given by $z_i, z_j \rightarrow z_k$. Hence $\mathcal{D}(m_k^{ij}) = m_k^{ij}(\mathbb{e}^{\zeta_i z_i + \zeta_j z_j}) = \mathbb{e}^{(\zeta_i + \zeta_j) z_k}$.

$$\begin{array}{ccc} \mathbb{Q}[[z]]_i \otimes \mathbb{Q}[[z]]_j & \xrightarrow{m_k^{ij}} & \mathbb{Q}[[z]]_k \\ \parallel & & \parallel \\ \mathbb{Q}[[z_i, z_j]] & \xrightarrow{m_k^{ij}} & \mathbb{Q}[[z_k]] \end{array}$$

A real DoPeGDO Example. Let $cm_k^{ij}: CU_i \otimes CU_j \rightarrow CU_k$ be “classical multiplication” for sl_{2+}^ϵ , and let $\mathbb{O}_i: \mathbb{Q}[[y_i, b_i, a_i, x_i]] \rightarrow CU_i$ be the PBW ordering map.

$$\begin{array}{ccc} CU_i \otimes CU_j & \xrightarrow{cm_k^{ij}} & CU_k \\ \uparrow \mathbb{O}_{i,j} & & \uparrow \mathbb{O}_k \\ \mathbb{Q}[[y_i, b_i, a_i, x_i, y_j, b_j, a_j, x_j]] & & \mathbb{Q}[[y_k, b_k, a_k, x_k]] \end{array}$$

Claim. Let

$$\begin{aligned} \Lambda &= \left(\eta_i + \frac{e^{-\alpha_i - \epsilon \beta_i} \eta_j}{1 + \epsilon \eta_j \xi_i}\right) y_k + \left(\beta_i + \beta_j + \frac{\log(1 + \epsilon \eta_j \xi_i)}{\epsilon}\right) b_k + \\ &\quad \left(\alpha_i + \alpha_j + \log(1 + \epsilon \eta_j \xi_i)\right) a_k + \left(\frac{e^{-\alpha_j - \epsilon \beta_j} \xi_i}{1 + \epsilon \eta_j \xi_i} + \xi_j\right) x_k \end{aligned}$$

Then $\mathbb{e}^{\eta y_i + \beta b_i + \alpha a_i + \xi x_i + \eta y_j + \beta b_j + \alpha a_j + \xi x_j} \parallel \mathbb{O}_{i,j} \parallel cm_k^{ij} = \mathbb{e}^\Lambda \parallel \mathbb{O}_k$, and hence $\mathcal{D}(cm_k^{ij}) = \mathbb{e}^\Lambda$ and cm_k^{ij} is DoPeGDO.

Proof. We compute in a faithful 2D representation ρ of CU :

($\omega \epsilon \beta / \text{cm}$)

$$\text{HL}[\underline{\mathcal{E}}] := \text{Style}[\underline{\mathcal{E}}, \text{Background} \rightarrow \text{If}[\text{TrueQ}@\underline{\mathcal{E}}, \text{Green}, \text{Red}]];$$

$$\{\rho y = \begin{pmatrix} \theta & \theta \\ \epsilon & \theta \end{pmatrix}, \rho b = \begin{pmatrix} \theta & \theta \\ \theta & -\epsilon \end{pmatrix}, \rho a = \begin{pmatrix} 1 & \theta \\ \theta & \theta \end{pmatrix}, \rho x = \begin{pmatrix} \theta & 1 \\ \theta & \theta \end{pmatrix}\};$$

$$\begin{aligned} \text{HL} / @ \{ \rho a . \rho x - \rho x . \rho a &= \rho x, \rho a . \rho y - \rho y . \rho a = -\rho y, \\ \rho b . \rho y - \rho y . \rho b &= -\epsilon \rho y, \rho b . \rho x - \rho x . \rho b = \epsilon \rho x, \\ \rho x . \rho y - \rho y . \rho x &= \rho b + \epsilon \rho a \} \end{aligned}$$

{True, True, True, True, True}

HL@Simplify@With[{E = MatrixExp},

$$\begin{aligned} &\mathbb{E}[\eta_i \rho y] . \mathbb{E}[\beta_i \rho b] . \mathbb{E}[\alpha_i \rho a] . \mathbb{E}[\xi_i \rho x] . \mathbb{E}[\eta_j \rho y] . \mathbb{E}[\beta_j \rho b] . \\ &\mathbb{E}[\alpha_j \rho a] . \mathbb{E}[\xi_j \rho x] == \\ &\mathbb{E}[\partial_{y_k} \Lambda \rho y] . \mathbb{E}[\partial_{b_k} \Lambda \rho b] . \mathbb{E}[\partial_{a_k} \Lambda \rho a] . \mathbb{E}[\partial_{x_k} \Lambda \rho x] \end{aligned}$$

True

Series[$\Lambda, \{\epsilon, \theta, 1\}$]

$$\begin{aligned} &(\mathbf{a}_k (\alpha_i + \alpha_j) + \mathbf{y}_k (\eta_i + e^{-\alpha_i} \eta_j) + \\ &\mathbf{b}_k (\beta_i + \beta_j + \eta_j \xi_i) + \mathbf{x}_k (e^{-\alpha_j} \xi_i + \xi_j)) + \\ &\left(\mathbf{a}_k \eta_j \xi_i - \frac{1}{2} \mathbf{b}_k \eta_j^2 \xi_i^2 - e^{-\alpha_i} \mathbf{y}_k \eta_j (\beta_i + \eta_j \xi_i) - \right. \\ &\left. e^{-\alpha_j} \mathbf{x}_k \xi_i (\beta_j + \eta_j \xi_i)\right) \epsilon + \mathbf{O}[\epsilon]^2 \end{aligned}$$

(Shame, but this technique fails for QU).

Claim. In QU , R is DoPeGDO.

Proof. Recall that with $q = \mathbb{e}^{\hbar \epsilon}$,

$$R = \sum \hbar^{j+k} y^k b^j \otimes a^j x^k / j! [k]_q! = \mathbb{O}\left(\mathbb{e}^{\hbar b_1 a_2} \mathbb{e}^{\hbar y_1 x_2}\right).$$

Now expand $\mathbb{e}^{\hbar y_1 x_2}$ in powers of ϵ using:

Faddeev's Formula (In as much as we can tell, first appeared without proof in Faddeev [Fa], rediscovered and proven in Quesne [Qu], and again with easier proof, in Zagier [Za]). With $[n]_q := \frac{q^n - 1}{q - 1}$, with $[n]_q! := [1]_q [2]_q \cdots [n]_q$ and with $\mathbb{e}_q^x := \sum_{n \geq 0} \frac{x^n}{[n]_q!}$, we have

$$\log \mathbb{e}_q^x = \sum_{k \geq 1} \frac{(1 - q)^k x^k}{k(1 - q^k)} = x + \frac{(1 - q)^2 x^2}{2(1 - q^2)} + \dots$$

Proof. We have that $\mathbb{e}_q^x = \frac{\mathbb{e}_q^{qx} - \mathbb{e}_q^x}{qx - x}$ (“the q -derivative of \mathbb{e}_q^x is itself”), and hence $\mathbb{e}_q^{qx} = (1 + (1 - q)x)\mathbb{e}_q^x$, and

$$\log \mathbb{e}_q^{qx} = \log(1 + (1 - q)x) + \log \mathbb{e}_q^x.$$

Writing $\log \mathbb{e}_q^x = \sum_{k \geq 1} a_k x^k$ and comparing powers of x , we get $q^k a_k = -(1 - q)^k / k + a_k$, or $a_k = \frac{(1 - q)^k}{k(1 - q^k)}$. \square

Compositions (2). Recall that with all indices i running in some set B ,

$$\mathcal{F} \parallel \mathcal{G} = \left(\mathcal{F}|_{z_i \rightarrow \partial_{z_i}} \mathcal{G}\right)_{z_i=0} \stackrel{(1)}{=} \mathbb{e}^{\sum \partial_{z_i} \partial_{z_i}} (\mathcal{F} \mathcal{G}) \Big|_{z_i=\zeta_i=0},$$

(1) Strictly speaking, true only when $B \cap (A \cup C) = \emptyset$.

so in general we wish to understand

$$[F: \mathcal{E}]_B := \mathbb{e}^{\frac{1}{2} \sum_{i,j \in B} F_{ij} \partial_{z_i} \partial_{z_j}} \mathcal{E} \quad \text{and} \quad \langle F: \mathcal{E} \rangle_B := [F: \mathcal{E}]_B|_{z_B \rightarrow 0},$$

where \mathcal{E} is a docile perturbed Gaussian. The following lemma allows us to restrict to the case where \mathcal{E} has no B - B quadratic part:

Lemma 1. With convergences left to the reader,

$$\left\langle F: \mathcal{E} \mathbb{e}^{\frac{1}{2} \sum_{i,j \in B} G_{ij} z_i z_j} \right\rangle_B = \det(1 - GF)^{-1} \left\langle F(1 - GF)^{-1}: \mathcal{E} \right\rangle_B.$$


The next lemma dispatches the case where \mathcal{E} has a B -linear part:

Lemma 2. $\left\langle F: \mathcal{E} \mathbb{e}^{\sum_{i \in B} y_i z_i} \right\rangle_B = \left\langle F: \mathcal{E}|_{z_B \rightarrow z_B + F y_B} \right\rangle_B$.

Finally, we deal with the docile perturbation case:

Lemma 3. With an extra variable λ , $Z_\lambda := \log[\lambda F: \mathbb{e}^P]_B$ satisfies and is determined by the following PDE / IVP:

$$Z_0 = P \quad \text{and} \quad \partial_\lambda Z_\lambda = \sum_{i,j \in B} F_{ij} (\partial_{z_i} \partial_{z_j} Z_\lambda + (\partial_{z_i} Z_\lambda)(\partial_{z_j} Z_\lambda)).$$



```
collect[sd_SeriesData, \xi_] :=
  MapAt[collect[#, \xi_] &, sd, 3];
collect[\xi_, \xi_] := PPCollect@Collect[\xi_, \xi_];
Zip[ ] [P_] := P;
Zip[\xi_s_ [Ps_List] := Zip[\xi_s_ /@Ps];
Zip[\xi_s_, \xi_s_][P_] := PPZip[
  (collect[P // Zip[\xi_s_], \xi_] /. f_ . \xi^{d_} => (D[\xi^{*,d_}[f]])) /.
  \xi^* -> \theta /. ({\xi^* /. {b -> B, t -> T, \alpha -> \mathcal{A}} -> 1}) ]
```

Warning. Some implementation details match earlier versions of the theory.

The “Speedy” Engine

$\omega\epsilon\beta$ /engine

Internal Utilities

Canonical Form:

```
CCF[\xi_] :=
  PPCF@ExpandDenominator@
  ExpandNumerator@PPTogether@Together[PPExp[
    Expand[\xi] /. e^x . e^y -> e^{x+y} /. e^x -> e^{CCF[x]}]];
CF[\xi_List] := CF /@ \xi;
CF[sd_SeriesData] := MapAt[CF, sd, 3];
CF[\xi_] := PPCF@Module[
  {vs = Cases[\xi, (y | b | t | a | x | \eta | \beta | \tau | \alpha | \xi)_, \infty] \cup
    {y, b, t, a, x, \eta, \beta, \tau, \alpha, \xi}},
  Total[CoefficientRules[Expand[\xi], vs] /.
    (ps_ -> c_) => CCF[c] (Times@@vs^{ps})
  ];
CF[\xi_E] := CF /@ \xi;
CF[IE_sp_][\xi_s_] := CF /@ IE_sp[\xi_s];
```

The Kronecker δ :

```
K\delta /: K\delta_{i,j} := If[i == j, 1, 0];
```

Equality, multiplication, and degree-adjustment of perturbed Gaussians; $\mathbb{E}[L, Q, P]$ stands for $e^{L+Q}P$:

```
\mathbb{E} /: \mathbb{E}[L1_, Q1_, P1_] \equiv \mathbb{E}[L2_, Q2_, P2_] :=
  CF[L1 == L2] \wedge CF[Q1 == Q2] \wedge CF[Normal[P1 - P2] == \theta];
\mathbb{E} /: \mathbb{E}[L1_, Q1_, P1_] \times \mathbb{E}[L2_, Q2_, P2_] :=
  \mathbb{E}[L1 + L2, Q1 + Q2, P1 * P2];
\mathbb{E}[L_, Q_, P_]_{\$k} := \mathbb{E}[L, Q, Series[Normal@P, {\epsilon, \theta, \$k}]];
```

Zip and Bind

Variables and their duals:

```
{t^*, b^*, y^*, a^*, x^*, z^*} = {\tau, \beta, \eta, \alpha, \xi, \zeta};
{\tau^*, \beta^*, \eta^*, \alpha^*, \xi^*, \zeta^*} = {t, b, y, a, x, z};
(u_{-i})^* := (u^*)_i;
```

Upper to lower and lower to Upper:

```
U21 = {B_{-}^{p_} -> e^{-p h \gamma b_i}, B_{-}^{p_} -> e^{-p h \gamma b}, T_{-}^{p_} -> e^{p h t_i},
  T_{-}^{p_} -> e^{p h t}, \mathcal{A}_{-}^{p_} -> e^{p \gamma \alpha_i}, \mathcal{A}_{-}^{p_} -> e^{p \gamma \alpha}};
l2U = {e^{c_{-} . b_{i+d_{-}}} -> B_{-}^{-c/(h \gamma)} e^d, e^{c_{-} . b+d_{-}} -> B_{-}^{-c/(h \gamma)} e^d,
  e^{c_{-} . t_{i+d_{-}}} -> T_{-}^{c/h} e^d, e^{c_{-} . t+d_{-}} -> T_{-}^{c/h} e^d,
  e^{c_{-} . \alpha_{i+d_{-}}} -> \mathcal{A}_{-}^{c/\gamma} e^d, e^{c_{-} . \alpha+d_{-}} -> \mathcal{A}_{-}^{c/\gamma} e^d,
  e^{\epsilon_{-}} -> e^{Expand@epsilon}};
```

Derivatives in the presence of exponentiated variables:

```
D_b[f_] := \partial_b f - h \gamma B \partial_B f; D_{b_i}[f_] := \partial_{b_i} f - h \gamma B_i \partial_{B_i} f;
D_t[f_] := \partial_t f + h T \partial_T f; D_{t_i}[f_] := \partial_{t_i} f + h T_i \partial_{T_i} f;
D_\alpha[f_] := \partial_\alpha f + \gamma \mathcal{A} \partial_{\mathcal{A}} f; D_{\alpha_i}[f_] := \partial_{\alpha_i} f + \gamma \mathcal{A}_i \partial_{\mathcal{A}_i} f;
D_v[f_] := \partial_v f; D_{\{v, \theta\}}[f_] := f; D_{\{\}}[f_] := f;
D_{\{v, n\_Integer\}}[f_] := D_v[D_{\{v, n-1\}}[f]];
D_{\{L\_List, ls\_List\}}[f_] := D_{\{ls\}}[D_L[f]];
```

Finite Zips:

QZip implements the “Q-level zips” on $\mathbb{E}(L, Q, P) = e^{L+Q}P(\epsilon)$. Such zips regard the L variables as scalars.

```
QZip[\xi_s_List@IE[L_, Q_, P_] :=
  PPQZip@Module[{\xi, z, zs, c, ys, \eta s, qt, zrule, \xi rule, out},
  zs = Table[\xi^*, {\xi, \xi s}];
  c = CF[Q /. Alternatives@@(\xi s \cup zs) -> \theta];
  ys = CF@Table[\partial_\xi(Q /. Alternatives@@zs -> \theta),
    {\xi, \xi s}];
  \eta s = CF@Table[\partial_z(Q /. Alternatives@@\xi s -> \theta), {z, zs}];
  qt = CF@Inverse@Table[K\delta_{z, \xi^*} - \partial_{z, \xi} Q, {\xi, \xi s}, {z, zs}];
  zrule = Thread[zs -> CF[qt . (zs + ys)]];
  \xi rule = Thread[\xi s -> \xi s + \eta s . qt];
  CF /@ IE[L, c + \eta s . qt . ys,
  Det[qt] Zip[\xi s [P /. (zrule \cup \xi rule)]]];
```

LZip implements the “L-level zips” on $\mathbb{E}(L, Q, P) = P e^{L+Q}$. Such zips regard all of $P e^Q$ as a single “ P ”. Here the z ’s are b and α and the ζ ’s are β and a .

```
LZip[\xi_s_List@IE[L_, Q_, P_] :=
  PPLZip@Module[{\xi, z, zs, Zs, c, ys, \eta s, lt, zrule,
  Zrule, \xi rule, Q1, EEQ, EQ},
  zs = Table[\xi^*, {\xi, \xi s}];
  Zs = zs /. {b -> B, t -> T, \alpha -> \mathcal{A}};
  c = L /. Alternatives@@(\xi s \cup zs) -> \theta /.
  Alternatives@@Zs -> 1;
  ys = Table[\partial_\xi(L /. Alternatives@@zs -> \theta), {\xi, \xi s}];
  \eta s = Table[\partial_z(L /. Alternatives@@\xi s -> \theta), {z, zs}];
  lt = Inverse@Table[K\delta_{z, \xi^*} - \partial_{z, \xi} L, {\xi, \xi s}, {z, zs}];
  zrule = Thread[zs -> lt . (zs + ys)];
  Zrule = Join[zrule,
  zrule /.
  r_Rule -> ((U = r[[1]) /. {b -> B, t -> T, \alpha -> \mathcal{A}} ->
  (U /. U21 /. r // l2U))];
  \xi rule = Thread[\xi s -> \xi s + \eta s . lt];
  Q1 = Q /. (Zrule \cup \xi rule);
  EEQ[ps_] :=
  EEQ[ps] =
  PP^{EEQ}@(CF[e^{-Q1} D_{Thread[\{zs, \{ps\}\}]}[e^{Q1}]] /.
  {Alternatives@@zs -> \theta, Alternatives@@Zs -> 1});
  CF@IE[c + \eta s . lt . ys,
  Q1 /. {Alternatives@@zs -> \theta, Alternatives@@Zs -> 1},
  Det[lt]
  (Zip[\xi s [(EQ@@zs) (P /. (Zrule \cup \xi rule))] /.
  Derivative[ps_] [EQ] [___] -> EEQ[ps] /.
  _EQ -> 1) ]];
```


$\text{sm}_{i,j \rightarrow k} := \mathbb{E}_{\{i,j\} \rightarrow \{k\}} [\mathbf{b}_k (\beta_i + \beta_j) + \mathbf{t}_k (\tau_i + \tau_j) + \mathbf{a}_k (\alpha_i + \alpha_j) + \mathbf{y}_k (\eta_i + \eta_j) + \mathbf{x}_k (\xi_i + \xi_j)];$
 $\text{s}\Delta_{i \rightarrow j, k} := \mathbb{E}_{\{i\} \rightarrow \{j, k\}} [\beta_i (\mathbf{b}_j + \mathbf{b}_k) + \tau_i (\mathbf{t}_j + \mathbf{t}_k) + \alpha_i (\mathbf{a}_j + \mathbf{a}_k) + \eta_i (\mathbf{y}_j + \mathbf{y}_k) + \xi_i (\mathbf{x}_j + \mathbf{x}_k)];$
 $\text{ss}_{i-} := \mathbb{E}_{\{i\} \rightarrow \{i\}} [-\beta_i \mathbf{b}_i - \tau_i \mathbf{t}_i - \alpha_i \mathbf{a}_i - \eta_i \mathbf{y}_i - \xi_i \mathbf{x}_i];$
 $\text{se}_{i-} := \mathbb{E}_{\{i\} \rightarrow \{i\}} [\mathbf{0}];$
 $\text{s}\eta_{i-} := \mathbb{E}_{\{i\} \rightarrow \{i\}} [\mathbf{0}];$
 $\text{so}_{i \rightarrow j} := \mathbb{E}_{\{i\} \rightarrow \{j\}} [\beta_i \mathbf{b}_j + \tau_i \mathbf{t}_j + \alpha_i \mathbf{a}_j + \eta_i \mathbf{y}_j + \xi_i \mathbf{x}_j];$
 $\text{sY}_{i \rightarrow j, k, l, m} := \mathbb{E}_{\{i\} \rightarrow \{j, k, l, m\}} [\beta_i \mathbf{b}_k + \tau_i \mathbf{t}_k + \alpha_i \mathbf{a}_l + \eta_i \mathbf{y}_j + \xi_i \mathbf{x}_m];$

The CU Definitions

$$\text{c}\Delta = \left(\eta_i + \frac{e^{-\gamma \alpha_i - \epsilon \beta_i} \eta_j}{1 + \gamma \epsilon \eta_j \xi_i} \right) \mathbf{y}_k + \left(\beta_i + \beta_j + \frac{\text{Log}[1 + \gamma \epsilon \eta_j \xi_i]}{\epsilon} \right) \mathbf{b}_k + \left(\alpha_i + \alpha_j + \frac{\text{Log}[1 + \gamma \epsilon \eta_j \xi_i]}{\gamma} \right) \mathbf{a}_k + \left(\frac{e^{-\gamma \alpha_j - \epsilon \beta_j} \xi_i}{1 + \gamma \epsilon \eta_j \xi_i} + \xi_j \right) \mathbf{x}_k;$$

Define $[\text{cm}_{i,j \rightarrow k} = \mathbb{E}_{\{i,j\} \rightarrow \{k\}} [\text{c}\Delta]]$

Define $[\text{c}\sigma_{i \rightarrow j} = \text{s}\sigma_{i,j} / \tau_i \rightarrow \mathbf{0}, \text{c}\epsilon_i = \text{se}_i, \text{c}\eta_i = \text{s}\eta_i,$

$\text{c}\Delta_{i \rightarrow j, k} = \text{s}\Delta_{i \rightarrow j, k},$

$\text{cS}_i = \text{sS}_i // \text{sY}_{i \rightarrow 1, 2, 3, 4} // \text{cm}_{4, 3 \rightarrow i} // \text{cm}_{i, 2 \rightarrow i} // \text{cm}_{i, 1 \rightarrow i}];$

Booting Up QU

Define $[\text{a}\sigma_{i \rightarrow j} = \mathbb{E}_{\{i\} \rightarrow \{j\}} [\mathbf{a}_j \alpha_i + \mathbf{x}_j \xi_i],$

$\text{b}\sigma_{i \rightarrow j} = \mathbb{E}_{\{i\} \rightarrow \{j\}} [\mathbf{b}_j \beta_i + \mathbf{y}_j \eta_i]]$

Define $[\text{am}_{i,j \rightarrow k} = \mathbb{E}_{\{i,j\} \rightarrow \{k\}} [(\alpha_i + \alpha_j) \mathbf{a}_k + (\mathcal{A}_j^{-1} \xi_i + \xi_j) \mathbf{x}_k],$

$\text{bm}_{i,j \rightarrow k} = \mathbb{E}_{\{i,j\} \rightarrow \{k\}} [(\beta_i + \beta_j) \mathbf{b}_k + (\eta_i + e^{-\epsilon \beta_i} \eta_j) \mathbf{y}_k]]$

Define $[\mathbf{R}_{i,j} = \mathbb{E}_{\{i\} \rightarrow \{i,j\}} [\hbar \mathbf{a}_j \mathbf{b}_i + \sum_{k=1}^{\hbar k+1} \frac{(1 - e^{\gamma \epsilon \hbar})^k (\hbar \mathbf{y}_i \mathbf{x}_j)^k}{k (1 - e^{k \gamma \epsilon \hbar})}],$

$\bar{\mathbf{R}}_{i,j} = \text{CF} @ \mathbb{E}_{\{i\} \rightarrow \{i,j\}} [-\hbar \mathbf{a}_j \mathbf{b}_i, -\hbar \mathbf{x}_j \mathbf{y}_i / \mathbf{B}_i,$

$1 + \text{If}[\$k == \mathbf{0}, \mathbf{0}, (\bar{\mathbf{R}}_{\{i,j\}, \$k-1}) \$k [3] - ((\bar{\mathbf{R}}_{\{i,j\}, \mathbf{0}}) \$k \mathbf{R}_{\{3,4\}, \$k-1} \$k) // (\text{bm}_{i,1 \rightarrow i} \text{am}_{j,2 \rightarrow j}) // (\text{bm}_{i,3 \rightarrow i} \text{am}_{j,4 \rightarrow j})] [3]],$

$\mathbf{P}_{i,j} = \mathbb{E}_{\{i,j\} \rightarrow \{i\}} [\beta_i \alpha_j / \hbar, \eta_i \xi_j / \hbar,$

$1 + \text{If}[\$k == \mathbf{0}, \mathbf{0}, (\mathbf{P}_{\{i,j\}, \$k-1}) \$k [3] - (\mathbf{R}_{i,2} // ((\mathbf{P}_{\{1,j\}, \mathbf{0}}) \$k (\mathbf{P}_{\{i,2\}, \$k-1} \$k)) [3]])]$

Define $[\text{aS}_i = (\text{a}\sigma_{i \rightarrow 2} \bar{\mathbf{R}}_{1,1}) // \mathbf{P}_{1,2},$

$\bar{\text{aS}}_i = \mathbb{E}_{\{i\} \rightarrow \{i\}} [-\mathbf{a}_i \alpha_i, -\mathbf{x}_i \xi_i,$


$1 + \text{If}[\$k == \mathbf{0}, \mathbf{0}, (\bar{\text{aS}}_{\{i\}, \$k-1}) \$k [3] - ((\bar{\text{aS}}_{\{i\}, \mathbf{0}}) \$k // \text{aS}_i // (\bar{\text{aS}}_{\{i\}, \$k-1} \$k) [3]])]$

Define $[\text{bS}_i = \text{b}\sigma_{i \rightarrow 1} \mathbf{R}_{i,2} // \text{aS}_2 // \mathbf{P}_{1,2},$

$\bar{\text{bS}}_i = \text{b}\sigma_{i \rightarrow 1} \mathbf{R}_{i,2} // \bar{\text{aS}}_2 // \mathbf{P}_{1,2},$

$\text{a}\Delta_{i \rightarrow j, k} = (\mathbf{R}_{1,j} \mathbf{R}_{k,2}) // \text{bm}_{1,2 \rightarrow 3} // \mathbf{P}_{3,i},$

$\text{b}\Delta_{i \rightarrow j, k} = (\mathbf{R}_{j,1} \mathbf{R}_{k,2}) // \text{am}_{1,2 \rightarrow 3} // \mathbf{P}_{i,3}]$



The Drinfel'd double:

Define [

$\text{dm}_{i,j \rightarrow k} = ((\text{sY}_{i \rightarrow 4, 4, 1, 1} // \text{a}\Delta_{1 \rightarrow 1, 2} // \text{a}\Delta_{2 \rightarrow 2, 3} // \bar{\text{aS}}_3) (\text{sY}_{j \rightarrow -1, -1, -4, -4} // \text{b}\Delta_{-1 \rightarrow -1, -2} // \text{b}\Delta_{-2 \rightarrow -2, -3})) // (\mathbf{P}_{-1, 3} \mathbf{P}_{-3, 1} \text{am}_{2, -4 \rightarrow k} \text{bm}_{4, -2 \rightarrow k})]$

Define $[\text{d}\sigma_{i \rightarrow j} = \text{a}\sigma_{i \rightarrow j} \text{b}\sigma_{i \rightarrow j},$

$\text{d}\epsilon_i = \text{se}_i, \text{d}\eta_i = \text{s}\eta_i,$

$\text{dS}_i = \text{sY}_{i \rightarrow 1, 1, 2, 2} // (\bar{\text{bS}}_1 \text{aS}_2) // \text{dm}_{2, 1 \rightarrow i},$

$\bar{\text{dS}}_i = \text{sY}_{i \rightarrow 1, 1, 2, 2} // (\text{bS}_1 \bar{\text{aS}}_2) // \text{dm}_{2, 1 \rightarrow i},$

$\text{d}\Delta_{i \rightarrow j, k} = (\text{b}\Delta_{i \rightarrow 3, 1} \text{a}\Delta_{i \rightarrow 2, 4}) // (\text{dm}_{3, 4 \rightarrow k} \text{dm}_{1, 2 \rightarrow j})]$

Define $[\mathbf{C}_i = \mathbb{E}_{\{i\} \rightarrow \{i\}} [\mathbf{0}, \mathbf{0}, \mathbf{B}_i^{1/2} e^{-\hbar \epsilon \mathbf{a}_i / 2}]_{\$k},$

$\bar{\mathbf{C}}_i = \mathbb{E}_{\{i\} \rightarrow \{i\}} [\mathbf{0}, \mathbf{0}, \mathbf{B}_i^{-1/2} e^{\hbar \epsilon \mathbf{a}_i / 2}]_{\$k},$

$\text{Kink}_i = (\mathbf{R}_{1,3} \bar{\mathbf{C}}_2) // \text{dm}_{1, 2 \rightarrow 1} // \text{dm}_{1, 3 \rightarrow i},$

$\bar{\text{Kink}}_i = (\bar{\mathbf{R}}_{1,3} \mathbf{C}_2) // \text{dm}_{1, 2 \rightarrow 1} // \text{dm}_{1, 3 \rightarrow i}]$

Note. $t = \epsilon a - \gamma b$ and $b = -t / \gamma + \epsilon a / \gamma.$

Define $[\text{b}2\mathbf{t}_i = \mathbb{E}_{\{i\} \rightarrow \{i\}} [\alpha_i \mathbf{a}_i + \beta_i (\epsilon \mathbf{a}_i - \mathbf{t}_i) / \gamma + \xi_i \mathbf{x}_i + \eta_i \mathbf{y}_i],$

$\text{t}2\mathbf{b}_i = \mathbb{E}_{\{i\} \rightarrow \{i\}} [\alpha_i \mathbf{a}_i + \tau_i (\epsilon \mathbf{a}_i - \gamma \mathbf{b}_i) + \xi_i \mathbf{x}_i + \eta_i \mathbf{y}_i]]$

The Knot Tensors

Define $[\text{kR}_{i,j} = \mathbf{R}_{i,j} // (\text{b}2\mathbf{t}_i \text{b}2\mathbf{t}_j) / \mathbf{t}_i | j \rightarrow \mathbf{t},$

$\bar{\text{kR}}_{i,j} = \bar{\mathbf{R}}_{i,j} // (\text{b}2\mathbf{t}_i \text{b}2\mathbf{t}_j) / \{\mathbf{t}_i | j \rightarrow \mathbf{t}, \mathbf{T}_i | j \rightarrow \mathbf{T}\},$

$\text{km}_{i,j \rightarrow k} = (\text{t}2\mathbf{b}_i \text{t}2\mathbf{b}_j) // \text{dm}_{i,j \rightarrow k} //$

$\text{b}2\mathbf{t}_k / \{\mathbf{t}_k \rightarrow \mathbf{t}, \mathbf{T}_k \rightarrow \mathbf{T}, \tau_i | j \rightarrow \mathbf{0}\},$

$\text{kC}_i = \mathbf{C}_i // \text{b}2\mathbf{t}_i / \mathbf{T}_i \rightarrow \mathbf{T},$

$\bar{\text{kC}}_i = \bar{\mathbf{C}}_i // \text{b}2\mathbf{t}_i / \mathbf{T}_i \rightarrow \mathbf{T},$

$\text{kKink}_i = \text{Kink}_i // \text{b}2\mathbf{t}_i / \{\mathbf{t}_i \rightarrow \mathbf{t}, \mathbf{T}_i \rightarrow \mathbf{T}\},$

$\bar{\text{kKink}}_i = \bar{\text{Kink}}_i // \text{b}2\mathbf{t}_i / \{\mathbf{t}_i \rightarrow \mathbf{t}, \mathbf{T}_i \rightarrow \mathbf{T}\}]$

Some of the Atoms.

$\omega \epsilon \beta / \text{atoms}$

With $\mathcal{A}_i := e^{\alpha_i}$ and $B_i = e^{-b_i},$

$\text{PP}_- := \text{Identity}; \$k = 1; \hbar = \gamma = 1;$

Column [

$(\# \rightarrow (\mathcal{E} = \text{ToExpression}[\#];$

$\text{Normal@Simplify}[\mathcal{E}[\mathbf{1}] + \mathcal{E}[\mathbf{2}] + \text{Log} @ \mathcal{E}[\mathbf{3}]])) \& / @$

$\{\text{"dm}_{i,j \rightarrow k}, \text{"d}\Delta_{i \rightarrow j, k}, \text{"dS}_i, \text{"R}_{i,j}, \text{"P}_{i,j}\}]$

$\text{dm}_{i,j \rightarrow k} \rightarrow \mathbf{a}_k (\alpha_i + \alpha_j) + \mathbf{b}_k (\beta_i + \beta_j) + \mathbf{y}_k \eta_i + \frac{\mathbf{y}_k \eta_j}{\mathcal{A}_i} + \frac{\mathbf{x}_k \xi_i}{\mathcal{A}_j} + \eta_j \xi_i -$

$\mathbf{B}_k \eta_j \xi_i + \frac{1}{4 \mathcal{A}_i \mathcal{A}_j} (2 \mathbf{y}_k \eta_j (2 \mathbf{x}_k \xi_i + \mathcal{A}_j (-2 \beta_i + (1 - 3 \mathbf{B}_k) \eta_j \xi_i)) +$

$\mathcal{A}_i \xi_i (\mathbf{x}_k (-4 \beta_j + 2 (1 - 3 \mathbf{B}_k) \eta_j \xi_i) +$

$\mathcal{A}_j \eta_j (4 \mathbf{a}_k \mathbf{B}_k + (1 - 4 \mathbf{B}_k + 3 \mathbf{B}_k^2) \eta_j \xi_i)) + \mathbf{x}_k \xi_j$

$\text{d}\Delta_{i \rightarrow j, k} \rightarrow \mathbf{a}_j \alpha_i + \mathbf{a}_k \alpha_i + \mathbf{b}_j \beta_i + \mathbf{b}_k \beta_i + \mathbf{y}_j \eta_i + \mathbf{B}_j \mathbf{y}_k \eta_i +$

$\mathbf{x}_j \xi_i + \mathbf{x}_k \xi_i + \frac{1}{2} (\mathbf{B}_j \mathbf{y}_j \mathbf{y}_k \eta_i^2 + \mathbf{x}_k \xi_i (-2 \mathbf{a}_j + \mathbf{x}_j \xi_i))$

$\text{dS}_i \rightarrow -\mathbf{a}_i \alpha_i - \mathbf{b}_i \beta_i - \frac{\mathcal{A}_i (\mathbf{y}_i \eta_i + (-\eta_i + \mathbf{B}_i (\mathbf{x}_i + \eta_i)) \xi_i)}{\mathbf{B}_i} - \frac{1}{4 \mathbf{B}_i^2}$

$\in \mathcal{A}_i (\mathcal{A}_i \eta_i^2 (2 \mathbf{y}_i^2 - 6 \mathbf{y}_i \xi_i + 3 \xi_i^2) + \mathbf{B}_i^2 \xi_i (4 \mathbf{a}_i \mathbf{x}_i + 2 \mathbf{x}_i^2 \mathcal{A}_i \xi_i +$

$2 \mathbf{x}_i (2 \beta_i + \mathcal{A}_i \eta_i \xi_i) + \eta_i (-4 + 4 \beta_i + \mathcal{A}_i \eta_i \xi_i)) +$

$2 \mathbf{B}_i \eta_i (\mathbf{y}_i (-2 + 2 \beta_i + 2 \mathbf{x}_i \mathcal{A}_i \xi_i + \mathcal{A}_i \eta_i \xi_i) -$

$\xi_i (-2 + 2 \mathbf{a}_i + 2 \beta_i + 3 \mathbf{x}_i \mathcal{A}_i \xi_i + 2 \mathcal{A}_i \eta_i \xi_i)))$

$\mathbf{R}_{i,j} \rightarrow \mathbf{a}_j \mathbf{b}_i + \mathbf{x}_j \mathbf{y}_i - \frac{1}{4} \in \mathbf{x}_j^2 \mathbf{y}_i^2$

$\mathbf{P}_{i,j} \rightarrow \alpha_j \beta_i + \eta_i \xi_j + \frac{1}{4} \in \eta_i^2 \xi_j^2$

A Quantum Algebra Example.

$\omega \epsilon \beta / \text{qa}$

Proto-Proposition^{†0} (with Jesse Frohlich and Roland van der Ven, near [Ma, Proposition 1.7.3]). Let H be a finite dimensional Hopf algebra and let $U = H^{*cop} \otimes H$ be its Drinfel'd double, with

R -matrix $R \in H^* \otimes H \subset U \otimes U$. Write $R^{\dagger 1} = \sum \rho_a \otimes r_a$, and let

$\langle \cdot | \cdot \rangle: H^* \otimes H \rightarrow \mathbb{F}$ be the duality pairing. Then the functional

$\int \in U^*$ defined by

$$\int \phi \otimes x := \sum \langle \phi \rho_a^{\dagger 2} | x r_a^{\dagger 3} \rangle$$

is a right^{†4} integral in U^* . (Meaning $\Delta_{jk}^i // \int_j = \int_i // \epsilon_k$ in $\text{Hom}(U^{\otimes \{i\}} \rightarrow U^{\otimes \{k\}})$).


†0 A "proto-proposition" is something that will become a proposition once you figure out the correct statement. †1 Or did we want it to be $R // S_1^2$? Or $R // S_2^2$?

†2 Or is it $\rho_a \phi$? †3 Or is it $r_a x$? †4 Or maybe "left"?

inp = E_{()→{1}} [3 a_1 b_1, 5 x_1 y_1, 1] // dm_{i,1→i};

```
Table[
  HL@TrueQ[
    (inp // (SY_{i→1,1,2,2} RR) // BM // AM // P_{1,2}) d_{εj} ≡
    (inp // ΔΔ // (SY_{i→1,1,2,2} RR) // BM // AM // P_{1,2}),
    {ΔΔ, {dΔ_{i→j,i}, dΔ_{i→j,i}}}, {AM, {dm_{2,4→2}, dm_{4,2→2}}},
    {BM, {dm_{1,3→1}, dm_{3,1→1}}},
    {RR, {R_{3,4}, R_{3,4} // dS_{3,4} // dS_{3,4} // dS_{4,4} // dS_{4,4}}}
  ] // MatrixForm
  ( (False False False) (False False True) )
  ( (False False False) (False False False) )
  ( (False False False) (False False False) )
  ( (False False True) (False False False) )
```

A Knot Theory Example.



```
$k = 2;
Simplify[
  R_{1,5} R_{6,2} R_{3,7} C_4 Kink_8 Kink_9 Kink_{10} // dm_{1,2→1} // dm_{1,3→1} //
  dm_{1,4→1} // dm_{1,5→1} // dm_{1,6→1} // dm_{1,7→1} // dm_{1,8→1} //
  dm_{1,9→1} // dm_{1,10→1} ] / . v_{-1} -> v
  E_{()→{1}} [0, 0, B / (1 - B + B^2) +
  B (-B + 2 B^2 + 2 B^4 + a (-1 + B - B^3 + B^4) - 2 x y - B^3 (3 + 2 x y)) / (1 - B + B^2)^3 +
  1 / (2 (1 - B + B^2)^5)
  B (4 B^8 + a^2 (1 - B + B^2)^2 (1 + B - 6 B^2 + B^3 + B^4) + 6 B^5 x^2 y^2 +
  2 x y (-2 + 3 x y) - B^7 (11 + 4 x y) - 2 B^2 (1 + 6 x^2 y^2) -
  2 B^4 (1 - 2 x y + 6 x^2 y^2) + B (1 + 8 x y + 6 x^2 y^2) +
  B^6 (6 + 8 x y + 6 x^2 y^2) + B^3 (4 + 4 x y + 30 x^2 y^2) +
  2 a (1 - B + B^2) (2 B^6 + 2 x y + 8 B^3 (1 + x y) - 5 B^2 (1 + 2 x y) -
  2 B^5 (1 + 2 x y) - B^4 (7 + 2 x y) + B (2 + 4 x y)) ) ε^2 + O[ε]^3]
```

References.

[BG] D. Bar-Natan and S. Garoufalidis, *On the Melvin-Morton-Rozansky conjecture*, Invent. Math. **125** (1996) 103–133.

[BV] D. Bar-Natan and R. van der Veen, *A Polynomial Time Knot Polynomial*, arXiv:1708.04853.

[Fa] L. Faddeev, *Modular Double of a Quantum Group*, arXiv:math/9912078.

[Ma] S. Majid, *Foundations of Quantum Group Theory*, Cambridge University Press, 1995.

[MM] P. M. Melvin and H. R. Morton, *The coloured Jones function*, Commun. Math. Phys. **169** (1995) 501–520.

[Ov] A. Overbay, *Perturbative Expansion of the Colored Jones Polynomial*, University of North Carolina PhD thesis, ωεβ/Ov.

[Qu] C. Quesne, *Jackson’s q-Exponential as the Exponential of a Series*, arXiv:math-ph/0305003.

[Ro1] L. Rozansky, *A contribution of the trivial flat connection to the Jones polynomial and Witten’s invariant of 3d manifolds, I*, Comm. Math. Phys. **175-2** (1996) 275–296, arXiv:hep-th/9401061.

[Ro2] L. Rozansky, *The Universal R-Matrix, Burau Representation and the Melvin-Morton Expansion of the Colored Jones Polynomial*, Adv. Math. **134-1** (1998) 1–31, arXiv:q-alg/9604005.

[Ro3] L. Rozansky, *A Universal U(1)-RCC Invariant of Links and Rationality Conjecture*, arXiv:math/0201139.

























[Za] D. Zagier, *The Dilogarithm Function*, in Cartier, Moussa, Julia, and Vanhove (eds) *Frontiers in Number Theory, Physics, and Geometry II*. Springer, Berlin, Heidelberg, and ωεβ/Za.

KiW 43 Abstract (ωεβ/kiw). Whether or not you like the formulas on this page, they describe the strongest truly computable knot invariant we know.





































Observations. • Separates the Rolfsen table; does better than





































Khovanov plus HOMFLY-PT on knots with up to 12 crossings (not tested beyond). • The degrees are bounded by the genus! • ρ₁ vanishes for amphichiral knots. • Has a chance of detecting non-ribbonness (ωεβ/ind)!

knot diag	n'_k (ρ'_1)^+	Alexander's ω^+	genus / ribbon unknotting # / amphi?	knot diag	n'_k (ρ'_1)^+	Alexander's ω^+	genus / ribbon unknotting # / amphi?	knot diag	n'_k (ρ'_1)^+	Alexander's ω^+	genus / ribbon unknotting # / amphi?
	0^a_1	1	0 / ✓ 0 / ✓		3^a_1	T-1	1 / ✗ 1 / ✗		4^a_1	3-T	1 / ✗ 1 / ✓
		0				3T^3-12T^2+26T-38				T^4-3T^3-15T^2+74T-110	
	5^a_1	T^2-T+1	2 / ✗ 2 / ✗		5^a_2	2T-3	1 / ✗ 1 / ✗		6^a_1	5-2T	1 / ✓ 1 / ✗
		2T^3+3T				5T-4				T-4	
		5T^7-20T^6+55T^5-120T^4+217T^3-338T^2+450T-510				-10T^4+120T^3-487T^2+1054T-1362				147T^4-167T^3-293T^2+1098T-1598	
	6^a_2	-T^2+3T-3	2 / ✗ 1 / ✗		6^a_3	T^2-3T+5	2 / ✗ 1 / ✓		7^a_1	T^3-T^2+T-1	3 / ✗ 3 / ✗
		T^3-4T^2+4T-4				0				3T^5+5T^3+6T	
		3T^8-21T^7+49T^6+15T^5-433T^4+1543T^3-3431T^2+5482T-6410				4T^8-33T^7+121T^6-203T^5-111T^4+1499T^3-4210T^2+7186T-8510				7T^11-28T^10+77T^9-168T^8+322T^7-560T^6+891T^5-1310T^4+1777T^3-2238T^2+2604T-2772	
	7^a_2	3T-5	1 / ✗ 1 / ✗		7^a_3	2T^2-3T+3	2 / ✗ 2 / ✗		7^a_4	4T-7	1 / ✗ 2 / ✗
		14T-16				-9T^3+8T^2-16T+12				32-24T	
		-129T^4+1177T^3-4421T^2+9226T-11718				-18T^8+208T^7-917T^6+2666T^5-6049T^4+11283T^3-17671T^2+23356T-25736				-352T^4+3616T^3-14378T^2+30700T-39188	



































knot diag	n_k^+ $(\rho_1)^+$	Alexander's ω^+	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ $(\rho_1)^+$	Alexander's ω^+	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ $(\rho_1)^+$	Alexander's ω^+	genus / ribbon unknotting # / amphi?
	7_5^a	$2T^2-4T+5$ $9T^3-16T^2+29T-28$ $-18T^8+264T^7-1548T^6+5680T^5-15107T^4+31152T^3-51476T^2+69252T-76414$	2 / ✗ 2 / ✗		7_6^a	$-T^2+5T-7$ $T^3-8T^2+19T-20$ $3T^8-35T^7+128T^6+105T^5-2610T^4+11225T^3-28031T^2+47186T-55946$	2 / ✗ 1 / ✗		7_7^a	T^2-5T+9 $8-3T$ $4T^8-55T^7+310T^6-805T^5+86T^4+6349T^3-22686T^2+43610T-53622$	2 / ✗ 1 / ✗
	8_1^a	$7-3T$ $5T-16$ $42T^4+215T^3-2542T^2+7562T-10542$	1 / ✗ 1 / ✗		8_2^a	$-T^3+3T^2-3T+3$ $2T^5-8T^4+10T^3-12T^2+13T-12$ $5T^{12}-39T^{11}+119T^{10}-139T^9-249T^8+1660T^7-4959T^6+11131T^5-20813T^4+33595T^3-47521T^2+58988T-63556$	3 / ✗ 2 / ✗		8_3^a	$9-4T$ 0 $224T^4-224T^3-3910T^2+14100T-20364$	1 / ✗ 2 / ✓
	8_4^a	$-2T^2+5T-5$ $3T^3-8T^2+6T-4$ $54T^8-344T^7+865T^6-650T^5-2723T^4+12243T^3-28461T^2+45792T-53540$	2 / ✗ 2 / ✗		8_5^a	$-T^3+3T^2-4T+5$ $-2T^5+8T^4-13T^3+20T^2-22T+24$ $5T^{12}-39T^{11}+128T^{10}-182T^9-274T^8+2476T^7-8642T^6+21517T^5-42924T^4+71719T^3-102448T^2+126480T-135628$	3 / ✗ 2 / ✗		8_6^a	$-2T^2+6T-7$ $5T^3-20T^2+28T-32$ $38T^8-216T^7+112T^6+2880T^5-14787T^4+42444T^3-85415T^2+128406T-146916$	2 / ✗ 2 / ✗
	8_7^a	T^3-3T^2+5T-5 $-T^5+4T^4-10T^3+12T^2-13T+12$ $8T^{12}-75T^{11}+343T^{10}-979T^9+1821T^8-1782T^7-1623T^6+12083T^5-33001T^4+64599T^3-101194T^2+131404T-143216$	3 / ✗ 1 / ✗		8_8^a	$2T^2-6T+9$ $-T^3+4T^2-12T+16$ $62T^8-504T^7+1736T^6-2408T^5-3717T^4+26492T^3-68493T^2+113418T-133180$	2 / ✓ 2 / ✗		8_9^a	$-T^3+3T^2-5T+7$ 0 $9T^{12}-87T^{11}+417T^{10}-1305T^9+2858T^8-4134T^7+2114T^6+8285T^5-31925T^4+69235T^3-112773T^2+148508T-162396$	3 / ✓ 1 / ✓
	8_{10}^a	T^3-3T^2+6T-7 $-T^5+4T^4-11T^3+16T^2-21T+20$ $8T^{12}-75T^{11}+362T^{10}-1122T^9+2306T^8-2540T^7-2198T^6+18817T^5-54380T^4+110103T^3-175694T^2+230080T-251346$	3 / ✗ 2 / ✗		8_{11}^a	$-2T^2+7T-9$ $5T^3-24T^2+39T-44$ $38T^8-264T^7+301T^6+3514T^5-21716T^4+68785T^3-146898T^2+227828T-263172$	2 / ✗ 1 / ✗		8_{12}^a	$T^2-7T+13$ 0 $4T^8-77T^7+583T^6-1991T^5+987T^4+17311T^3-71802T^2+147914T-185846$	2 / ✗ 2 / ✓
	8_{13}^a	$2T^2-7T+11$ $-T^3+4T^2-14T+20$ $62T^8-592T^7+2351T^6-3918T^5-4235T^4+40079T^3-111533T^2+191500T-227432$	2 / ✗ 1 / ✗		8_{14}^a	$-2T^2+8T-11$ $5T^3-28T^2+57T-68$ $38T^8-312T^7+444T^6+5096T^5-34777T^4+116368T^3-255750T^2+401632T-465478$	2 / ✗ 1 / ✗		8_{15}^a	$3T^2-8T+11$ $21T^3-64T^2+120T-140$ $-123T^8+2128T^7-15241T^6+66120T^5-199999T^4+451912T^3-792414T^2+1101720T-1228222$	2 / ✗ 2 / ✗
	8_{16}^a	T^3-4T^2+8T-9 $T^5-6T^4+17T^3-28T^2+35T-36$ $8T^{12}-100T^{11}+598T^{10}-2205T^9+5292T^8-7164T^7-2380T^6+43100T^5-137314T^4+291750T^3-478742T^2+636488T-698666$	3 / ✗ 2 / ✗		8_{17}^a	$-T^3+4T^2-8T+11$ 0 $9T^{12}-116T^{11}+722T^{10}-2843T^9+7656T^8-13668T^7+11117T^6+21968T^5-113086T^4+27378T^3-475622T^2+649064T-717954$	3 / ✗ 1 / ✓		8_{18}^a	$-T^3+5T^2-10T+13$ 0 $9T^{12}-145T^{11}+1075T^{10}-4842T^9+14504T^8-28560T^7+27957T^6+35195T^5-225204T^4+573797T^3-1021641T^2+1411484T-1567262$	3 / ✗ 2 / ✓
	8_{19}^a	T^3-T^2+1 $-3T^5-4T^2-3T$ $7T^{11}-19T^{10}+67T^9+48T^8-52T^7-91T^6+211T^5+16T^4-431T^3+289T^2+536T-1060$	3 / ✗ 3 / ✗		8_{20}^a	T^2-2T+3 $4T-4$ $4T^8-22T^7+66T^6-124T^5+52T^4+478T^3-1652T^2+3014T-3640$	2 / ✓ 1 / ✗		8_{21}^a	$-T^2+4T-5$ $T^3-8T^2+16T-20$ $3T^8-28T^7+49T^6+352T^5-2489T^4+8164T^3-17530T^2+27092T-31226$	2 / ✗ 1 / ✗

knot diag	n_k^+ $(\rho_1)^+$	Alexander's ω^+	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ $(\rho_1)^+$	Alexander's ω^+	genus / ribbon unknotting # / amphi?
	9_1^a	$T^4-T^3+T^2-T+1$ $4T^7+7T^5+9T^3+10T$ $9T^{15}-36T^{14}+99T^{13}-216T^{12}+414T^{11}-720T^{10}+1170T^9-1800T^8+2630T^7-3662T^6+4853T^5-6142T^4+7423T^3-8572T^2+9420T-9780$	4 / ✗ 4 / ✗		9_2^a	$4T-7$ $30T-40$ $-728T^4+6088T^3-21946T^2+44788T-56420$	1 / ✗ 1 / ✗
	9_3^a	$2T^3-3T^2+3T-3$ $-13T^5+12T^4-25T^3+20T^2-32T+24$ $-26T^{12}+296T^{11}-1311T^{10}+3838T^9-8867T^8+17613T^7-31407T^6+51061T^5-76085T^4+104297T^3-131779T^2+152840T-160976$	3 / ✗ 3 / ✗		9_4^a	$3T^2-5T+5$ $23T^3-28T^2+46T-44$ $-219T^8+1999T^7-8389T^6+23799T^5-52835T^4+96723T^3-149121T^2+194698T-213338$	2 / ✗ 2 / ✗
	9_5^a	$6T-11$ $100-65T$ $-3234T^4+29792T^3-113241T^2+236818T-300294$	1 / ✗ 2 / ✗		9_6^a	$2T^3-4T^2+5T-5$ $13T^5-24T^4+45T^3-52T^2+68T-64$ $-26T^{12}+376T^{11}-2212T^{10}+8280T^9-23249T^8+53488T^7-106013T^6+185990T^5-292853T^4+416673T^3-537062T^2+626488T-659788$	3 / ✗ 3 / ✗
	9_7^a	$3T^2-7T+9$ $23T^3-56T^2+99T-108$ $-219T^8+2717T^7-15720T^6+58389T^5-157698T^4+329265T^3-548657T^2+741610T-819394$	2 / ✗ 2 / ✗		9_8^a	$-2T^2+8T-11$ $3T^3-16T^2+29T-28$ $54T^8-552T^7+2124T^6-2216T^5-12641T^4+67112T^3-172118T^2+289304T-342134$	2 / ✗ 2 / ✗
	9_9^a	$2T^3-4T^2+6T-7$ $13T^5-24T^4+55T^3-72T^2+98T-96$ $-26T^{12}+376T^{11}-2296T^{10}+9328T^9-28988T^8+73584T^7-158399T^6+295928T^5-486916T^4+712094T^3-930993T^2+1092074T-1151564$	3 / ✗ 3 / ✗		9_{10}^a	$4T^2-8T+9$ $-40T^3+72T^2-114T+120$ $-608T^8+6720T^7-33776T^6+110928T^5-273462T^4+537040T^3-862768T^2+1145784T-1259748$	2 / ✗ 2, 3 / ✗
	9_{11}^a	$-T^3+5T^2-7T+7$ $-2T^5+16T^4-41T^3+52T^2-66T+64$ $5T^{12}-65T^{11}+312T^{10}-463T^9-2042T^8+14588T^7-50444T^6+126967T^5-258750T^4+444545T^3-654213T^2+827220T-895336$	3 / ✗ 2 / ✗		9_{12}^a	$-2T^2+9T-13$ $5T^3-36T^2+84T-100$ $38T^8-312T^7+45T^6+9790T^5-60473T^4+202775T^3-453255T^2+722176T-841572$	2 / ✗ 1 / ✗
	9_{13}^a	$4T^2-9T+11$ $-40T^3+92T^2-154T+168$ $-608T^8+7680T^7-43650T^6+158004T^5-417129T^4+856533T^3-1412461T^2+1899222T-2095210$	2 / ✗ 2, 3 / ✗		9_{14}^a	$2T^2-9T+15$ $-T^3+8T^2-35T+60$ $62T^8-752T^7+3655T^6-7178T^5-9502T^4+97737T^3-294656T^2+531720T-642168$	2 / ✗ 1 / ✗
	9_{15}^a	$-2T^2+10T-15$ $-5T^3+40T^2-108T+136$ $38T^8-360T^7+208T^6+12328T^5-84103T^4+298764T^3-691161T^2+1121034T-1313504$	2 / ✗ 2 / ✗		9_{16}^a	$2T^3-5T^2+8T-9$ $-13T^5+36T^4-80T^3+120T^2-161T+168$ $-26T^{12}+456T^{11}-3331T^{10}+15554T^9-53941T^8+149494T^7-345106T^6+680900T^5-1167591T^4+1759576T^3-2347497T^2+2786466T-2949428$	3 / ✗ 3 / ✗























knot diag	n_k^l Alexander's ω^+ $(\rho_1^+)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^l Alexander's ω^+ $(\rho_1^+)^+$	genus / ribbon unknotting # / amphi?
	$T^3 - 5T^2 + 9T - 9$ $T^5 - 8T^4 + 23T^3 - 32T^2 + 28T - 24$ $87^{12} - 1257^{11} + 8747^{10} - 35957^9 + 94627^8 - 151667^7 + 61627^6 + 470277^5 - 1812207^4 + 4155097^3 - 7160707^2 + 9820367 - 1089796$	3 / \times 2 / \times		$4T^2 - 10T + 13$ $40T^3 - 108T^2 + 193T - 220$ $-6087^8 + 82247^7 - 512087^6 + 2019047^5 - 5705167^4 + 12289207^3 - 20877257^2 + 28508587 - 3159722$	2 / \times 2 / \times
	$2T^2 - 10T + 17$ $T^3 - 8T^2 + 20T - 24$ $627^8 - 8407^7 + 45367^6 - 103527^5 - 70417^4 + 1164287^3 - 3726837^2 + 6881987 - 836608$	2 / \times 1 / \times		$-T^3 + 5T^2 - 9T + 11$ $2T^5 - 16T^4 + 47T^3 - 84T^2 + 117T - 124$ $57^{12} - 657^{11} + 3307^{10} - 5777^9 - 24397^8 + 214827^7 - 869597^6 + 2472377^5 - 5486587^4 + 9938417^3 - 15026377^2 + 19185327 - 2080192$	3 / \times 2 / \times
	$-2T^2 + 11T - 17$ $-5T^3 + 44T^2 - 127T + 164$ $387^8 - 4087^7 + 4937^6 + 138027^5 - 1050147^4 + 3966857^3 - 9545527^2 + 15831407 - 1868380$	2 / \times 1 / \times		$T^3 - 5T^2 + 10T - 11$ $-T^5 + 8T^4 - 24T^3 + 38T^2 - 40T + 36$ $87^{12} - 1257^{11} + 8937^{10} - 38247^9 + 106057^8 - 179027^7 + 69907^6 + 642997^5 - 2515737^4 + 5843137^3 - 10121337^2 + 13886507 - 1540398$	3 / \times 1 / \times
	$4T^2 - 11T + 15$ $40T^3 - 128T^2 + 243T - 288$ $-6087^8 + 91847^7 - 626987^6 + 2659807^5 - 7944967^4 + 17811117^3 - 31072047^2 + 43073507 - 4797258$	2 / \times 2 / \times		$-T^3 + 5T^2 - 10T + 13$ $-4T^2 + 16T - 20$ $97^{12} - 1457^{11} + 10757^{10} - 48507^9 + 146007^8 - 291127^7 + 299217^6 + 306677^5 - 2189167^4 + 5709337^3 - 10298337^2 + 14334767 - 1595654$	3 / \times 1 / \times
	$-3T^2 + 12T - 17$ $12T^3 - 70T^2 + 153T - 188$ $1747^8 - 12007^7 - 10277^6 + 426967^5 - 2355127^4 + 7409567^3 - 15858647^2 + 24603607 - 2841166$	2 / \times 2 / \times		$T^3 - 5T^2 + 11T - 13$ $-T^5 + 8T^4 - 31T^3 + 64T^2 - 85T + 92$ $87^{12} - 1257^{11} + 9007^{10} - 38617^9 + 103517^8 - 143567^7 - 123917^6 + 1324737^5 - 4277327^4 + 9393097^3 - 15880467^2 + 21540287 - 2381116$	3 / \times 1 / \times
	$-T^3 + 5T^2 - 11T + 15$ $T^3 - 8T^2 + 24T - 32$ $97^{12} - 1457^{11} + 10967^{10} - 51157^9 + 160887^8 - 337847^7 + 373627^6 + 340757^5 - 2738547^4 + 7431537^3 - 13745457^2 + 19413327 - 2171344$	3 / \checkmark 1 / \times		$T^3 - 5T^2 + 12T - 15$ $T^5 - 8T^4 + 30T^3 - 68T^2 + 105T - 120$ $87^{12} - 1257^{11} + 9237^{10} - 41387^9 + 118007^8 - 180927^7 - 111017^6 + 1594157^5 - 5439167^4 + 12287817^3 - 21078097^2 + 28772567 - 3186008$	3 / \times 1 / \times
	$T^3 - 5T^2 + 12T - 15$ $T^5 - 8T^4 + 26T^3 - 48T^2 + 59T - 56$ $87^{12} - 1257^{11} + 9317^{10} - 42907^9 + 130967^8 - 248487^7 + 133357^6 + 940477^5 - 4095767^4 + 10102377^3 - 18165577^2 + 25438367 - 2840192$	3 / \times 2 / \times		$-T^3 + 5T^2 - 12T + 17$ $2T^3 - 10T^2 + 25T - 32$ $97^{12} - 1457^{11} + 11177^{10} - 53767^9 + 175337^8 - 381707^7 + 432927^6 + 436197^5 - 3473977^4 + 9578817^3 - 17941897^2 + 25534427 - 2863228$	3 / \times 1 / \times
	$T^3 - 5T^2 + 13T - 17$ $T^5 - 8T^4 + 33T^3 - 80T^2 + 132T - 152$ $87^{12} - 1257^{11} + 9387^{10} - 43037^9 + 125447^8 - 191387^7 - 172007^6 + 2041437^5 - 7031807^4 + 16173657^3 - 28181907^2 + 38866367 - 4319004$	3 / \times 2 / \times		$T^3 - 6T^2 + 14T - 17$ $-T^5 + 10T^4 - 42T^3 + 94T^2 - 133T + 148$ $87^{12} - 1507^{11} + 12697^{10} - 62977^9 + 194557^8 - 327207^7 - 111567^6 + 2602827^5 - 9308367^4 + 21536187^3 - 37503587^2 + 51661147 - 5736454$	3 / \times 2 / \times
	$-T^3 + 6T^2 - 14T + 19$ $T^3 - 10T^2 + 30T - 40$ $97^{12} - 1747^{11} + 15397^{10} - 82077^9 + 289137^8 - 671847^7 + 840777^6 + 558667^5 - 5816407^4 + 16647987^3 - 31668387^2 + 45392027 - 5100726$	3 / \times 1 / \times		$-T^3 + 6T^2 - 16T + 23$ $3T^3 - 18T^2 + 43T - 56$ $97^{12} - 1747^{11} + 15817^{10} - 88317^9 + 329887^8 - 817747^7 + 1096317^6 + 732487^5 - 8293417^4 + 24809387^3 - 48691977^2 + 71125527 - 8043256$	3 / \times 1 / \times
	$7T - 13$ $90T - 144$ $-63557^4 + 588617^3 - 2245397^2 + 4703867 - 596734$	1 / \times 2, 3 / \times		$-T^3 + 5T^2 - 8T + 9$ $-2T^5 + 16T^4 - 44T^3 + 66T^2 - 87T + 88$ $57^{12} - 657^{11} + 3217^{10} - 5327^9 - 20817^8 + 170667^7 - 648467^6 + 1756117^5 - 3767397^4 + 6680017^3 - 9980377^2 + 12673427 - 1372104$	3 / \times 2 / \times
	$2T^2 - 11T + 19$ $T^3 - 8T^2 + 22T - 28$ $627^8 - 9287^7 + 54877^6 - 138147^5 - 66817^4 + 1548677^3 - 5202397^2 + 9833487 - 1204192$	2 / \times 2 / \times		$5T^2 - 14T + 19$ $62T^3 - 204T^2 + 382T - 452$ $-14147^8 + 221227^7 - 1535607^6 + 6573407^5 - 19761107^4 + 44543627^3 - 78064487^2 + 108555827 - 12103772$	2 / \times 2, 3 / \times
	$-3T^2 + 14T - 21$ $-12T^3 + 84T^2 - 210T + 268$ $1747^8 - 14427^7 - 6907^6 + 590687^5 - 3662227^4 + 12472147^3 - 28157967^2 + 45055787 - 5255776$	2 / \times 1 / \times		$T^3 - 7T^2 + 18T - 23$ $T^5 - 12T^4 + 57T^3 - 144T^2 + 229T - 264$ $87^{12} - 1757^{11} + 17127^{10} - 97387^9 + 342507^8 - 661087^7 - 111487^6 + 5535097^5 - 21495607^4 + 52309637^3 - 94062487^2 + 131878007 - 14730526$	3 / \times 2 / \times
	$3T^2 - 12T + 19$ $3T^3 - 20T^2 + 70T - 108$ $3097^8 - 32887^7 + 138857^6 - 209287^5 - 551797^4 + 3781007^3 - 10358107^2 + 17878087 - 2129794$	2 / \checkmark 2 / \times		$-T^2 + 2T - 1$ $-T^3 + 2T^2 + T - 4$ $37^8 - 147^7 + 327^6 - 967^5 + 2657^4 - 2947^3 - 4987^2 + 21707 - 3128$	2 / \times 1 / \times
	$-T^3 + 3T^2 - 2T + 1$ $-2T^5 + 8T^4 - 7T^3 + 2T^2 - 5T + 4$ $57^{12} - 397^{11} + 1107^{10} - 1087^9 - 1157^8 + 5707^7 - 14777^6 + 34537^5 - 66517^4 + 109517^3 - 171887^2 + 247187 - 28462$	3 / \times 2 / \times		$T^2 - 4T + 7$ $-2T^2 + 9T - 12$ $47^8 - 487^7 + 2377^6 - 4967^5 - 3467^4 + 49887^3 - 150447^2 + 267687 - 32126$	2 / \times 1 / \times
	$-T^2 + 6T - 9$ $T^3 - 14T^2 + 47T - 60$ $37^8 - 427^7 + 787^6 + 13767^5 - 111357^4 + 425747^3 - 1025227^2 + 1698067 - 200284$	2 / \times 1 / \times		$5 - 2T$ $3T - 12$ $-2T^4 + 1607^3 - 11257^2 + 30827 - 4222$	1 / \checkmark 2 / \times
	$T^3 - 4T^2 + 6T - 5$ $-T^5 + 6T^4 - 15T^3 + 16T^2 - 10T + 12$ $87^{12} - 1007^{11} + 5607^{10} - 18417^9 + 38477^8 - 47107^7 - 427^6 + 174947^5 - 554477^4 + 1170587^3 - 1937497^2 + 2613867 - 288924$	3 / \times 2 / \times		$-T^2 + 7T - 11$ $-T^3 + 12T^2 - 42T + 52$ $37^8 - 497^7 + 2437^6 + 2677^5 - 80517^4 + 404997^3 - 1121677^2 + 1998507 - 241202$	2 / \times 2 / \times
	$3T^2 - 6T + 7$ $-21T^3 + 38T^2 - 61T + 60$ $-1237^8 + 16147^7 - 87447^6 + 299287^5 - 758737^4 + 1527147^3 - 2507947^2 + 3382387 - 373944$	2 / \times 3 / \times		$9 - 4T$ $14T - 40$ $-247^4 + 21367^3 - 134307^2 + 348607 - 47068$	1 / \times 1 / \times
	$-T^4 + 3T^3 - 3T^2 + 3T - 3$ $3T^7 - 12T^6 + 16T^5 - 20T^4 + 24T^3 - 24T^2 + 27T - 24$ $77^{16} - 577^{15} + 1897^{14} - 2937^{13} - 557^{12} + 16287^{11} - 55437^{10} + 132667^9 - 265897^8 + 474687^7 - 774157^6 + 1165497^5 - 1629117^4 + 2123257^3 - 2584137^2 + 2925807 - 305480$	4 / \times 3 / \times		$13 - 6T$ $11T - 28$ $8707^4 + 12887^3 - 277957^2 + 857187 - 120138$	1 / \checkmark 2 / \times

knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?
	10_4^a $-3T^2+7T-7$ $4T^3-8T^2+T+8$ $2947^8-18077^7+45707^6-43057^5-95507^4+495817^3-1174567^2+1893307-221294$	2 / ✗ 2 / ✗		10_5^a $T^4-3T^3+5T^2-5T+5$ $-2T^7+8T^6-20T^5+28T^4-36T^3+36T^2-39T+36$ $12716^{16}-117715+565714-1757713+3847712-5960711+5381710+296879-266257^8+750087^7-1574157^6+2791737^5-4369997^4+6152977^3-7853287^2+9099167-955948$	4 / ✗ 2 / ✗
	10_6^a $-2T^5+6T^2-7T+7$ $9T^5-36T^4+56T^3-72T^2+81T-84$ $62712^{12}-408711+712710+228079-174937^8+606527^7-1534927^6+3190487^5-5695847^4+8903977^3-12286577^2+14961507-1599330$	3 / ✗ 3 / ✗		10_7^a $-3T^2+11T-15$ $14T^3-72T^2+135T-160$ $1147^8-2757^7-58407^6+517397^5-2224927^4+6264257^3-12673487^2+19144107-2193462$	2 / ✗ 1 / ✗
	10_8^a $-2T^3+5T^2-5T+5$ $7T^5-20T^4+23T^3-28T^2+26T-24$ $94712^{12}-672711+2115710-367879+25357^8+64537^7-306457^6+783857^5-1548957^4+2566017^3-3675257^2+4585007-494524$	3 / ✗ 2 / ✗		10_9^a $-T^4+3T^3-5T^2+7T-7$ $-T^7+4T^6-10T^5+20T^4-25T^3+28T^2-28T+28$ $15716^{16}-153715+787714-2727713+7084712-14404711+22886710-2613479+115407^8+393327^7-1468667^6+3251157^5-5710777^4+8569417^3-11310137^2+13306687-1403980$	4 / ✗ 1 / ✗
	10_{10}^a $3T^2-11T+17$ $-5T^3+24T^2-71T+100$ $2857^8-27357^7+100787^6-94797^5-640007^4+3272537^3-8273777^2+13781307-1624314$	2 / ✗ 1 / ✗		10_{11}^a $-4T^2+11T-13$ $16T^3-52T^2+68T-72$ $7367^8-46727^7+96347^6+111327^5-1253677^4+4131217^3-8730957^2+13369747-1536906$	2 / ✗ 2, 3 / ✗
	10_{12}^a $2T^3-6T^2+10T-11$ $-5T^5+20T^4-50T^3+72T^2-89T+92$ $118712^{12}-1080711+4748710-1262479+194147^8-20727^7-885077^6+3208367^5-7504537^4+13669227^3-20534817^2+26046387-2816934$	3 / ✗ 2 / ✗		10_{13}^a $2T^2-13T+23$ $T^3-12T^2+51T-84$ $627^8-10887^7+73677^6-205867^5-133567^4+2865097^3-10050987^2+19542807-2416160$	2 / ✗ 2 / ✗
	10_{14}^a $-2T^3+8T^2-12T+13$ $9T^5-52T^4+119T^3-180T^2+225T-236$ $62712^{12}-584711+1720710+281679-428487^8+1950407^7-5941777^6+14076887^5-27536047^4+45751547^3-65450787^2+81068207-8706026$	3 / ✗ 2 / ✗		10_{15}^a $2T^3-6T^2+9T-9$ $-3T^5+12T^4-24T^3+24T^2-17T+12$ $134712^{12}-1272711+5792710-1652079+317657^8-376367^7+23967^6+1201767^5-3713687^4+7528737^3-11950437^2+15601907-1702986$	3 / ✗ 2 / ✗
	10_{16}^a $-4T^2+12T-15$ $-16T^3+56T^2-76T+80$ $7367^8-52487^7+129447^6+65287^5-1441627^4+5222007^3-11553707^2+18092287-2093696$	2 / ✗ 2 / ✗		10_{17}^a $T^4-3T^3+5T^2-7T+9$ 0 $16716^{16}-165715+861714-3043713+8173712-17514711+30162710-3995879+326667^8+139987^7-1250817^6+3177437^5-5884817^4+9045697^3-12070207^2+14265567-1506972$	4 / ✗ 1 / ✓
	10_{18}^a $-4T^2+14T-19$ $16T^3-68T^2+121T-140$ $7367^8-62407^7+177367^6+110887^5-2456487^4+9301687^3-21092017^2+33387067-3874682$	2 / ✗ 1 / ✗		10_{19}^a $2T^3-7T^2+11T-11$ $3T^5-16T^4+35T^3-40T^2+30T-24$ $134712^{12}-1480711+7641710-2419479+508557^8-660077^7+123237^6+2013577^5-6652877^4+13977977^3-22710857^2+30061287-3296368$	3 / ✗ 2 / ✗
	10_{20}^a $-3T^2+9T-11$ $14T^3-56T^2+88T-104$ $1147^8-1537^7-47837^6+344257^5-1287117^4+3274357^3-6187047^2+8990667-1017366$	2 / ✗ 2 / ✗		10_{21}^a $-2T^3+7T^2-9T+9$ $9T^5-44T^4+80T^3-104T^2+121T-124$ $62712^{12}-496711+1203710+207879-244567^8+971637^7-2678787^6+5920417^5-11067387^4+17895917^3-25257327^2+31137527-3341184$	3 / ✗ 2 / ✗
	10_{22}^a $-2T^3+6T^2-10T+13$ $-T^5+4T^4-10T^3+24T^2-37T+44$ $142712^{12}-1368711+6524710-2012079+427907^8-579287^7+169197^6+1587007^5-5407077^4+11302947^3-18096437^2+23631147-2577418$	3 / ✓ 2 / ✗		10_{23}^a $2T^3-7T^2+13T-15$ $-5T^5+24T^4-67T^3+108T^2-137T+144$ $118712^{12}-1272711+6541710-2040279+384437^8-219457^7-1324427^6+5943357^5-15304207^4+29603637^3-46221937^2+59920487-6526360$	3 / ✗ 1 / ✗
	10_{24}^a $-4T^2+14T-19$ $24T^3-116T^2+221T-268$ $4167^8-15687^7-132247^6+1369287^5-6041247^4+17010087^3-34146737^2+51187147-5846946$	2 / ✗ 2 / ✗		10_{25}^a $-2T^3+8T^2-14T+17$ $9T^5-52T^4+131T^3-232T^2+314T-344$ $62712^{12}-584711+1856710+226479-470527^8+2412887^7-8095417^6+20680167^5-42700107^4+73479307^3-10723317^2+134062067-14434208$	3 / ✗ 2 / ✗
	10_{26}^a $-2T^3+7T^2-13T+17$ $-T^5+4T^4-10T^3+28T^2-49T+60$ $142712^{12}-1600711+8823710-3105879+749647^8-1178977^7+670647^6+2559977^5-10476007^4+23603957^3-39478887^2+52812887-5805248$	3 / ✗ 1 / ✗		10_{27}^a $2T^3-8T^2+16T-19$ $5T^5-28T^4+87T^3-164T^2+229T-252$ $118712^{12}-1464711+8536710-2979279+620967^8-396967^7-2421957^6+11518487^5-30781407^4+60989107^3-96619407^2+126212407-13779050$	3 / ✗ 1 / ✗
	10_{28}^a $4T^2-13T+19$ $-8T^3+36T^2-100T+136$ $9287^8-78727^7+261747^6-225887^5-1422957^4+6891137^3-16763917^2+27289987-3192146$	2 / ✗ 2 / ✗		10_{29}^a $T^3-7T^2+15T-17$ $T^5-12T^4+52T^3-104T^2+124T-128$ $8712^{12}-175711+1659710-891379+292527^8-542927^7+106867^6+2909897^5-11266637^4+26732117^3-47234987^2+65665727-7317656$	3 / ✗ 2 / ✗
	10_{30}^a $-4T^2+17T-25$ $24T^3-148T^2+345T-440$ $4167^8-20487^7-174907^6+2199967^5-11018947^4+33969077^3-72455107^2+112437347-12988226$	2 / ✗ 1 / ✗		10_{31}^a $4T^2-14T+21$ $-4T^2+9T-12$ $9927^8-94407^7+369367^6-591367^5-726247^4+6233047^3-16918997^2+28675507-3391374$	2 / ✗ 1 / ✗
	10_{32}^a $-2T^3+8T^2-15T+19$ $T^5-4T^4+13T^3-40T^2+78T-96$ $142712^{12}-1832711+11204710-4268879+1099097^8-1843847^7+1248317^6+3607827^5-16153917^4+37595857^3-64048907^2+86553607-9545252$	3 / ✗ 1 / ✗		10_{33}^a $4T^2-16T+25$ 0 $9927^8-108167^7+478567^6-883367^5-844027^4+9203207^3-26553407^2+46409127-5542372$	2 / ✗ 1 / ✓
	10_{34}^a $3T^2-9T+13$ $-5T^3+20T^2-52T+68$ $2857^8-22057^7+66017^6-34297^5-433697^4+1857037^3-4318577^2+6878747-799218$	2 / ✗ 2 / ✗		10_{35}^a $2T^2-12T+21$ $-T^3+12T^2-47T+76$ $627^8-10007^7+62447^6-157447^5-157077^4+2326807^3-7758407^2+14743727-1810118$	2 / ✓ 2 / ✗
	10_{36}^a $-3T^2+13T-19$ $14T^3-88T^2+208T-264$ $1147^8-3977^7-75977^6+811417^5-3934417^4+11989677^3-25449527^2+39413627-4550398$	2 / ✗ 2 / ✗		10_{37}^a $4T^2-13T+19$ 0 $9927^8-87367^7+319147^6-472127^5-644997^4+4979217^3-13087557^2+21816307-2566522$	2 / ✗ 2 / ✓
	10_{38}^a $-4T^2+15T-21$ $24T^3-128T^2+270T-336$ $4167^8-16327^7-161227^6+1724607^5-7888457^4+22800377^3-46537137^2+70383427-8061882$	2 / ✗ 2 / ✗		10_{39}^a $-2T^3+8T^2-13T+15$ $9T^5-52T^4+125T^3-204T^2+263T-280$ $62712^{12}-584711+1788710+248079-441917^8+2134887^7-6831737^6+16840547^5-33934687^4+57534477^3-83305717^2+103790807-11164828$	3 / ✗ 2 / ✗

knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?
	10_{40}^a $2T^3 - 8T^2 + 17T - 21$ $-5T^5 + 28T^4 - 89T^3 + 176T^2 - 258T + 288$ $118T^{12} - 1464T^{11} + 8692T^{10} - 31256T^9 + 67987T^8 - 49624T^7 - 257955T^6 + 1301482T^5 - 3582545T^4 + 7240253T^3 - 11620382T^2 + 15292356T - 16735336$	3 / ✗ 2 / ✗		10_{41}^a $T^3 - 7T^2 + 17T - 21$ $T^5 - 12T^4 + 54T^3 - 120T^2 + 157T - 164$ $8T^{12} - 175T^{11} + 16977T^{10} - 95437T^9 + 335617T^8 - 691147T^7 + 291177T^6 + 354127T^5 - 1527139T^4 + 3836499T^3 - 7019042T^2 + 9942516T - 11145016$	3 / ✗ 2 / ✗
	10_{42}^a $-T^3 + 7T^2 - 19T + 27$ $2T^3 - 8T^2 + 11T - 12$ $9T^{12} - 203T^{11} + 2093T^{10} - 12971T^9 + 52885T^8 - 142268T^7 + 214987T^6 + 60931T^5 - 1368859T^4 + 4365895T^3 - 8815357T^2 + 13058404T - 14831092$	3 / ✓ 1 / ✗		10_{43}^a $-T^3 + 7T^2 - 17T + 23$ 0 $9T^{12} - 203T^{11} + 2051T^{10} - 12253T^9 + 47594T^8 - 120962T^7 + 170450T^6 + 61017T^5 - 1045911T^4 + 3175271T^3 - 6209661T^2 + 9025932T - 10186676$	3 / ✗ 2 / ✓
	10_{44}^a $T^3 - 7T^2 + 19T - 25$ $T^5 - 12T^4 + 56T^3 - 140T^2 + 220T - 248$ $8T^{12} - 175T^{11} + 1735T^{10} - 10157T^9 + 37586T^8 - 81160T^7 + 29232T^6 + 500937T^5 - 2197451T^4 + 5635115T^3 - 10448058T^2 + 14900236T - 16735696$	3 / ✗ 1 / ✗		10_{45}^a $-T^3 + 7T^2 - 21T + 31$ 0 $9T^{12} - 203T^{11} + 2135T^{10} - 13689T^9 + 58324T^8 - 165246T^7 + 266640T^6 + 52413T^5 - 1738539T^4 + 5821367T^3 - 12123077T^2 + 18290148T - 20900556$	3 / ✗ 2 / ✓
	10_{46}^a $-T^4 + 3T^3 - 4T^2 + 5T - 5$ $-3T^7 + 12T^6 - 21T^5 + 34T^4 - 43T^3 + 52T^2 - 55T + 56$ $7T^{16} - 57T^{15} + 204T^{14} - 382T^{13} + 69T^{12} + 2247T^{11} - 9674T^{10} + 27287T^9 - 61957T^8 + 121378T^7 - 211961T^6 + 335438T^5 - 485235T^4 + 644818T^3 - 789365T^2 + 891215T - 928064$	4 / ✗ 3 / ✗		10_{47}^a $T^4 - 3T^3 + 6T^2 - 7T + 7$ $-2T^7 + 8T^6 - 23T^5 + 38T^4 - 56T^3 + 60T^2 - 68T + 64$ $12T^{16} - 117T^{15} + 598T^{14} - 2030T^{13} + 4959T^{12} - 8715T^{11} + 9312T^{10} + 2921T^9 - 44823T^8 + 139602T^7 - 312112T^6 + 579182T^5 - 936546T^4 + 1347538T^3 - 1741633T^2 + 2029805T - 2135930$	4 / ✗ 2, 3 / ✗
	10_{48}^a $T^4 - 3T^3 + 6T^2 - 9T + 11$ $T^5 - 2T^4 + 2T^3 - 3T + 4$ $16T^{16} - 165T^{15} + 906T^{14} - 3452T^{13} + 10069T^{12} - 23423T^{11} + 43765T^{10} - 63343T^9 + 59588T^8 + 82327T^7 - 192505T^6 + 537134T^5 - 1048176T^4 + 1669528T^3 - 2281994T^2 + 2735109T - 2902594$	4 / ✓ 2 / ✗		10_{49}^a $3T^3 - 8T^2 + 12T - 13$ $30T^5 - 94T^4 + 196T^3 - 292T^2 + 372T - 392$ $-177T^{12} + 3028T^{11} - 22080T^{10} + 101361T^9 - 341354T^8 + 914348T^7 - 2044469T^6 + 3931812T^5 - 6622778T^4 + 9874270T^3 - 13105110T^2 + 15522532T - 16422794$	3 / ✗ 3 / ✗
	10_{50}^a $-2T^3 + 7T^2 - 11T + 13$ $-9T^5 + 44T^4 - 94T^3 + 150T^2 - 186T + 200$ $62T^{12} - 496T^{11} + 1283T^{10} + 2094T^9 - 29732T^8 + 134301T^7 - 412809T^6 + 990903T^5 - 1959941T^4 + 3278621T^3 - 4702408T^2 + 5824956T - 6253664$	3 / ✗ 2 / ✗		10_{51}^a $2T^3 - 7T^2 + 15T - 19$ $-5T^5 + 24T^4 - 73T^3 + 134T^2 - 194T + 212$ $118T^{12} - 1272T^{11} + 6813T^{10} - 22602T^9 + 45771T^8 - 28275T^7 - 180411T^6 + 857569T^5 - 2306697T^4 + 4602641T^3 - 7332665T^2 + 9612128T - 10506256$	3 / ✗ 2, 3 / ✗
	10_{52}^a $2T^3 - 7T^2 + 13T - 15$ $-3T^5 + 16T^4 - 37T^3 + 50T^2 - 49T + 44$ $134T^{12} - 1480T^{11} + 7961T^{10} - 27058T^9 + 62159T^8 - 88993T^7 + 22042T^6 + 296843T^5 - 1040240T^4 + 2254967T^3 - 3720017T^2 + 4952400T - 5437448$	3 / ✗ 2 / ✗		10_{53}^a $6T^2 - 18T + 25$ $93T^3 - 346T^2 + 680T - 828$ $-3642T^8 + 58248T^7 - 417976T^6 + 1846212T^5 - 5694639T^4 + 13084936T^3 - 23231163T^2 + 32545278T - 36374532$	2 / ✗ 2, 3 / ✗
	10_{54}^a $2T^3 - 6T^2 + 10T - 11$ $-3T^5 + 12T^4 - 24T^3 + 26T^2 - 21T + 16$ $134T^{12} - 1272T^{11} + 5964T^{10} - 17880T^9 + 36606T^8 - 46740T^7 + 6565T^6 + 150576T^5 - 487825T^4 + 1010638T^3 - 1619593T^2 + 2120978T - 2316318$	3 / ✗ 2, 3 / ✗		10_{55}^a $5T^2 - 15T + 21$ $66T^3 - 246T^2 + 488T - 596$ $-1966T^8 + 30491T^7 - 215627T^6 + 945597T^5 - 2905831T^4 + 6662951T^3 - 11814712T^2 + 16540014T - 18481854$	2 / ✗ 2 / ✗
	10_{56}^a $-2T^3 + 8T^2 - 14T + 17$ $-9T^5 + 52T^4 - 133T^3 + 234T^2 - 312T + 340$ $62T^{12} - 584T^{11} + 1800T^{10} + 2840T^9 - 49588T^8 + 247616T^7 - 819257T^6 + 2077408T^5 - 4277830T^4 + 7364010T^3 - 10765639T^2 + 13481990T - 14525656$	3 / ✗ 2 / ✗		10_{57}^a $2T^3 - 8T^2 + 18T - 23$ $-5T^5 + 28T^4 - 93T^3 + 194T^2 - 300T + 340$ $118T^{12} - 1464T^{11} + 8808T^{10} - 32264T^9 + 71276T^8 - 49320T^7 - 305843T^6 + 1537376T^5 - 4286854T^4 + 8774390T^3 - 14221383T^2 + 18829374T - 20648444$	3 / ✗ 2 / ✗
	10_{58}^a $3T^2 - 16T + 27$ $3T^3 - 28T^2 + 94T - 140$ $309T^8 - 4384T^7 + 24039T^6 - 49896T^5 - 90763T^4 + 864784T^3 - 2647834T^2 + 4837480T - 5867454$	2 / ✗ 2 / ✗		10_{59}^a $T^3 - 7T^2 + 18T - 23$ $-T^5 + 12T^4 - 55T^3 + 128T^2 - 181T + 196$ $8T^{12} - 175T^{11} + 1716T^{10} - 9858T^9 + 35706T^8 - 76124T^7 + 33704T^6 + 412653T^5 - 1824096T^4 + 4655939T^3 - 8596644T^2 + 12230816T - 13727286$	3 / ✗ 1 / ✗
	10_{60}^a $-T^3 + 7T^2 - 20T + 29$ $5T^3 - 40T^2 + 122T - 176$ $9T^{12} - 203T^{11} + 2114T^{10} - 13338T^9 + 55732T^8 - 154496T^7 + 241898T^6 + 66137T^5 - 1621594T^4 + 5326603T^3 - 1098958T^2 + 16499428T - 18824860$	3 / ✗ 1 / ✗		10_{61}^a $-2T^3 + 5T^2 - 6T + 7$ $-7T^5 + 20T^4 - 27T^3 + 36T^2 - 35T + 36$ $94T^{12} - 672T^{11} + 2231T^{10} - 4382T^9 + 4108T^8 + 6320T^7 - 40187T^6 + 113296T^5 - 2357147T^4 + 4004707T^3 - 576529T^2 + 714816T - 767686$	3 / ✗ 2, 3 / ✗
	10_{62}^a $T^4 - 3T^3 + 6T^2 - 8T + 9$ $-2T^7 + 8T^6 - 23T^5 + 40T^4 - 63T^3 + 76T^2 - 89T + 88$ $12T^{16} - 117T^{15} + 598T^{14} - 2057T^{13} + 5172T^{12} - 9509T^{11} + 10856T^{10} + 2734T^9 - 54502T^8 + 178917T^7 - 414312T^6 + 786766T^5 - 1289208T^4 + 1865866T^3 - 2414454T^2 + 2812025T - 2957594$	4 / ✗ 2 / ✗		10_{63}^a $5T^2 - 14T + 19$ $66T^3 - 220T^2 + 416T - 496$ $-1966T^8 + 28318T^7 - 188080T^6 + 783388T^5 - 2311570T^4 + 5141906T^3 - 8929148T^2 + 12349082T - 13743884$	2 / ✗ 2 / ✗
	10_{64}^a $-T^4 + 3T^3 - 6T^2 + 10T - 11$ $-T^7 + 4T^6 - 11T^5 + 24T^4 - 37T^3 + 52T^2 - 60T + 64$ $15T^{16} - 153T^{15} + 830T^{14} - 3147T^{13} + 9133T^{12} - 20983T^{11} + 37963T^{10} - 50164T^9 + 30642T^8 + 68741T^7 - 310036T^6 + 745430T^5 - 1381735T^4 + 2150560T^3 - 2906317T^2 + 3464829T - 3671204$	4 / ✗ 2 / ✗		10_{65}^a $2T^3 - 7T^2 + 14T - 17$ $-5T^5 + 24T^4 - 71T^3 + 124T^2 - 169T + 180$ $118T^{12} - 1272T^{11} + 6657T^{10} - 21282T^9 + 40874T^8 - 20768T^7 - 166691T^6 + 742216T^5 - 1933704T^4 + 3781794T^3 - 5950947T^2 + 7749120T - 8452246$	3 / ✗ 2 / ✗
	10_{66}^a $3T^3 - 9T^2 + 16T - 19$ $30T^5 - 112T^4 + 279T^3 - 480T^2 + 662T - 724$ $-177T^{12} + 3321T^{11} - 27536T^{10} + 145346T^9 - 561614T^8 + 1706788T^7 - 4256134T^6 + 8946173T^5 - 16135424T^4 + 25271935T^3 - 34647456T^2 + 41790680T - 44471832$	3 / ✗ 3 / ✗		10_{67}^a $-4T^2 + 16T - 23$ $24T^3 - 140T^2 + 312T - 392$ $416T^8 - 16967T^7 - 18592T^6 + 205384T^5 - 971474T^4 + 2884880T^3 - 6004484T^2 + 9188872T - 10566612$	2 / ✗ 2 / ✗
	10_{68}^a $4T^2 - 14T + 21$ $8T^3 - 40T^2 + 117T - 164$ $928T^8 - 8448T^7 + 29784T^6 - 26736T^5 - 178984T^4 + 891736T^3 - 2217147T^2 + 3657390T - 4297054$	2 / ✗ 2 / ✗		10_{69}^a $T^3 - 7T^2 + 21T - 29$ $-T^5 + 12T^4 - 68T^3 + 212T^2 - 397T + 476$ $8T^{12} - 175T^{11} + 1753T^{10} - 10339T^9 + 37435T^8 - 68174T^7 - 78997T^6 + 1015635T^5 - 3880779T^4 + 9697491T^3 - 17937826T^2 + 25646300T - 28844672$	3 / ✗ 2 / ✗
	10_{70}^a $T^3 - 7T^2 + 16T - 19$ $-T^5 + 12T^4 - 53T^3 + 114T^2 - 146T + 152$ $8T^{12} - 175T^{11} + 1678T^{10} - 9220T^9 + 31251T^8 - 60450T^7 + 14335T^6 + 337593T^5 - 1351773T^4 + 3275803T^3 - 5864336T^2 + 8208654T - 9166724$	3 / ✗ 2 / ✗		10_{71}^a $-T^3 + 7T^2 - 18T + 25$ $T^3 - 2T^2 - T + 4$ $9T^{12} - 203T^{11} + 2072T^{10} - 12608T^9 + 50167T^8 - 131082T^7 + 190655T^6 + 64937T^5 - 1206917T^4 + 3745659T^3 - 7436102T^2 + 10906778T - 12346734$	3 / ✗ 1 / ✗
	10_{72}^a $-2T^3 + 9T^2 - 16T + 19$ $-9T^5 + 60T^4 - 167T^3 + 298T^2 - 410T + 448$ $62T^{12} - 672T^{11} + 2407T^{10} + 2846T^9 - 67046T^8 + 358714T^7 - 1237440T^6 + 3225136T^5 - 6760702T^4 + 11767984T^3 - 17315777T^2 + 21757146T - 23465324$	3 / ✗ 2 / ✗		10_{73}^a $T^3 - 7T^2 + 20T - 27$ $T^5 - 12T^4 + 65T^3 - 194T^2 + 350T - 416$ $8T^{12} - 175T^{11} + 1738T^{10} - 10112T^9 + 36117T^8 - 66038T^7 - 61235T^6 + 869449T^5 - 3296603T^4 + 8133803T^3 - 14880880T^2 + 21122890T - 23697928$	3 / ✗ 1 / ✗

knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ (ρ_2^+) ⁺	genus / ribbon unknotting # / amphi?
	10_{74}^a $-4T^2+16T-23$ $24T^3-136T^2+290T-360$ $416T^8-1984T^7-14448T^6+178832T^5-870542T^4+2626104T^3-5521764T^2+8500760T-9794748$	2 / ✗ 2 / ✗		10_{75}^a $-T^3+7T^2-19T+27$ $-4T^3+36T^2-117T+172$ $9T^{12}-203T^{11}+2093T^{10}-12979T^9+53085T^8-144060T^7+222795T^6+45939T^5-1382507T^4+4528919T^3-9302365T^2+13926940T-15875332$	3 / ✓ 2 / ✗
	10_{76}^a $-2T^3+7T^2-12T+15$ $-9T^5+44T^4-104T^3+184T^2-245T+272$ $62T^{12}-496T^{11}+1263T^{10}+2926T^9-37611T^8+174774T^7-553794T^6+1359740T^5-2727505T^4+4595668T^3-6610039T^2+8193314T-8796596$	3 / ✗ 2, 3 / ✗		10_{77}^a $2T^3-7T^2+14T-17$ $-5T^5+24T^4-71T^3+132T^2-189T+208$ $118T^{12}-1272T^{11}+6657T^{10}-21170T^9+39602T^8-13480T^7-193563T^6+812568T^5-2072452T^4+3997538T^3-6227879T^2+8058912T-8771174$	3 / ✗ 2, 3 / ✗
	10_{78}^a $-T^3+7T^2-16T+21$ $2T^5-24T^4+105T^3-244T^2+390T-448$ $5T^{12}-91T^{11}+626T^{10}-1310T^9-9682T^8+98268T^7-472808T^6+1558897T^5-3892200T^4+7699107T^3-12365278T^2+16351352T-17933784$	3 / ✗ 2 / ✗		10_{79}^a $T^4-3T^3+7T^2-12T+15$ 0 $16T^{16}-165T^{15}+951T^{14}-3892T^{13}+12327T^{12}-31301T^{11}+64047T^{10}-102088T^9+108942T^8-5172T^7-328635T^6+1013644T^5-2099318T^4+3486798T^3-4904824T^2+5979109T-6380898$	4 / ✗ 2, 3 / ✓
	10_{80}^a $3T^3-9T^2+15T-17$ $30T^5-112T^4+260T^3-426T^2+568T-616$ $-177T^{12}+3321T^{11}-26919T^{10}+137419T^9-511788T^8+1500906T^7-3625608T^6+7420093T^5-13101785T^4+20196767T^3-27388655T^2+32826444T-34860060$	3 / ✗ 3 / ✗		10_{81}^a $-T^3+8T^2-20T+27$ 0 $9T^{12}-232T^{11}+2632T^{10}-17347T^9+73146T^8-199476T^7+303717T^6+63516T^5-1783222T^4+5636674T^3-11239918T^2+16501092T-18681194$	3 / ✗ 2 / ✓
	10_{82}^a $-T^4+4T^3-8T^2+12T-13$ $T^7-6T^6+19T^5-42T^4+64T^3-78T^2+84T-84$ $15T^{16}-204T^{15}+1362T^{14}-5956T^{13}+19067T^{12}-46940T^{11}+89646T^{10}-125984T^9+94379T^8+118488T^7-663600T^6+1675944T^5-3187626T^4+5046508T^3-6899632T^2+8282752T-8796438$	4 / ✗ 1 / ✗		10_{83}^a $2T^3-9T^2+19T-23$ $-5T^5+34T^4-110T^3+214T^2-301T+332$ $118T^{12}-1632T^{11}+10501T^{10}-40166T^9+92154T^8-74661T^7-344938T^6+1829049T^5-5155786T^4+10589003T^3-17184002T^2+22763416T-24966116$	3 / ✗ 2 / ✗
	10_{84}^a $2T^3-9T^2+20T-25$ $-5T^5+34T^4-116T^3+246T^2-373T+424$ $118T^{12}-1632T^{11}+10601T^{10}-40970T^9+93361T^8-60130T^7-457712T^6+2276184T^5-6379977T^4+13131088T^3-21370125T^2+28365342T-31128704$	3 / ✗ 1 / ✗		10_{85}^a $T^4-4T^3+8T^2-10T+11$ $2T^7-12T^6+36T^5-68T^4+101T^3-124T^2+138T-140$ $12T^{16}-156T^{15}+986T^{14}-3982T^{13}+11319T^{12}-23042T^{11}+29987T^{10}-3098T^9-116460T^8+418314T^7-1005425T^6+1953048T^5-3252398T^4+4764776T^3-6220611T^2+7285042T-7676632$	4 / ✗ 2 / ✗
	10_{86}^a $-2T^3+9T^2-19T+25$ $-T^5+6T^4-21T^3+58T^2-105T+128$ $142T^{12}-2056T^{11}+14135T^{10}-60346T^9+173073T^8-322457T^7+256132T^6+640839T^5-3192178T^4+780651T^3-13712731T^2+18852080T-20906284$	3 / ✗ 2 / ✗		10_{87}^a $-2T^3+9T^2-18T+23$ $-T^5+6T^4-23T^3+66T^2-125T+152$ $142T^{12}-2056T^{11}+13955T^{10}-58318T^9+162798T^8-293228T^7+214867T^6+612960T^5-2882460T^4+6902570T^3-1197969T^2+16361444T-18106010$	3 / ✓ 2 / ✗
	10_{88}^a $-T^3+8T^2-24T+35$ 0 $9T^{12}-232T^{11}+2716T^{10}-18955T^9+86300T^8-257664T^7+436281T^6+55760T^5-2823656T^4+9657962T^3-20306480T^2+30775472T-35215022$	3 / ✗ 1 / ✓		10_{89}^a $T^3-8T^2+24T-33$ $T^5-14T^4+83T^3-264T^2+495T-596$ $8T^{12}-200T^{11}+2236T^{10}-14461T^9+56992T^8-117072T^7-76152T^6+1508604T^5-6093936T^4+15620030T^3-29286604T^2+42155400T-47509694$	3 / ✗ 2 / ✗
	10_{90}^a $-2T^3+8T^2-17T+23$ $-T^5+6T^4-21T^3+54T^2+93T+112$ $142T^{12}-1824T^{11}+11452T^{10}-45568T^9+123153T^8-214976T^7+138515T^6+523918T^5-2309034T^4+5458443T^3-9432309T^2+12861496T-14226804$	3 / ✗ 2 / ✗		10_{91}^a $T^4-4T^3+9T^2-14T+17$ $T^5-2T^4+2T^3-9T+4$ $16T^{16}-220T^{15}+1535T^{14}-7166T^{13}+24885T^{12}-67476T^{11}+145070T^{10}-242014T^9+278753T^8-78212T^7-624329T^6+2091910T^5-4424108T^4+7397630T^3-10425418T^2+12711814T-13565348$	4 / ✗ 1 / ✗
	10_{92}^a $-2T^3+10T^2-20T+25$ $-9T^5+68T^4-216T^3+428T^2-622T+696$ $62T^{12}-760T^{11}+3228T^{10}+1776T^9-90686T^8+555772T^7-2114169T^6+5951964T^5-13251159T^4+24127850T^3-36624016T^2+46862460T-50844652$	3 / ✗ 2 / ✗		10_{93}^a $2T^3-8T^2+15T-17$ $3T^5-18T^4+43T^3-58T^2+55T-48$ $134T^{12}-1696T^{11}+10180T^{10}-37880T^9+94183T^8-147272T^7+62729T^6+424866T^5-1618596T^4+3616743T^3-6059793T^2+8130868T-8948936$	3 / ✗ 2 / ✗
	10_{94}^a $-T^4+4T^3-9T^2+14T-15$ $-T^7+6T^6-20T^5+46T^4-76T^3+102T^2-115T+120$ $15T^{16}-204T^{15}+1405T^{14}-6454T^{13}+21907T^{12}-57432T^{11}+117080T^{10}-176754T^9+150405T^8+135972T^7-928717T^6+2460642T^5-4804019T^4+7729462T^3-10672990T^2+12881566T-13703760$	4 / ✗ 2 / ✗		10_{95}^a $2T^3-9T^2+21T-27$ $-5T^5+32T^4-114T^3+248T^2-384T+436$ $118T^{12}-1656T^{11}+11045T^{10}-44462T^9+109118T^8-104035T^7-391583T^6+2298083T^5-6804711T^4+14456709T^3-24008082T^2+32236696T-35514492$	3 / ✗ 1 / ✗
	10_{96}^a $-T^3+7T^2-22T+33$ $-7T^3+50T^2-147T+212$ $9T^{12}-203T^{11}+2156T^{10}-14060T^9+61189T^8-177034T^7+287437T^6+96689T^5-214969T^4+7231587T^3-15228082T^2+23163354T-26546674$	3 / ✗ 2 / ✗		10_{97}^a $-5T^2+22T-33$ $-37T^3+242T^2-603T+788$ $1061T^8-5486T^7-47090T^6+615064T^5-3157165T^4+9904926T^3-21376446T^2+33395786T-38661308$	2 / ✗ 2 / ✗
	10_{98}^a $-2T^3+9T^2-18T+23$ $9T^5-60T^4+177T^3-348T^2+501T-564$ $62T^{12}-672T^{11}+2575T^{10}+1666T^9-67602T^8+398948T^7-1483813T^6+4115776T^5-9069800T^4+16396378T^3-24767965T^2+31602148T-34255402$	3 / ✗ 2 / ✗		10_{99}^a $T^4-4T^3+10T^2-16T+19$ 0 $16T^{16}-220T^{15}+1580T^{14}-7688T^{13}+27976T^{12}-79612T^{11}+179656T^{10}-315060T^9+386272T^8-148160T^7-79212T^6+2854748T^5-6237824T^4+10649644T^3-15214156T^2+18696608T-20003232$	4 / ✓ 2 / ✓
	10_{100}^a $T^4-4T^3+9T^2-12T+13$ $2T^7-12T^6+39T^5-80T^4+128T^3-164T^2+192T-196$ $12T^{16}-156T^{15}+1019T^{14}-4340T^{13}+13189T^{12}-29012T^{11}+41715T^{10}-11232T^9-153611T^8+603116T^7-1520513T^6+3049452T^5-5190414T^4+7715304T^3-10164234T^2+11961684T-12623974$	4 / ✗ 2, 3 / ✗		10_{101}^a $7T^2-21T+29$ $-129T^3+480T^2-942T+1148$ $-7453T^8+115979T^7-819947T^6+3586847T^5-10987573T^4+25120359T^3-44443695T^2+62133778T-69396618$	2 / ✗ 2, 3 / ✗
	10_{102}^a $-2T^3+8T^2-16T+21$ $-T^5+6T^4-19T^3+50T^2-89T+108$ $142T^{12}-1824T^{11}+11296T^{10}-44000T^9+115984T^8-197200T^7+123203T^6+462512T^5-1996064T^4+4649298T^3-7951840T^2+10777160T-11897326$	3 / ✗ 1 / ✗		10_{103}^a $2T^3-8T^2+17T-21$ $5T^5-30T^4+93T^3-178T^2+254T-280$ $118T^{12}-1440T^{11}+8404T^{10}-29584T^9+61863T^8-33736T^7-289763T^6+1355186T^5-3666373T^4+7367413T^3-11802974T^2+15525908T-16990056$	3 / ✗ 3 / ✗
	10_{104}^a $T^4-4T^3+9T^2-15T+19$ $T^5-2T^4+2T^3-3T+4$ $16T^{16}-220T^{15}+1535T^{14}-7197T^{13}+25227T^{12}-69332T^{11}+151513T^{10}-257279T^9+301366T^8-83393T^7-710402T^6+2409469T^5-5162297T^4+8726478T^3-12397663T^2+15191203T-16238052$	4 / ✗ 1 / ✗		10_{105}^a $T^3-8T^2+22T-29$ $-T^5+14T^4-71T^3+184T^2-292T+332$ $8T^{12}-200T^{11}+2218T^{10}-14261T^9+57123T^8-132986T^7+65302T^6+805306T^5-3722841T^4+9784430T^3-18400587T^2+26441286T-29769592$	3 / ✗ 2 / ✗
	10_{106}^a $-T^4+4T^3-9T^2+15T-17$ $-T^7+6T^6-20T^5+48T^4-82T^3+114T^2-134T+140$ $15T^{16}-204T^{15}+1405T^{14}-6481T^{13}+22197T^{12}-58948T^{11}+122017T^{10}-186937T^9+159252T^8+161653T^7-1073190T^6+2872671T^5-5674479T^4+9221494T^3-12827310T^2+15551003T-16568312$	4 / ✗ 2 / ✗		10_{107}^a $-T^3+8T^2-22T+31$ $2T^3-8T^2+13T-16$ $9T^{12}-232T^{11}+2674T^{10}-18155T^9+79705T^8-227986T^7+366663T^6+65430T^5-2285283T^4+7518398T^3-15408513T^2+22997470T-26180364$	3 / ✗ 1 / ✗

knot diag	n_k^+ Alexander's ω^+ (ρ_1^+) ⁺	genus / ribbon unknotting # / amphi?	knot diag	n_k^+ Alexander's ω^+ (ρ_2^+) ⁺	genus / ribbon unknotting # / amphi?
	$10^a_{108} \quad 2T^3 - 8T^2 + 14T - 15$ $-3T^5 + 18T^4 - 41T^3 + 50T^2 - 40T + 32$ 1347 ¹² - 16967 ¹¹ + 100327 ¹⁰ - 364167 ⁹ + 879167 ⁸ - 1338607 ⁷ + 586177 ⁶ + 3533927 ⁵ - 13376427 ⁴ + 29610067 ³ - 49304497 ² + 65948547 - 7251776	3 / ✗ 2 / ✗		$10^a_{109} \quad T^4 - 4T^3 + 10T^2 - 17T + 21$ 0 167 ¹⁶ - 2207 ¹⁵ + 15807 ¹⁴ - 77197 ¹³ + 283187 ¹² - 815257 ¹¹ + 1865917 ¹⁰ - 3323517 ⁹ + 4136967 ⁸ - 1582847 ⁷ - 8891297 ⁶ + 32393717 ⁵ - 7165417 ⁴ + 123617387 ³ - 177991977 ² + 219796577 - 23554274	4 / ✗ 2 / ✓
	$10^a_{110} \quad T^5 - 8T^4 + 20T - 25$ $T^5 - 14T^4 + 69T^3 - 160T^2 + 219T - 236$ 87 ¹² - 2007 ¹¹ + 21807 ¹⁰ - 135697 ⁹ + 521147 ⁸ - 1164727 ⁷ + 616167 ⁶ + 6046687 ⁵ - 27479067 ⁴ + 70722747 ³ - 131039187 ² + 186728367 - 20967250	3 / ✗ 2 / ✗		$10^a_{111} \quad -2T^3 + 9T^2 - 17T + 21$ $-9T^5 + 60T^4 - 171T^3 + 316T^2 - 436T + 480$ 627 ¹² - 6727 ¹¹ + 25077 ¹⁰ + 18947 ⁹ - 640677 ⁸ + 3617057 ⁷ - 12991457 ⁶ + 35068897 ⁵ - 75755917 ⁴ + 135100697 ³ - 202348357 ² + 257002287 - 27818092	3 / ✗ 2 / ✗
	$10^a_{112} \quad -T^4 + 5T^3 - 11T^2 + 17T - 19$ $T^7 - 8T^6 + 29T^5 - 68T^4 + 115T^3 - 152T^2 + 175T - 180$ 157 ¹⁶ - 2557 ¹⁵ + 20687 ¹⁴ - 106997 ¹³ + 396507 ¹² - 1111607 ¹¹ + 2394017 ¹⁰ - 3813387 ⁹ + 3575957 ⁸ + 2152407 ⁷ - 19005907 ⁶ + 52520997 ⁵ - 104706527 ⁴ + 170626837 ³ - 237472577 ² + 287866487 - 30666904	4 / ✗ 2 / ✗		$10^a_{113} \quad 2T^3 - 11T^2 + 26T - 33$ $-5T^5 + 42T^4 - 167T^3 + 394T^2 - 623T + 720$ 1187 ¹² - 20167 ¹¹ + 156817 ¹⁰ - 711267 ⁹ + 1907127 ⁸ - 1874167 ⁷ - 8270537 ⁶ + 49358927 ⁵ - 149861467 ⁴ + 324562827 ³ - 546065357 ² + 738723807 - 81581546	3 / ✗ 1 / ✗
	$10^a_{114} \quad -2T^3 + 10T^2 - 21T + 27$ $T^5 - 8T^4 + 30T^3 - 78T^2 + 140T - 168$ 1427 ¹² - 22807 ¹¹ + 169767 ¹⁰ - 769767 ⁹ + 2309997 ⁸ - 4458767 ⁷ + 3694507 ⁶ + 8900447 ⁵ - 45544877 ⁴ + 112565197 ³ - 198907367 ² + 274316867 - 30450926	3 / ✗ 1 / ✗		$10^a_{115} \quad -T^3 + 9T^2 - 26T + 37$ 0 97 ¹² - 2617 ¹¹ + 33457 ¹⁰ - 249427 ⁹ + 1188707 ⁸ - 3659327 ⁷ + 6364977 ⁶ + 315277 ⁵ - 39077307 ⁴ + 134726497 ³ - 282980397 ² + 427989447 - 48929878	3 / ✗ 2 / ✓
	$10^a_{116} \quad -T^4 + 5T^3 - 12T^2 + 19T - 21$ $T^7 - 8T^6 + 30T^5 - 74T^4 + 132T^3 - 184T^2 + 217T - 228$ 157 ¹⁶ - 2557 ¹⁵ + 21117 ¹⁴ - 113027 ¹³ + 436687 ¹² - 1280237 ¹¹ + 2885757 ¹⁰ - 4823077 ⁹ + 4859857 ⁸ + 2150187 ⁷ - 24167117 ⁶ + 69420307 ⁵ - 141422467 ⁴ + 233746227 ³ - 328326557 ² + 400086977 - 42694444	4 / ✗ 2 / ✗		$10^a_{117} \quad 2T^3 - 10T^2 + 24T - 31$ $-5T^5 + 38T^4 - 144T^3 + 330T^2 - 522T + 600$ 1187 ¹² - 18247 ¹¹ + 131567 ¹⁰ - 563127 ⁹ + 1437467 ⁸ - 1282127 ⁷ - 6487317 ⁶ + 37010127 ⁵ - 110807177 ⁴ + 238442307 ³ - 39947307 ² + 540333527 - 59650184	3 / ✗ 2 / ✗
	$10^a_{118} \quad T^4 - 5T^3 + 12T^2 - 19T + 23$ 0 167 ¹⁶ - 2757 ¹⁵ + 23057 ¹⁴ - 125267 ¹³ + 493797 ¹² - 1490777 ¹¹ + 3520677 ¹⁰ - 6419877 ⁹ + 8251467 ⁸ - 3994947 ⁷ - 14580867 ⁶ + 56417847 ⁵ - 125898797 ⁴ + 217127567 ³ - 311879347 ² + 384321957 - 41152780	4 / ✗ 1 / ✓		$10^a_{119} \quad -2T^3 + 10T^2 - 23T + 31$ $-T^5 + 6T^4 - 26T^3 + 86T^2 - 175T + 220$ 1427 ¹² - 22887 ¹¹ + 173927 ¹⁰ - 815607 ⁹ + 2557197 ⁸ - 5218207 ⁷ + 4833547 ⁶ + 9905247 ⁵ - 56180507 ⁴ + 14499057 ³ - 263398357 ² + 369164187 - 41198798	3 / ✗ 1 / ✗
	$10^a_{120} \quad 8T^2 - 26T + 37$ $166T^3 - 692T^2 + 1433T - 1788$ -117687 ⁸ + 2013207 ⁷ - 15411327 ⁶ + 71939607 ⁵ - 231935627 ⁴ + 550984087 ³ - 1001011577 ² + 4121361867 - 159564534	2 / ✗ 2, 3 / ✗		$10^a_{121} \quad 2T^3 - 11T^2 + 27T - 35$ $5T^5 - 42T^4 + 167T^3 - 396T^2 + 634T - 732$ 1187 ¹² - 20167 ¹¹ + 158537 ¹⁰ - 734507 ⁹ + 2046057 ⁸ - 2323517 ⁷ - 7642517 ⁶ + 50542057 ⁵ - 158908537 ⁴ + 351606337 ³ - 599960797 ² + 818317487 - 90616328	3 / ✗ 2 / ✗
	$10^a_{122} \quad -2T^3 + 11T^2 - 24T + 31$ $-T^5 + 8T^4 - 34T^3 + 104T^2 - 211T + 264$ 1427 ¹² - 25127 ¹¹ + 203557 ¹⁰ - 993627 ⁹ + 3185357 ⁸ - 6570147 ⁷ + 6170407 ⁶ + 11996367 ⁵ - 68695797 ⁴ + 176632087 ³ - 319530917 ² + 446562227 - 49787168	3 / ✗ 2 / ✗		$10^a_{123} \quad T^4 - 6T^3 + 15T^2 - 24T + 29$ 0 167 ¹⁶ - 3307 ¹⁵ + 32167 ¹⁴ - 197707 ¹³ + 861707 ¹² - 2825007 ¹¹ + 7151627 ¹⁰ - 13887907 ⁹ + 19173507 ⁸ - 11697207 ⁷ - 28325207 ⁶ + 123637847 ⁵ - 286896607 ⁴ + 505601107 ³ - 735797007 ² + 913251587 - 98015944	4 / ✓ 2 / ✓
	$10^n_{124} \quad T^4 - T^3 + T - 1$ $-4T^7 - 6T^4 - 4T^2 - 6T$ 97 ¹⁵ - 257 ¹⁴ + 107 ¹³ + 757 ¹² - 1777 ¹¹ + 1557 ¹⁰ + 1137 ⁹ - 5707 ⁸ + 8507 ⁷ - 4287 ⁶ - 8247 ⁵ + 21677 ⁴ - 23407 ³ + 5107 ² + 23757 - 3832	4 / ✗ 4 / ✗		$10^n_{125} \quad T^3 - 2T^2 + 2T - 1$ $-T^5 + 2T^4 - 2T^3 + 3T - 4$ 87 ¹² - 507 ¹¹ + 1517 ¹⁰ - 2897 ⁹ + 4177 ⁸ - 5247 ⁷ + 5367 ⁶ - 1507 ⁵ - 11687 ⁴ + 39427 ³ - 81307 ² + 123147 - 14126	3 / ✗ 2 / ✗
	$10^n_{126} \quad T^3 - 2T^2 + 4T - 5$ $T^5 - 2T^4 + 10T^3 - 12T^2 + 22T - 20$ 87 ¹² - 507 ¹¹ + 1857 ¹⁰ - 4577 ⁹ + 6667 ⁸ - 1877 ⁷ - 30747 ⁶ + 107247 ⁵ - 244957 ⁴ + 437387 ³ - 646317 ² + 810727 - 87356	3 / ✗ 2 / ✗		$10^n_{127} \quad -T^3 + 4T^2 - 6T + 7$ $2T^5 - 14T^4 + 32T^3 - 52T^2 + 67T - 72$ 57 ¹² - 487 ¹¹ + 1287 ¹⁰ + 2897 ⁹ - 35517 ⁸ + 155547 ⁷ - 465897 ⁶ + 1092067 ⁵ - 2116257 ⁴ + 3483707 ³ - 4941077 ² + 6081547 - 651576	3 / ✗ 2 / ✗
	$10^n_{128} \quad 2T^3 - 3T^2 + T + 1$ $-13T^5 + 12T^4 - 3T^3 - 10T^2 - 9T + 12$ -267 ¹² + 2967 ¹¹ - 10717 ¹⁰ + 17507 ⁹ - 11077 ⁸ + 2877 ⁷ - 29387 ⁶ + 79597 ⁵ - 78207 ⁴ + 31757 ³ - 87277 ² + 283927 - 40368	3 / ✗ 3 / ✗		$10^n_{129} \quad 2T^2 - 6T + 9$ $-T^3 - 2T^2 + 14T - 20$ 627 ⁸ - 5687 ⁷ + 22807 ⁶ - 43087 ⁵ - 5537 ⁴ + 256167 ³ - 761257 ² + 1322587 - 157332	2 / ✓ 1 / ✗
	$10^n_{130} \quad 2T^2 - 4T + 5$ $T^3 - 2T^2 + 19T - 24$ 627 ⁸ - 3367 ⁷ + 9247 ⁶ - 15687 ⁵ + 2537 ⁴ + 83847 ³ - 286687 ² + 536287 - 65374	2 / ✗ 2 / ✗		$10^n_{131} \quad -2T^2 + 8T - 11$ $5T^3 - 38T^2 + 87T - 112$ 387 ⁸ - 2727 ⁷ - 5807 ⁶ + 127927 ⁵ - 664177 ⁴ + 2020967 ³ - 4226627 ² + 6464407 - 742870	2 / ✗ 1 / ✗
	$10^n_{132} \quad T^2 - T + 1$ $2T^2 + 5T - 4$ 47 ⁸ - 77 ⁷ + 127 ⁶ - 1457 ⁵ + 5087 ⁴ - 6317 ³ - 3227 ² + 21507 - 3150	2 / ✗ 1 / ✗		$10^n_{133} \quad -T^2 + 5T - 7$ $T^3 - 14T^2 + 37T - 48$ 37 ⁸ - 437 ⁷ + 167 ⁶ + 14897 ⁵ - 93227 ⁴ + 309457 ³ - 680477 ² + 1069547 - 123994	2 / ✗ 1 / ✗
	$10^n_{134} \quad 2T^3 - 4T^2 + 4T - 3$ $-13T^5 + 24T^4 - 33T^3 + 30T^2 - 41T + 40$ -267 ¹² + 3767 ¹¹ - 20567 ¹⁰ + 67607 ⁹ - 162487 ⁸ + 325687 ⁷ - 589517 ⁶ + 983167 ⁵ - 1501947 ⁴ + 2107387 ³ - 2732467 ² + 3241247 - 344346	3 / ✗ 3 / ✗		$10^n_{135} \quad 3T^2 - 9T + 13$ $T^3 - 6T^2 + 18T - 24$ 3217 ⁸ - 26137 ⁷ + 89057 ⁶ - 120337 ⁵ - 193297 ⁴ + 1324517 ³ - 3370257 ² + 5530027 - 647370	2 / ✗ 2 / ✗
	$10^n_{136} \quad -T^2 + 4T - 5$ $-T^3 + 4T^2 - 2T - 4$ 37 ⁸ - 367 ⁷ + 1897 ⁶ - 5127 ⁵ + 3477 ⁴ + 26607 ³ - 111427 ² + 226687 - 28354	2 / ✗ 1 / ✗		$10^n_{137} \quad T^2 - 6T + 11$ $-4T^2 + 24T - 44$ 47 ⁸ - 747 ⁷ + 5127 ⁶ - 14207 ⁵ - 11607 ⁴ + 210747 ³ - 729047 ² + 1409227 - 173900	2 / ✓ 1 / ✗
	$10^n_{138} \quad T^3 - 5T^2 + 8T - 7$ $-T^5 + 8T^4 - 22T^3 + 24T^2 - 11T + 8$ 87 ¹² - 1257 ¹¹ + 8557 ¹⁰ - 33747 ⁹ + 84587 ⁸ - 133287 ⁷ + 81737 ⁶ + 258637 ⁵ - 1146027 ⁴ + 2770377 ³ - 4973137 ² + 7022607 - 787812	3 / ✗ 2 / ✗		$10^n_{139} \quad T^4 - T^3 + 2T - 3$ $-4T^7 - 12T^4 + 5T^3 - 4T^2 - 16T + 12$ 97 ¹⁵ - 257 ¹⁴ - 3713 ¹³ + 1727 ¹² - 4257 ¹¹ + 2907 ¹⁰ + 9247 ⁹ - 30997 ⁸ + 43277 ⁷ - 17567 ⁶ - 52007 ⁵ + 121177 ⁴ - 118467 ³ + 15477 ² + 124517 - 19002	4 / ✗ 4 / ✗
	$10^n_{140} \quad T^2 - 2T + 3$ $8T - 8$ 47 ⁸ - 227 ⁷ + 907 ⁶ - 2927 ⁵ + 4247 ⁴ + 4307 ³ - 30567 ² + 64707 - 8104	2 / ✓ 2 / ✗		$10^n_{141} \quad -T^3 + 3T^2 - 4T + 5$ $T^3 - 8T^2 + 16T - 20$ 97 ¹² - 877 ¹¹ + 3967 ¹⁰ - 1507 ⁹ + 23827 ⁸ - 35167 ⁷ + 27467 ⁶ + 33977 ⁵ - 191487 ⁴ + 463597 ³ - 804767 ² + 1099367 - 121692	3 / ✗ 1 / ✗
	$10^n_{142} \quad 2T^3 - 3T^2 + 2T - 1$ $-13T^5 + 12T^4 - 13T^3 + 4T^2 - 17T + 12$ -267 ¹² + 2967 ¹¹ - 11557 ¹⁰ + 25827 ⁹ - 42767 ⁸ + 68127 ⁷ - 117497 ⁶ + 193927 ⁵ - 278787 ⁴ + 367987 ³ - 488917 ² + 629327 - 69706	3 / ✗ 3 / ✗		$10^n_{143} \quad T^3 - 3T^2 + 6T - 7$ $T^5 - 4T^4 + 15T^3 - 28T^2 + 45T - 48$ 87 ¹² - 757 ¹¹ + 3627 ¹⁰ - 11067 ⁹ + 20707 ⁸ - 10927 ⁷ - 76987 ⁶ + 338417 ⁵ - 862167 ⁴ + 1649277 ³ - 2548387 ² + 3278967 - 356170	3 / ✗ 1 / ✗

knot diag	n_k^l Alexander's ω^+ $(\rho_1)^+$	genus / ribbon unknotting # / amphi?	knot diag	n_k^l Alexander's ω^+ $(\rho_2)^+$	genus / ribbon unknotting # / amphi?
	10_{144}^n $-3T^2+10T-13$ $10T^3-44T^2+80T-96$ $2227^8-16427^7+31407^6+122527^5-943267^4+3071467^3-6516367^2+9984187-1147140$	2 / ✗ 2 / ✗		10_{145}^n T^2+T-3 $2T^3+8T^2-6T-8$ $-57^7+77^6+1137^5-1417^4-4657^3+7307^2+8507-2198$	2 / ✗ 2 / ✗
	10_{146}^n $2T^2-8T+13$ $T^3-8T^2+21T-28$ $627^8-6647^7+28447^6-45447^5-96637^4+713767^3-1971067^2+3403927-405394$	2 / ✗ 1 / ✗		10_{147}^n $-2T^2+7T-9$ $-3T^3+12T^2-15T+12$ $547^8-4887^7+16977^6-16947^5-83127^4+429057^3-1072227^2+1774927-208860$	2 / ✗ 1 / ✗
	10_{148}^n T^3-3T^2+7T-9 $T^5-4T^4+18T^3-36T^2+62T-68$ $87^{12}-757^{11}+3777^{10}-12097^9+23307^8-8647^7-119007^6+516777^5-1352617^4+2662077^3-4207467^2+5491607-599424$	3 / ✗ 2 / ✗		10_{149}^n $-T^3+5T^2-9T+11$ $2T^5-18T^4+55T^3-104T^2+149T-164$ $57^{12}-617^{11}+2267^{10}+3397^9-71957^8+388747^7-1357277^6+3571737^5-7538907^4+13182457^3-19451057^2+24475847-2640944$	3 / ✗ 2 / ✗
	10_{150}^n $-T^3+4T^2-6T+7$ $-2T^5+12T^4-26T^3+38T^2-45T+44$ $57^{12}-527^{11}+2167^{10}-3557^9-7197^8+65787^7-243617^6+645267^5-1371177^4+2431267^3-3647237^2+4649427-504136$	3 / ✗ 2 / ✗		10_{151}^n $T^3-4T^2+10T-13$ $-T^5+6T^4-21T^3+42T^2-66T+72$ $87^{12}-1007^{11}+6327^{10}-25297^9+66457^8-96067^7-58547^6+804667^5-2702697^4+6053787^3-10338397^2+14083627-1558600$	3 / ✗ 2 / ✗
	10_{152}^n $T^4-T^3-T^2+4T-5$ $4T^7-7T^5+18T^4-7T^3-12T^2+45T-52$ $97^{15}-147^{14}-927^{13}+3967^{12}-4197^{11}-12127^{10}+54447^9-96927^8+64127^7+114887^6-393447^5+552447^4-332347^3-301687^2+1021157-133894$	4 / ✗ 4 / ✗		10_{153}^n T^5-T^2-T+3 $T^5-2T^4+T^3+2T^2-T$ $87^{12}-177^{11}-467^{10}+2317^9-3817^8+3647^7-3677^6+1577^5+11427^4-28157^3+18747^2+21287-4572$	3 / ✓ 2 / ✗
	10_{154}^n T^3-4T+7 $-3T^5-6T^4+13T^3-47T+68$ $487^{10}-937^9-5467^8+23967^7-19567^6-83767^5+259067^4-238027^3-256907^2+1025407-140874$	3 / ✗ 3 / ✗		10_{155}^n $-T^3+3T^2-5T+7$ $-2T^5+12T^2-22T+28$ $97^{12}-877^{11}+4177^{10}-13217^9+30147^8-48067^7+36467^6+69177^5-347737^4+829637^3-1427817^2+1938367-214060$	3 / ✓ 2 / ✗
	10_{156}^n T^3-4T^2+8T-9 $T^5-6T^4+19T^3-30T^2+33T-32$ $87^{12}-1007^{11}+5947^{10}-21657^9+51207^8-68527^7-22087^6+412087^5-1342147^4+2930267^3-4934227^2+6681127-738218$	3 / ✗ 1 / ✗		10_{157}^n $-T^3+6T^2-11T+13$ $-2T^5+22T^4-78T^3+148T^2-218T+240$ $57^{12}-747^{11}+3407^{10}+3217^9-113147^8+676377^7-2509777^6+6880367^5-14934877^4+26611317^3-39740917^2+50344657-5444000$	3 / ✗ 2 / ✗
	10_{158}^n $-T^3+4T^2-10T+15$ $2T^2-7T+12$ $97^{12}-1167^{11}+7647^{10}-32757^9+97437^8-194227^7+184397^6+328987^5-1962717^4+5133747^3-9400257^2+13236147-1479452$	3 / ✗ 2 / ✗		10_{159}^n $T^3-4T^2+9T-11$ $T^5-6T^4+26T^3-60T^2+98T-112$ $87^{12}-1007^{11}+6097^{10}-22677^9+50477^8-32377^7-235137^6+1153627^5-3187397^4+6480937^3-10452477^2+13796597-1511358$	3 / ✗ 1 / ✗
	10_{160}^n $-T^3+4T^2-4T+3$ $-2T^5+12T^4-20T^3+14T^2-16T+12$ $57^{12}-527^{11}+1987^{10}-2557^9-5227^8+30927^7-84437^6+187567^5-375887^4+678587^3-1085687^2+1484447-165862$	3 / ✗ 2 / ✗		10_{161}^n T^3-2T+3 $3T^5+6T^4-3T^3+4T^2+14T-12$ $307^{10}-537^9-1457^8+6307^7-6747^6-8707^5+35917^4-44507^3+5817^2+61667-9640$	3 / ✗ 3 / ✗
	10_{162}^n $-3T^2+9T-11$ $10T^3-38T^2+58T-68$ $2227^8-14737^7+26097^6+88297^5-655437^4+2060797^3-4275367^2+6474987-741358$	2 / ✗ 2 / ✗		10_{163}^n $T^3-5T^2+12T-15$ $-T^5+8T^4-30T^3+62T^2-89T+96$ $87^{12}-1257^{11}+9237^{10}-41547^9+120407^8-197327^7-43457^6+1405757^5-5060527^4+11716537^3-20401937^2+28092247-3119648$	3 / ✗ 1, 2 / ✗
	10_{164}^n $3T^2-11T+17$ $T^3-10T^2+29T-40$ $3217^8-31797^7+127827^6-201037^5-328767^4+2540137^3-688337^2+11708387-1386922$	2 / ✗ 1 / ✗		10_{165}^n $-2T^2+10T-15$ $-5T^3+50T^2-146T+196$ $387^8-3447^7-8487^6+230207^5-1375557^4+4652567^3-10477057^2+16739147-1951560$	2 / ✗ 2 / ✗