

Run

```

In[ ]:= res = 800;
SetDirectory["C:\\drorbn\\Album\\2026.01.23_Le_Sepey_to_Aigle_Hike"];
fs = FileNames["*.gpx"]
data = DeleteCases[
  Union@Table["Geometry" /. Import[f, "Data"], {f, fs}],
  GeoPosition[[_ , None]], ∞
];
map0 = GeoGraphics[{Red, data}, GeoScaleBar → "Kilometers", ImageSize → res];
AllTracks = Get["../Summaries/AllTracks.m"];

Out[ ]:=
{2026-01-23_2760354320_Le Sépey to Aigle Hike.gpx}

» C:\drorbn\Album\Summaries

GeoPosition: GeoPosition[{{53.2316, 7.46333}, None}] is not a valid position specification.
In ..\2020.02.01_Groningen_to_Leer_Ride\PathInTimeline.gpx
removed GeoPosition[{{53.2316, 7.46333}, None}].

GeoPosition: GeoPosition[{{43.8711, -78.7311}, None}] is not a valid position specification.
In ..\2020.06.06_Darlington_Pickering_Toronto_Reverse_Ride\PathInTimeline.gpx
removed GeoPosition[{{43.8711, -78.7311}, None}].

GeoPosition: GeoPosition[{{43.6591, -79.4025}, None}] is not a valid position specification.
General: Further output of GeoPosition::invpos will be suppressed during this calculation.
In ..\2020.06.13_Sunnybrook_Park_Ride\PathInTimeline.gpx
removed GeoPosition[{{43.6591, -79.4025}, None}].
In ..\2020.06.20_Penetanguishene-Tiny_Ride\PathInTimeline.gpx
removed GeoPosition[{{44.7738, -79.9389}, None}].
In ..\2020.06.28_Eugenia_Collingwood_Ride\PathInTimeline.gpx
removed GeoPosition[{{44.3142, -80.5197}, None}].
In ..\2020.07.04_Bruce_Hike_1-Niagara_to_Welland\PathInTimeline.gpx
removed GeoPosition[{{43.1588, -79.0515}, None}].
In ..\2020.07.25_Collingwood-Tiny_Ride\PathFromTimeline.gpx
removed GeoPosition[{{44.4952, -80.2203}, None}].
In ..\2020.08.01_Bruce_Hike_3-Lake Moodie_to_Swayze_Falls\PathFromTimeline.gpx
removed GeoPosition[{{43.1075, -79.2492}, None}].
In ..\2020.08.08_Kinmount_Haliburton_Return_Ride\PathFromTimeline.gpx
removed GeoPosition[{{44.7816, -78.6525}, None}].
In ..\2022.05.07_Hike_Around_Nataf\Route_2022-05-07.gpx
removed GeoPosition[{{31.8317, 35.0661}, None}].

» C:\drorbn\Album\2026.01.23_Le_Sepey_to_Aigle_Hike

```

```
In[ ]:= Rasterize[  
  map = GeoGraphics[{Thickness[0.0016], Blue, AllTracks, Thickness[0.0024], Red, data},  
    GeoScaleBar → "Kilometers",  
    ImageSize → res,  
    GeoRange → (GeoRange /. Options[map0])  
  ],  
  RasterSize → res  
]  
Export["Path%.png", map];
```


Out[]=



```

In[ ]:= map3D = Echo@ResourceFunction["GeoElevationGraphics3D"] [
  {Thick, Blue, AllTracks, Red, data},
  GeoGridRangePadding → 0,
  GeoScaleBar → "Kilometers",
  ImageSize → res,
  GeoRange → (GeoRange /. Options[map0])
];
Export["Path3D.png", map3D]

```



```

Out[ ]:=
Path3D.png


```

```

In[ ]:= PathsLocation = Module[{R = 3000, r = 10, n = 6, res = 1000},
  ImageAssemble[
    Partition[#, 3] &@Table[
      Rasterize[
        GeoGraphics[
          {Blue, Thickness[(2 n - k) / 4000], AllTracks, Red, Thickness[(2 n - k) / 1500], data},
          GeoCenter → Mean@Cases[data, GeoPosition[L_List] :> Mean[L], ∞],
          GeoRange → Quantity[R (r / R)^(k-1) / (n-1), "Kilometers"],
          GeoScaleBar → "Kilometers",
          ImageSize → res
        ],
        RasterSize → res
      ],
      {k, n}],
    "Fit", Background → White]
  ]
Export["PathLocation.png", PathsLocation]
ResetDirectory[]

```

Out[]=



Out[]=

PathLocation.png

Out[]=

C:\Users\drorb

Image Directory

```
folder = "C:\\drorbn\\Album\\2026.01.23_Le_Sepey_to_Aigle_Hike";
SetDirectory[folder];
If[Head[PensieveDirectives] === List,
  ImageComments = "ImageComments" /. PensieveDirectives, ImageComments = {}];
(Interpretation[ImageResize[Import@#, 400], #] → (# /. ImageComments /. (# → ""))) & /@
  FileNames["*.jpg" | "*.jpeg" | "*.png" | "*.mp4"]
ResetDirectory[]
```

Export

```
PensieveDirectives = {
  "TitleNotes" → "13km, very downhill.",
  "ImageComments" → {}
}
```