

^ Frameset

*Frame	Size: XS Alpha Silver Aluminum, curved top tube, internal derailleur & dropper post routing, rack and kickstand mount, 13 ThruSkew
	Size: S , M , ML , L , XL , XXL Alpha Silver Aluminum, internal derailleur & dropper post routing, rack and kickstand mount, 135x5mm ThruSke
*Fork	Size: XS , S RockShox Judy Silver, Solo Air spring, rebound adjust, TurnKey hydraulic lockout, 42mm offset for 27.5" wheel, 110mm travel
	Size: M , ML , L , XL , XXL RockShox Judy Silver, Solo Air spring, rebound adjust, TurnKey hydraulic lockout, 46mm offset for 29" wheel, 101mm travel

^ Wheels

Hub front	Formula DC-20 LW, alloy, 6-bolt, 100x5mm
Hub rear	Formula DC-22LW, 6-bolt, Shimano 8/9/10 freehub, 135x5mm
Skewer rear	173x5mm QR (/ca/en_CA/p/W5294991) .
*Rim	Size: XS , S , M , ML , L , XL , XXL Bontrager Kovee, double-wall, Tubeless Ready, 28-hole, 23mm width, Presta valve (/ca/en_CA/p/5295603) .
	Size: M , ML , L , XL , XXL Bontrager Kovee, double-wall, Tubeless Ready, 32-hole, 23mm width, Presta valve (/ca/en_CA/p/5308695) .
*Tire	Size: XS , S Maxxis Rekon, tubeless ready, EXO casing, folding bead, 60tpi, 27.5x2.40"
	Size: M , ML , L , XL , XXL Maxxis Rekon, tubeless ready, EXO casing, folding bead, 60tpi, 29x2.40"
Rim strip	Bontrager TLR (/ca/en_CA/p/W5269143) .

^ Drivetrain

Shifter	SRAM SX Eagle, 12 speed
Rear derailleur	SRAM NX Eagle, 12 speed
*Crank	Size: XS , S , M SRAM SX Eagle, 30T steel ring (49mm chainline), 170 mm length

	Size: ML , L , XL , XXL SRAM SX Eagle, 30T steel ring (49mm chainline), 175 mm length
Bottom bracket	Truvativ Powerspline, 73mm, threaded cartridge, 118mm spindle
Cassette	SRAM PG-1210 Eagle, 11-50, 12 speed
Chain	SRAM SX Eagle, 12 speed
Pedal	VP-536 nylon platform (/ca/en_CA/p/W5307128).

^ Components	
Saddle	Bontrager Verse Short, stainless steel rails (/ca/en_CA/p/5333090).
*Seatpost	Size: XS , S TranzX JD-YSI34, 100mm travel, internal routing, 31.6mm, 350mm length
	Size: M TranzX JD-YSI34, 125mm travel, internal routing, 31.6mm, 405mm length
	Size: ML , L TranzX JD-YSI34, 150mm travel, internal routing, 31.6mm, 456mm length
	Size: XL , XXL TranzX JD-YSI34, 170mm travel, internal routing, 31.6mm, 500mm length
*Handlebar	Size: XS Bontrager alloy, 31.8mm, 5mm rise, 690mm width
	Size: S Bontrager alloy, 31.8mm, 15mm rise, 720mm width
	Size: M , ML , L , XL , XXL Bontrager alloy, 31.8mm, 15mm rise, 750mm width
Grips	Trek Line Comp, nylon lock-on (/ca/en_CA/p/5330248).
*Stem	Size: XS , S Bontrager Comp, 31.8mm, 7 degree, 35mm length
	Size: M , ML , L Bontrager Comp, 31.8mm, Blendr compatible, 7 degree, 50mm length
	Size: XL Bontrager Comp, 31.8mm, Blendr compatible, 7 degree, 60mm length (/ca/en_CA/p/W565208).
	Size: XXL

	Bontrager Comp, 31.8mm, Blendr compatible, 7 degree, 70mm length (/ca/en_CA/p/567621)
Headset	Semi-integrated, 1-1/8"
Brake	Shimano MT200 hydraulic disc
*Brake rotor	Size: XS , S , M , ML , L , XL , XXL Shimano RT26, 6-bolt, 160mm
	Size: M , ML , L , XL , XXL Shimano RT26, 6-bolt, 180mm
Brake Set	Shimano MT200 hydraulic disc

^ Weight	
Weight	M - 14.15 kg / 31.2 lbs
Weight limit	This bike has a maximum total weight limit (combined weight of bicycle, rider, and cargo) of 300 pounds (136 k